

PartNumber	Description
BL1.5-1	Dosing pump, 110/115V, 1.5 lph (0.4 gph)
BL1.5-2	Dosing pump, 220/240V, 1.5 lph (0.4 gph)
BL10-1	Dosing pump, 110/115V, 10.8 lph (2.9 gph)
BL10-2	Dosing pump, 220/240V, 10.8 lph (2.9 gph)
BL15-1	Dosing pump, 110/115V, 15.2 lph (4.0 gph)
BL15-2	Dosing pump, 220/240V, 15.2 lph (4.0 gph)
BL20-1	Dosing pump, 110/115V, 18.3 lph (4.8 gph)
BL20-2	Dosing pump, 220/240V, 18.3 lph (4.8 gph)
BL3-1	Dosing pump, 110/115V, 2.9 lph (0.8 gph)
BL3-2	Dosing pump, 220/240V, 2.9 lph (0.8 gph)
BL5-1	Dosing pump, 110/115V, 5.0 lph (1.3 gph)
BL5-2	Dosing pump, 220/240V, 5.0 lph (1.3 gph)
BL7-1	Dosing pump, 110/115V, 7.6 lph (2.0 gph)
BL7-2	Dosing pump, 220/240V, 7.6 lph (2.0 gph)
BL7914-1	Multirange dosing pumps, 115V
BL7914-2	Multirange dosing pumps, 230V
BL7916-1	pH controller/pump 110/115V with tubing & power cable
BL7916-2	pH controller/pump 220/240V with tubing & power cable
BL7917-1	ORP controller/pump 110/115V with tubing & power cable
BL7917-2	ORP controller/pump 220/240V with tubing & power cable
BL931700-0	New pH minicontroller 0.00 - 14 pH 12VDC
BL931700-1	New pH minicontroller 0.00 - 14 pH 115V
BL932700-0	New ORP minicontroller 0 - 1000 mV 12VDC
BL932700-1	New ORP minicontroller 0-1000 mV 115V
BL981411-0	New pH minicontroller 0.0 - 14 pH 12VDC
BL981411-1	New pH minicontroller 0.0 -14 pH 115V
BL982411-0	New ORP minicontroller 0 - 1000 mV 12VDC
BL982411-1	New ORP minicontroller 0 -1000 mV 115V
BL983313-0	New EC & TDS minicontroller 0-1999uS 12VDC
BL983313-1	New EC & TDS minicontroller 0-1999uS 115V
BL983314-0	New resistivity minicontroller 0.00-19.90mS/cm 12VDC
BL983314-1	New resistivity minicontroller 0.00-19.9mS/cm 115V
BL983315-0	New EC & TDS minicontroller 0.0-199.9ppm 12VDC
BL983315-1	New EC & TDS minicontroller 0.0-199.9ppm 115V
BL983317-0	New EC & TDS minicontroller 0.00-10.00 mS/cm 12VDC
BL983317-1	New EC & TDS minicontroller 0.00-10.00 mS/cm 115V
BL983318-0	New EC & TDS minicontroller 0.00-10.00ppt 12VDC
BL983318-1	New EC & TDS minicontroller 0.00-10.00ppt 115V
BL983319-0	New EC & TDS minicontroller 0-1999ppm 12VDC
BL983319-1	New EC & TDS minicontroller 0-1999ppm 115V
BL983320-0	New EC & TDS minicontroller 0.0-199.9 uS/cm 12VDC

BL983320-1	New EC & TDS minicontroller 0.0-199.9 uS/cm 115V
BL983321-0	New EC & TDS minicontroller 0.00-19.99ppm 12VDC
BL983321-1	New EC & TDS minicontroller 0.00-19.99ppm 115V
BL983322-0	New EC & TDS minicontroller 0.00-19.99uS 12VDC
BL983322-1	New EC & TDS minicontroller 0.00-19.99uS 115V
BL983324-0	New EC & TDS minicontroller 0.0-49.9ppm 12VDC
BL983324-1	New EC & TDS minicontroller 0.0-49.9ppm 115V
BL983327-0	New EC & TDS minicontroller 0.00-10.00mS 12VDC
BL983327-1	New EC & TDS minicontroller 0.00-10.00mS 115V
BL983329-0	New EC & TDS minicontroller 0-999ppm 12VDC
BL983329-1	New EC & TDS minicontroller 0-999 ppm 115V
DEMI-02	Demineralized bottle for 0.2 liters
DEMI-05	Demineralized bottle for 500 ml
DEMI-10	Demineralized bottle for 1.0 liters
DiST®7	Cup style low range EC/TDS Tester
DiST®8	Cup style high range EC/TDS Tester
EC214	Multi-range EC Bench meter with manual temperature compensation
EC215	Multi-range EC Bench meter with ATC and analog output
EC215R	Multi-range EC Bench meter with ATC and analog output
FC098	Stainless steel blade for FC230 & FC231meat penetration pH electrode
FC099	Stainless steel blade for FC230 & FC231meat penetration pH electrode
FC100B	pH combination electrode Kynar-body, double junction, refillable, BNC, 1m cable
FC100D	pH combination electrode Kynar-body, double junction, refillable, DIN, 1m cable
FC100U	pH combination electrode, Kynar-body, double junction, refillable, DIN
FC200B	pH combination electrode Kynar-body, conic, Viscolene, BNC, 1m cable
FC200D	pH combination electrode Kynar-body, conic, Viscolene, DIN, 1m cable
FC200S	pH combination electrode Kynar-body, conic, Viscolene, screw connector
FC200U	pH combination electrode, Kynar-body, conic, US Standard Connector
FC201D	Intelligent pH electrode, built-in temp. sensor and amplifier, Kynar-body, conic, Viscolene, DIN, 1m cable
FC202D	Intelligent pH electrode, built-in temp. sensor and amplifier, Kynar-body, Viscolene, DIN, 1m cable
FC203D	FoodCare pH electrode with built-in temperature sensor, Amplified, glass-body, DIN, 1m
FC210B	pH combination electrode glass-body, double junction, conic, Viscolene, BNC, 1m
FC210D	pH combination electrode glass-body, double junction, conic, Viscolene, DIN, 1m
FC210U	pH combination electrode, glass-body, double junction, conic, US Standard connector
FC211D	pH combination electrode glass-body, double junction, viscolene., built-in temperature sensor., DIN, 1m
FC212D	Intelligent. pH combination electrode with built-in temp. sensor, amplified., glass-body, DIN, 1m
FC220B	pH combination electrode glass-body, 3 ceramic, refillable, BNC, 1m cable
FC220D	pH combination electrode glass-body, refillable 3 ceramic., DIN, 1m cable
FC220U	pH combination electrode glass-body, refillable 3 ceramic, US Standard Connector, 1m cable
FC230B	pH combination electrode with thread for knife, Kynar body, Viscolene, BNC, 1m
FC230D	pH combination electrode with thread for knife, Kynar body, Viscolene, DIN, 1m cable
FC230U	pH combination electrode with thread for knife, Kynar body, Viscolene, US Standard, 1m cable

FC231D	pH combination electrode with thread for knife, Kynar body, Viscolene, DIN, 1m
FC232D	pH electrode for HI99163
FC240B	pH combination electrode with small diameter conic tip for food/cheese stainless body, Viscolene, DIN
FC250B	FoodCare pH combination electrode with small diameter conic tip for food, cheese glass body, Viscolene, DIN
FC260B	pH electrode, half cell, for HI84229
FC300B	Sodium combination electrode, glass body, refillable, BNC, 1m cable
FC300D	Sodium combination electrode, glass body, refillable, DIN, 1m cable
FC300U	Sodium combination electrode, glass body, refillable, US, 1m cable
FC301B	Fluoride single electrode, Ultem body, BNC, 1m cable
FC400B	Heavy duty pH combination electrode for HACCP, PVDF body, Viscolene, BNC, 1m
FC400D	Heavy duty pH combination electrode for HACCP, PVDF body, Viscolene, DIN 1m
FC911B	pH combination electrode Kynar-body, double-junction, refillable, built in amplifier., BNC, 1m
FC911D	pH combination electrode Kynar-body, double-junction, refillable, built in amplifier., DIN, 1m
FC911U	pH combination electrode Kynar-body, double-junction, refillable, built in amplifier, US, 1m
HI1001	pH combination electrode, double junction, BNC connector, 3m cable
HI1001/1	pH combination electrode, double junction, BNC connector, 1m cable
HI1001/10	pH combination electrode, double junction, BNC connector, 10m cable
HI1002/10	Standard model pH electrode with 10m (33.3') cable
HI1002/3	Standard model pH electrode with 3m (10') cable
HI1002/5	Standard model pH electrode with 5m (16.5') cable
HI1003/3	pH electrode with built-in matching pin & 3m (10') cable
HI1003/5	pH electrode with built-in matching pin & 5m (16.5') cable
HI1004/5	pH electrode with built-in matching pin, amplifier & 5m (16.5') cable
HI1005	pH electrode for PCA 320 with matching pin and PT 100
HI1006/5	pH electrode, flat bulb, inline
HI1006-1005	pH electrode with Teflon junction, LT sensor, BNC, 5m cable
HI1006-1007	pH electrode with Teflon junction, LT sensor, BNC, 07m cable
HI1006-1010	pH electrode with Teflon junction, LT sensor, BNC, 10m cable
HI1006-1015	pH electrode with Teflon junction, LT sensor, BNC, 15m cable
HI1006-1105	pH electrode with Teflon junction, LT sensor, wire, 5m cable
HI1006-1110	pH electrode with Teflon junction, LT sensor, wire, 10m cable
HI1006-1115	pH electrode with Teflon junction, LT sensor, wire, 15m cable
HI1006-1205	pH electrode with Teflon junction, LT sensor, BNC, Pt100, 5m cable
HI1006-1210	pH electrode with Teflon junction, LT sensor, BNC, Pt100, 10m cable
HI1006-1215	pH electrode with Teflon junction, LT sensor, BNC, Pt100, 15m cable
HI1006-1305	pH electrode with Teflon junction, LT sensor, wire, Pt100, 5m cable
HI1006-1310	pH electrode with Teflon junction, LT sensor, wire, Pt100, 10m cable
HI1006-1315	pH electrode with Teflon junction, LT sensor, wire, Pt100, 15m cable
HI1006-1405	pH electrode with Teflon junction, LT sensor, BNC, Pt1000, 5m cable
HI1006-1410	pH electrode with Teflon junction, LT sensor, BNC, Pt1000, 10m cable
HI1006-1415	pH electrode with Teflon junction, LT sensor, BNC, Pt1000, 15m cable
HI1006-1505	pH electrode with Teflon junction, LT sensor, wire, Pt1000, 5m cable
HI1006-1510	pH electrode with Teflon junction, LT sensor, wire, Pt1000, 10m cable

HI1006-1515	pH electrode with Teflon junction, LT sensor, wire, Pt1000, 15m cable
HI1006-1615	amplified pH electrode with Teflon junction, LT sensor, BNC, 15m cable
HI1006-1625	amplified pH electrode with Teflon junction, LT sensor, BNC, 25m cable
HI1006-1650	amplified pH electrode with Teflon junction, LT sensor, BNC, 50m cable
HI1006-1675	amplified pH electrode with Teflon junction, LT sensor, BNC, 75m cable
HI1006-1715	amplified pH electrode with Teflon junction, LT sensor, BNC, Pt100, 15m cable
HI1006-1725	amplified pH electrode with Teflon junction, LT sensor, BNC, Pt100, 25m cable
HI1006-1750	amplified pH electrode with Teflon junction, LT sensor, BNC, Pt100, 50m cable
HI1006-1775	amplified pH electrode with Teflon junction, LT sensor, BNC, Pt100, 75m cable
HI1006-2005	pH electrode with Teflon junction, GP sensor, BNC, 5m cable
HI1006-2007	pH electrode with Teflon junction, GP sensor, BNC, 7m cable
HI1006-2010	pH electrode with Teflon junction, GP sensor, BNC, 10m cable
HI1006-2015	pH electrode with Teflon junction, GP sensor, BNC, 15m cable
HI1006-2105	pH electrode with Teflon junction, GP sensor, wire, 5m cable
HI1006-2110	pH electrode with Teflon junction, GP sensor, wire, 10m cable
HI1006-2115	pH electrode with Teflon junction, GP sensor, wire, 15m cable
HI1006-2205	pH electrode with Teflon junction, GP sensor, BNC, Pt100, 5m cable
HI1006-2210	pH electrode with Teflon junction, GP sensor, BNC, Pt100, 10m cable
HI1006-2215	pH electrode with Teflon junction, GP sensor, BNC, Pt100, 15m cable
HI1006-2305	pH electrode with Teflon junction, GP sensor, wire, Pt100, 5m cable
HI1006-2310	pH electrode with Teflon junction, GP sensor, wire, Pt100, 10m cable
HI1006-2315	pH electrode with Teflon junction, GP sensor, wire, Pt100, 15m cable
HI1006-2405	pH electrode with Teflon junction, GP sensor, BNC, Pt1000, 5m cable
HI1006-2410	pH electrode with Teflon junction, GP sensor, BNC, Pt1000, 10m cable
HI1006-2415	pH electrode with Teflon junction, GP sensor, BNC, Pt1000, 15m cable
HI1006-2505	pH electrode with Teflon junction, GP sensor, wire, Pt1000, 5m cable
HI1006-2510	pH electrode with Teflon junction, GP sensor, wire, Pt1000, 10m cable
HI1006-2515	pH electrode with Teflon junction, GP sensor, wire, Pt1000, 15m cable
HI1006-2615	amplified pH electrode with Teflon junction, GP sensor, BNC, 15m cable
HI1006-2625	amplified pH electrode with Teflon junction, GP sensor, BNC, 25m cable
HI1006-2650	amplified pH electrode with Teflon junction, GP sensor, BNC, 50m cable
HI1006-2675	amplified pH electrode with Teflon junction, GP sensor, BNC, 75m cable
HI1006-2715	amplified pH electrode with Teflon junction, GP sensor, BNC, Pt100, 15m cable
HI1006-2725	amplified pH electrode with Teflon junction, GP sensor, BNC, Pt100, 25m cable
HI1006-2750	amplified pH electrode with Teflon junction, GP sensor, BNC, Pt100, 50m cable
HI1006-2775	amplified pH electrode with Teflon junction, GP sensor, BNC, Pt100, 75m cable
HI1006-3005	pH electrode with Teflon junction, HT sensor, BNC, 5m cable
HI1006-3007	pH electrode, PVC body, flat tip with guard
HI1006-3010	pH electrode with Teflon junction, HT sensor, BNC, 10m cable
HI1006-3015	pH electrode with Teflon junction, HT sensor, BNC, 15m cable
HI1006-3105	pH electrode with Teflon junction, HT sensor, wire, 5m cable
HI1006-3110	pH electrode with Teflon junction, HT sensor, wire, 10m cable
HI1006-3115	pH electrode with Teflon junction, HT sensor, wire, 15m cable

HI1006-3205	pH electrode with Teflon junction, HT sensor, BNC, Pt100, 5m cable
HI1006-3210	pH electrode with Teflon junction, HT sensor, BNC, Pt100, 10m cable
HI1006-3215	pH electrode with Teflon junction, HT sensor, BNC, Pt100, 15m cable
HI1006-3305	pH electrode with Teflon junction, HT sensor, wire, Pt100, 5m cable
HI1006-3310	pH electrode with Teflon junction, HT sensor, wire, Pt100, 10m cable
HI1006-3315	pH electrode with Teflon junction, HT sensor, wire, Pt100, 15m cable
HI1006-3405	pH electrode with Teflon junction, HT sensor, BNC, Pt1000, 5m cable
HI1006-3410	pH electrode with Teflon junction, HT sensor, BNC, Pt1000, 10m cable
HI1006-3415	pH electrode with Teflon junction, HT sensor, BNC, Pt1000, 15m cable
HI1006-3505	pH electrode with Teflon junction, HT sensor, wire, Pt1000, 5m cable
HI1006-3510	pH electrode with Teflon junction, HT sensor, wire, Pt1000, 10m cable
HI1006-3515	pH electrode with Teflon junction, HT sensor, wire, Pt1000, 15m cable
HI1006-3615	amplified pH electrode with Teflon junction, HT sensor, wire, BNC, 15m cable
HI1006-3625	amplified pH electrode with Teflon junction, HT sensor, wire, BNC, 25m cable
HI1006-3650	amplified pH electrode with Teflon junction, HT sensor, wire, BNC, 50m cable
HI1006-3675	amplified pH electrode with Teflon junction, HT sensor, wire, BNC, 75m cable
HI1006-3715	amplified pH electrode with Teflon junction, HT sensor, wire, BNC, Pt100, 15m cable
HI1006-3725	amplified pH electrode with Teflon junction, HT sensor, wire, BNC, Pt100, 25m cable
HI1006-3750	amplified pH electrode with Teflon junction, HT sensor, wire, BNC, Pt100, 50m cable
HI1006-3775	amplified pH electrode with Teflon junction, HT sensor, wire, BNC, Pt100, 75m cable
HI1006-4005	pH electrode with Teflon junction, HF sensor, BNC, 5m cable
HI1006-4010	pH electrode with Teflon junction, HF sensor, BNC, 10m cable
HI1006-4015	pH electrode with Teflon junction, HF sensor, BNC, 15m cable
HI1006-4105	pH electrode with Teflon junction, HF sensor, wire, 5m cable
HI1006-4110	pH electrode with Teflon junction, HF sensor, wire, 10m cable
HI1006-4115	pH electrode with Teflon junction, HF sensor, wire, 15m cable
HI1006-4205	pH electrode with Teflon junction, HF sensor, BNC, Pt100, 5m cable
HI1006-4210	pH electrode with Teflon junction, HF sensor, BNC, Pt100, 10m cable
HI1006-4215	pH electrode with Teflon junction, HF sensor, BNC, Pt100, 15m cable
HI1006-4305	pH electrode with Teflon junction, HF sensor, wire, Pt100, 5m cable
HI1006-4310	pH electrode with Teflon junction, HF sensor, wire, Pt100, 10m cable
HI1006-4315	pH electrode with Teflon junction, HF sensor, wire, Pt100, 15m cable
HI1006-4405	pH electrode with Teflon junction, HF sensor, BNC, Pt1000, 5m cable
HI1006-4410	pH electrode with Teflon junction, HF sensor, BNC, Pt1000, 10m cable
HI1006-4415	pH electrode with Teflon junction, HF sensor, BNC, Pt1000, 15m cable
HI1006-4505	pH electrode with Teflon junction, HF sensor, wire, Pt1000, 5m cable
HI1006-4510	pH electrode with Teflon junction, HF sensor, wire, Pt1000, 10m cable
HI1006-4515	pH electrode with Teflon junction, HF sensor, wire, Pt1000, 15m cable
HI1006-4615	amplified pH electrode with Teflon junction, HF sensor, BNC, 15m cable
HI1006-4625	amplified pH electrode with Teflon junction, HF sensor, BNC, 25m cable
HI1006-4650	amplified pH electrode with Teflon junction, HF sensor, BNC, 50m cable
HI1006-4675	amplified pH electrode with Teflon junction, HF sensor, BNC, 75m cable
HI1006-4715	amplified pH electrode with Teflon junction, HF sensor, BNC, Pt100, 15m cable

HI1006-4725	amplified pH electrode with Teflon junction, HF sensor, BNC, Pt100, 25m cable
HI1006-4750	amplified pH electrode with Teflon junction, HF sensor, BNC, Pt100, 50m cable
HI1006-4775	amplified pH electrode with Teflon junction, HF sensor, BNC, Pt100, 75m cable
HI101	pH electrode with PVC-body, BNC, submersible
HI101/3	Holder with 3m cable
HI101/5	Holder with 5m cable
HI1010S	pH electrode, glass body, screw type
HI1016-1005	pH electrode with ceramic junction, LT sensor, BNC, 5m cable
HI1016-1010	pH electrode with ceramic junction, LT sensor, BNC, 10m cable
HI1016-1015	pH electrode with ceramic junction, LT sensor, BNC, 15m cable
HI1016-1105	pH electrode with ceramic junction, LT sensor, wire, 5m cable
HI1016-1110	pH electrode with ceramic junction, LT sensor, wire, 10m cable
HI1016-1115	pH electrode with ceramic junction, LT sensor, wire, 15m cable
HI1016-1205	pH electrode with ceramic junction, LT sensor, BNC, Pt100, 5m cable
HI1016-1210	pH electrode with ceramic junction, LT sensor, BNC, Pt100, 10m cable
HI1016-1215	pH electrode with ceramic junction, LT sensor, BNC, Pt100, 15m cable
HI1016-1305	pH electrode with ceramic junction, LT sensor, wire, Pt100, 5m cable
HI1016-1310	pH electrode with ceramic junction, LT sensor, wire, Pt100, 10m cable
HI1016-1315	pH electrode with ceramic junction, LT sensor, wire, Pt100, 15m cable
HI1016-1405	pH electrode with ceramic junction, LT sensor, BNC, Pt1000, 5m cable
HI1016-1410	pH electrode with ceramic junction, LT sensor, BNC, Pt1000, 10m cable
HI1016-1415	pH electrode with ceramic junction, LT sensor, BNC, Pt1000, 15m cable
HI1016-1505	pH electrode with ceramic junction, LT sensor, wire, Pt1000, 5m cable
HI1016-1510	pH electrode with ceramic junction, LT sensor, wire, Pt1000, 10m cable
HI1016-1515	pH electrode with ceramic junction, LT sensor, wire, Pt1000, 15m cable
HI1016-1615	amplified pH electrode with ceramic junction, LT sensor, BNC, 15m cable
HI1016-1625	amplified pH electrode with ceramic junction, LT sensor, BNC, 25m cable
HI1016-1650	amplified pH electrode with ceramic junction, LT sensor, BNC, 50m cable
HI1016-1675	amplified pH electrode with ceramic junction, LT sensor, BNC, 75m cable
HI1016-1715	amplified pH electrode with ceramic junction, LT sensor, BNC, Pt100, 15m cable
HI1016-1725	amplified pH electrode with ceramic junction, LT sensor, BNC, Pt100, 25m cable
HI1016-1750	amplified pH electrode with ceramic junction, LT sensor, BNC, Pt100, 50m cable
HI1016-1775	amplified pH electrode with ceramic junction, LT sensor, BNC, Pt100, 75m cable
HI1016-2005	pH electrode with ceramic junction, GP sensor, BNC, 5m cable
HI1016-2010	pH electrode with ceramic junction, GP sensor, BNC, 10m cable
HI1016-2015	pH electrode with ceramic junction, GP sensor, BNC, 15m cable
HI1016-2105	pH electrode with ceramic junction, GP sensor, wire, 5m cable
HI1016-2110	pH electrode with ceramic junction, GP sensor, wire, 10m cable
HI1016-2115	pH electrode with ceramic junction, GP sensor, wire, 15m cable
HI1016-2205	pH electrode with ceramic junction, GP sensor, BNC, Pt100, 5m cable
HI1016-2210	pH electrode with ceramic junction, GP sensor, BNC, Pt100, 10m cable
HI1016-2215	pH electrode with ceramic junction, GP sensor, BNC, Pt100, 15m cable
HI1016-2305	pH electrode with ceramic junction, GP sensor, wire, Pt100, 5m cable

HI1016-2310	pH electrode with ceramic junction, GP sensor, wire, Pt100, 10m cable
HI1016-2315	pH electrode with ceramic junction, GP sensor, wire, Pt100, 15m cable
HI1016-2405	pH electrode with ceramic junction, GP sensor, BNC, Pt1000, 5m cable
HI1016-2410	pH electrode with ceramic junction, GP sensor, BNC, Pt1000, 10m cable
HI1016-2415	pH electrode with ceramic junction, GP sensor, BNC, Pt1000, 15m cable
HI1016-2505	pH electrode with ceramic junction, GP sensor, wire, Pt1000, 5m cable
HI1016-2510	pH electrode with ceramic junction, GP sensor, wire, Pt1000, 10m cable
HI1016-2515	pH electrode with ceramic junction, GP sensor, wire, Pt1000, 15m cable
HI1016-2615	amplified pH electrode with ceramic junction, GP sensor, BNC, 15m cable
HI1016-2625	amplified pH electrode with ceramic junction, GP sensor, BNC, 25m cable
HI1016-2650	amplified pH electrode with ceramic junction, GP sensor, BNC, 50m cable
HI1016-2675	amplified pH electrode with ceramic junction, GP sensor, BNC, 75m cable
HI1016-2715	amplified pH electrode with ceramic junction, GP sensor, BNC, Pt100, 15m cable
HI1016-2725	amplified pH electrode with ceramic junction, GP sensor, BNC, Pt100, 25m cable
HI1016-2750	amplified pH electrode with ceramic junction, GP sensor, BNC, Pt100, 50m cable
HI1016-2775	amplified pH electrode with ceramic junction, GP sensor, BNC, Pt100, 75m cable
HI1016-3005	pH electrode with ceramic junction, HT sensor, BNC, 5m cable
HI1016-3010	pH electrode with ceramic junction, HT sensor, BNC, 10m cable
HI1016-3015	pH electrode with ceramic junction, HT sensor, BNC, 15m cable
HI1016-3105	pH electrode with ceramic junction, HT sensor, wire, 5m cable
HI1016-3110	pH electrode with ceramic junction, HT sensor, wire, 10m cable
HI1016-3115	pH electrode with ceramic junction, HT sensor, wire, 15m cable
HI1016-3205	pH electrode with ceramic junction, HT sensor, BNC, Pt100, 5m cable
HI1016-3210	pH electrode with ceramic junction, HT sensor, BNC, Pt100, 10m cable
HI1016-3215	pH electrode with ceramic junction, HT sensor, BNC, Pt100, 15m cable
HI1016-3305	pH electrode with ceramic junction, HT sensor, wire, Pt100, 5m cable
HI1016-3310	pH electrode with ceramic junction, HT sensor, wire, Pt100, 10m cable
HI1016-3315	pH electrode with ceramic junction, HT sensor, wire, Pt100, 15m cable
HI1016-3405	pH electrode with ceramic junction, HT sensor, BNC, Pt1000, 5m cable
HI1016-3410	pH electrode with ceramic junction, HT sensor, BNC, Pt1000, 10m cable
HI1016-3415	pH electrode with ceramic junction, HT sensor, BNC, Pt1000, 15m cable
HI1016-3505	pH electrode with ceramic junction, HT sensor, wire, Pt1000, 5m cable
HI1016-3510	pH electrode with ceramic junction, HT sensor, wire, Pt1000, 10m cable
HI1016-3515	pH electrode with ceramic junction, HT sensor, wire, Pt1000, 15m cable
HI1016-3615	amplified pH electrode with ceramic junction, HT sensor, BNC, 15m cable
HI1016-3625	amplified pH electrode with ceramic junction, HT sensor, BNC, 25m cable
HI1016-3650	amplified pH electrode with ceramic junction, HT sensor, BNC, 50m cable
HI1016-3675	amplified pH electrode with ceramic junction, HT sensor, BNC, 75m cable
HI1016-3715	amplified pH electrode with ceramic junction, HT sensor, BNC, Pt100, 15m cable
HI1016-3725	amplified pH electrode with ceramic junction, HT sensor, BNC, Pt100, 25m cable
HI1016-3750	amplified pH electrode with ceramic junction, HT sensor, BNC, Pt100, 50m cable
HI1016-3775	amplified pH electrode with ceramic junction, HT sensor, BNC, Pt100, 75m cable
HI1016-4005	pH electrode with ceramic junction, HF sensor, BNC, 5m cable

HI1016-4010	pH electrode with ceramic junction, HF sensor, BNC, 10m cable
HI1016-4015	pH electrode with ceramic junction, HF sensor, BNC, 15m cable
HI1016-4105	pH electrode with ceramic junction, HF sensor, wire, 5m cable
HI1016-4110	pH electrode with ceramic junction, HF sensor, wire, 10m cable
HI1016-4115	pH electrode with ceramic junction, HF sensor, wire, 15m cable
HI1016-4205	pH electrode with ceramic junction, HF sensor, BNC, Pt100, 5m cable
HI1016-4210	pH electrode with ceramic junction, HF sensor, BNC, Pt100, 10m cable
HI1016-4215	pH electrode with ceramic junction, HF sensor, BNC, Pt100, 15m cable
HI1016-4305	pH electrode with ceramic junction, HF sensor, wire, Pt100, 5m cable
HI1016-4310	pH electrode with ceramic junction, HF sensor, wire, Pt100, 10m cable
HI1016-4315	pH electrode with ceramic junction, HF sensor, wire, Pt100, 15m cable
HI1016-4405	pH electrode with ceramic junction, HF sensor, BNC, Pt1000, 5m cable
HI1016-4410	pH electrode with ceramic junction, HF sensor, BNC, Pt1000, 10m cable
HI1016-4415	pH electrode with ceramic junction, HF sensor, BNC, Pt1000, 15m cable
HI1016-4505	pH electrode with ceramic junction, HF sensor, wire, Pt1000, 5m cable
HI1016-4510	pH electrode with ceramic junction, HF sensor, wire, Pt1000, 10m cable
HI1016-4515	pH electrode with ceramic junction, HF sensor, wire, Pt1000, 15m cable
HI1016-4615	amplified pH electrode with ceramic junction, HF sensor, BNC, 15m cable
HI1016-4625	amplified pH electrode with ceramic junction, HF sensor, BNC, 25m cable
HI1016-4650	amplified pH electrode with ceramic junction, HF sensor, BNC, 50m cable
HI1016-4675	amplified pH electrode with ceramic junction, HF sensor, BNC, 75m cable
HI1016-4715	amplified pH electrode with ceramic junction, HF sensor, BNC, Pt100, 15m cable
HI1016-4725	amplified pH electrode with ceramic junction, HF sensor, BNC, Pt100, 25m cable
HI1016-4750	amplified pH electrode with ceramic junction, HF sensor, BNC, Pt100, 50m cable
HI1016-4775	amplified pH electrode with ceramic junction, HF sensor, BNC, Pt100, 75m cable
HI102	pH electrode, PVC body, BNC connector, inline
HI1026-2005	pH electrode with open junction, GP sensor, BNC, 5m cable
HI1026-2010	pH electrode with open junction, GP sensor, BNC, 10m cable
HI1026-2015	pH electrode with open junction, GP sensor, BNC, 15m cable
HI1026-2105	pH electrode with open junction, GP sensor, wire, 5m cable
HI1026-2110	pH electrode with open junction, GP sensor, wire, 10m cable
HI1026-2115	pH electrode with open junction, GP sensor, wire, 15m cable
HI1026-2205	pH electrode with open junction, GP sensor, BNC, Pt100, 5m cable
HI1026-2210	pH electrode with open junction, GP sensor, BNC, Pt100, 10m cable
HI1026-2215	pH electrode with open junction, GP sensor, BNC, Pt100, 15m cable
HI1026-2305	pH electrode with open junction, GP sensor, wire, Pt100, 5m cable
HI1026-2310	pH electrode with open junction, GP sensor, wire, Pt100, 10m cable
HI1026-2315	pH electrode with open junction, GP sensor, wire, Pt100, 15m cable
HI1026-2405	pH electrode with open junction, GP sensor, BNC, Pt1000, 5m cable
HI1026-2410	pH electrode with open junction, GP sensor, BNC, Pt1000, 10m cable
HI1026-2415	pH electrode with open junction, GP sensor, BNC, Pt1000, 15m cable
HI1026-2505	pH electrode with open junction, GP sensor, wire, Pt1000, 5m cable
HI1026-2510	pH electrode with open junction, GP sensor, wire, Pt1000, 10m cable

HI1026-2515	pH electrode with open junction, GP sensor, wire, Pt1000, 15m cable
HI1026-2615	amplified pH electrode with open junction, GP sensor, BNC, 15m cable
HI1026-2625	amplified pH electrode with open junction, GP sensor, BNC, 25m cable
HI1026-2650	amplified pH electrode with open junction, GP sensor, BNC, 50m cable
HI1026-2675	amplified pH electrode with open junction, GP sensor, BNC, 75m cable
HI1026-2715	amplified pH electrode with open junction, GP sensor, BNC, Pt100, 15m cable
HI1026-2725	amplified pH electrode with open junction, GP sensor, BNC, Pt100, 25m cable
HI1026-2750	amplified pH electrode with open junction, GP sensor, BNC, Pt100, 50m cable
HI1026-2775	amplified pH electrode with open junction, GP sensor, BNC, Pt100, 75m cable
HI102F	pH sensor holder 3/4"
HI1030B	pH electrode, glass-body, single junction, refillable, BNC
HI103B/3	pH electrode, glass-body
HI1040S	pH combination electrode, glass-body, double junction, refillable, screw connector
HI1043B	pH combination electrode, glass-body, double junction, refillable, BNC, 1m cable
HI1043D	pH combination electrode, glass-body, double junction, refillable, DIN, 1m cable
HI1043P	pH combination electrode with pin, glass-body, double junction, refillable, BNC, 1m cable
HI1043U	pH combination electrode with pin, glass-body, double junction, refillable, US, 1m cable
HI1048B	pH combination electrode with Clogging Prevention System for wine measurement, BNC, 1M cable
HI1048B/50	Mini Titrator pH electrode , BNC, 0.5M cable
HI1048D	pH combination electrode with Clogging Prevention System for wine measurement, DIN, 1M cable
HI1048P	pH electrode with pin for wine measurement, 1m cable
HI1048S	pH electrode, wine measure, for HI222W
HI1050S	pH combination electrode, glass-body, triple ceramic., conic shape, refillable, screw connector
HI1053B	pH combination electrode, glass-body, triple ceramic., conic shape, refillable, BNC, 1m cable
HI1053D	pH combination electrode, glass-body, triple ceramic., conic shape, refillable., DIN, 1m cable
HI1053P	pH combination electrode with pin, glass-body, triple ceramic., conic shape, refillable., BNC, 1m cable
HI1053U	pH combination electrode with pin, glass-body, triple ceramic., conic shape, refillable., US, 1m cable
HI1083B	pH combination electrode, glass-body, Micro, Viscolene, non-refillable, BNC, 1m cable
HI1083D	pH combination electrode, glass-body, Micro, Viscolene, DIN, 1m cable
HI1083P	pH combination electrode with pin, glass-body, Micro, Viscolene, non-refillable, BNC, 1m cable
HI1083U	pH combination electrode with pin, glass-body, Micro, Viscolene, non-refillable, US, 1m cable
HI1090B/10	HI1090B with 10 mt cable
HI1090B/5	pH electrode, glass-body, ground-glass double junction, polypropylene-filled, BNC, 5m cable
HI1090B/6	pH electrode, glass-body, ground-glass double junction, polypropylene-filled, BNC, 6m cable
HI1090T	Glass body combination pH electrode, double junction, T-type connector
HI1093B	pH electrode for NMR tubes, glass-body, single junction, spheric tip, BNC, 1m cable
HI110	Bench pH meter, 3 cal points, pH/C, small casing
HI111	Bench pH meter, 3 cal points, pH/mV/C, small casing
HI1110B	pH combination electrode for pH 20 and pH 21, glass-body, refillable, BNC, 1m cable
HI1110S	pH combination electrode for pH 20 and pH 21, glass-body, refillable, screw connector, 1m cable
HI1110T	pH combination electrode, glass-body, refillable, T-type connector, 1m cable
HI1111S	pH combination electrode, glass-body, refillable, screw connector
HI1115S	pH electrode, glass-body, refillable with sidearm, screw connector

HI112	Bench pH meter, 5 cal points, pH/C, small casing
HI113	Bench pH meter, 5 cal points, pH/C/mV, small casing
HI1130B/3	pH electrode, glass-body, gel filled, BNC, 3m cable
HI1131B	pH combination electrode, glass-body, refillable, BNC, 1m cable
HI1131D	pH combination electrode, glass-body, refillable, DIN, 1m cable
HI1131P	pH combination electrode with pin, glass-body, refillable, BNC, 1m cable
HI1131U	pH combination electrode with pin, glass-body, refillable, US, 1m cable
HI1135B	pH combination electrode for continuous monitoring with high pressure., BNC, 1m cable
HI1143B	pH combination electrode for samples with hydrofluoric acid, BNC, 1m cable
HI1143D	pH combination electrode for samples with hydrofluoric acid, DIN, 1m cable
HI1144B	pH combination electrode for tris buffer, BNC, 1m cable
HI1144D	pH combination electrode for tris buffer, DIN, 1m cable
HI1153B	pH combination electrode for samples with hydrofluoric acid, DIN, 1m cable
HI1153D	pH combination electrode for mineral water samples, DIN, 1m cable
HI1197T	pH electrode, hard glass-body with Ag/AgCl
HI1198T	pH combination electrode, T-type connector
HI1199T	pH electrode, hard glass-body with Vetroind membrane
HI120	Bench pH meter, 5 cal points, large casing
HI1207	pH electrode, plastic, gel filled, screw connector
HI1208	pH electrode, plastic, gel filled, BNC
HI121	Bench ISE meter, large casing
HI1210B/10	pH electrode, Ultem body, double junction, polypropylene-filled, 12mm diameter, BNC, 16.5', 10m cable
HI1210B/5	pH electrode, Ultem body, double junction, polypropylene-filled, 12mm diameter, BNC, 16.5', 5m cable
HI1210S	pH combination electrode, Ultem-body, double junction, gel filled, screw connector
HI1210T	pH electrode, Ultem body, double junction, gel-filled, 12mm diameter, screw cap & PG 13.5 thread
HI1211	NEMA box with mini controller
HI12110	12VDC NEMA box for one mini controller
HI1211T	pH electrode, Ultem body, double junction, polypropylene-filled, screw cap & PG 13.5 thread
HI12170	Spare pH/C screw type electrode for HI9214
HI1217-6	Spare pH electrode for HI83140
HI1217D	pH combination electrode with built-in temp. sensor, amplifier, Ultem, DIN, 1m cable
HI1217S	pH combination electrode with built-in temp. sensor, Ultem body, gel filled
HI1219	pH combination electrode polypropylene-body, single junction, gel-filled, fiber junction, BNC
HI122	Bench pH meter, 5 cal points, printer, large casing
HI1220	EC/TDS probe for HI981409 and HI981410
HI1222	Nema Box for two mini-controllers
HI12220	12 VDC Box for two mini controllers
HI1222L	Nema Box for 504 and 710 controllers plus assembly
HI123	ISE bench meter, printer, large casing
HI1230B	pH combination electrode, Ultem body, double junction, gel-filled, BNC, 1m cable
HI1230B/3	pH combination electrode, Ultem body, double junction, gel-filled, BNC, 3m cable
HI1230B/5	pH combination electrode, Ultem body, double junction, gel-filled, BNC, 5m cable
HI1230D	pH combination electrode, Ultem-body, double junction, gel-filled, DIN, 1m cable

HI1230U	pH combination electrode, Ultem-body, double junction, gel-filled, US, 1m cable
HI1270	pH electrode, polypropylene body, gel filled, screw connector
HI1280	pH amplified electrode with built-in temperature sensor, gel filled
HI1283	Grounding bar with 1m (3.3') cable
HI1285	pH /EC combination electrode PVC body, gel filled, fiber junction, DIN connector
HI1285-0	pH /EC/TDS probe for HI9811-0, HI9812-0, HI9813-0 with 8-pin DIN connector & 1m cable
HI1285-5	pH /EC/TDS probe for HI9811-5, HI9812-5, HI9813-5 with 8-pin DIN connector & 1m cable
HI1285-6	pH /EC/TDS/°C probe with Cal-Check feature for HI9813-6, with 8-pin DIN connector & 1m cable
HI1286	pH electrode Ultem body, double junction, gel filled, teflon junction, BNC, 1m
HI1288	pH /EC combination electrode PVC body, gel filled, single junction, temp. sensor., DIN, 1m
HI1290	pH combination amplified electrode with built-in temp. sensor, polypropylene. body, gel-filled
HI1291D	pH combination electrode Ultem body, gel filled, single junction, temperature sensor, 0.5 mt cable
HI1292D	pH combination electrode glass body, refillable, single junction, temp. sensor., DIN, 1m
HI1293	Spare pH electrode for HI991401
HI1293D	pH electrode with DIN connector
HI1294	Temperature probe for HI991401
HI1295	pH combination amplified electrode with built-in temp. sensor, polypropylene. body, gel-filled
HI1296D	pH combination electrode Ultem body, gel filled, single junction, temp. sensor
HI1297D	pH /ORP combination electrode Ultem body, gel filled, single junction, temp. sensor
HI1310S	pH combination electrode, glass-body, semi-micro, refillable, screw connector
HI1311S	pH combination electrode, glass-body, semi-micro, refillable, screw connector
HI1312S	pH combination electrode Ultem body double-junction, refillable, screw connector
HI1330B	pH combination electrode, glass-body, semi-micro, refillable, BNC, 1m cable
HI1330D	pH combination electrode, glass-body, semi-micro, refillable, DIN, 1m cable
HI1330P	pH combination electrode with pin, glass-body, semi-micro, refillable, BNC, 1m cable
HI1330U	pH combination electrode with pin, glass-body, semi-micro, refillable, US, 1m cable
HI1331B	pH combination electrode, glass-body, semi-micro, refillable, BNC, 1m cable
HI1331D	pH combination electrode, glass-body, semi-micro, refillable, DIN, 1m cable
HI1331U	pH combination electrode, glass-body, semi-micro, refillable, US, 1m cable
HI1332B	pH combination electrode Ultem body, double-junction, refillable, BNC, 1m cable
HI1332D	pH combination electrode Ultem body, double-junction, refillable, DIN, 1m cable
HI1332P	pH double junction ultem electrode with pin
HI1332U	pH double junction ultem electrode, US
HI1333B	pH combination electrode Ultem body double-junction, refillable, BNC, 1m cable
HI1343B	pH combination electrode for tris buffer, Ultem body single-ceramic junction, BNC, 1m cable
HI1343D	pH combination electrode for tris buffer, Ultem body single-ceramic junction, DIN, 1m cable
HI140A	Temperature datalogger -30.0 to 70.0°C
HI140AH	Temperature datalogger with hook -30.0 to 70.0°C
HI140B	Temperature datalogger -10.0 to 30.0°C
HI140BH	Temperature datalogger with hook -10.0 to 30.0°C
HI140C	Temperature datalogger -30.0 to 10.0°C
HI140CH	Temperature datalogger with hook -30.0 to 10.0°C
HI140D	Temperature datalogger 20.0 to 60.0°C

HI140DH	Temperature datalogger with hook 20.0 to 60.0°C
HI140E	Temperature datalogger -30.0 to -10.0°C
HI140EH	Temperature datalogger with hook -30.0 to -10.0°C
HI140F	Temperature datalogger 20.0 to 40.0°C
HI140FH	Temperature datalogger with hook 20.0 to 40.0°C
HI140G	Temperature datalogger -5.0 to 15.0°C
HI140GH	Temperature datalogger with hook -5.0 to 15.0°C
HI140H	Temperature datalogger 10 to 120°C
HI140HH	Temperature datalogger with hook 10 to 120°C
HI141000	Windows compatible software for HI141
HI141001	Infrared transmitter for HI141
HI1413B	pH combination electrode, glass-body, viscolene, BNC, 1m cable
HI1413B/50	pH combination electrode glass-body, flat tip, gel filled, BNC, 1m cable
HI1413S/50	pH combination electrode glass-body, flat tip, gel filled, screw cap connector
HI1414D	pH electrode for HI99171
HI1414D/50	pH electrode for HI99181
HI141A	NTC thermo logger with internal sensor -40.0 to 80.0°C
HI141AH	NTC thermo logger with internal sensor & hook -40.0 to 80.0°C
HI141B	NTC thermo logger with external sensor -40.0 to 125.0°C
HI141BH	NTC thermo logger with external sensor & hook -40.0 to 125.0°C
HI141BH/10	NTC thermo logger with hook and external sensor with 10m cable -40.0 to 125.0°C
HI141BH/15	NTC thermo logger with hook and external sensor with 15m cable -40.0 to 125.0°C
HI141BH/20	NTC thermo logger with hook and external sensor with 20m cable -40.0 to 125.0°C
HI141BH/25	NTC thermo logger with hook and external sensor with 25m cable -40.0 to 125.0°C
HI141BH/3	NTC thermo logger with hook and external sensor with 3m cable -40.0 to 125.0°C
HI141C	NTC thermo logger, LCD, internal sensor -20.0 to 70.0°C
HI141CH	NTC thermo logger, LCD, internal sensor & hook -20.0 to 70.0°C
HI141D	NTC thermo logger, LCD, external sensor -40.0 to 125.0°C
HI141DH	NTC thermo logger, LCD, external sensor & hook -40.0 to 125.0°C
HI141DH/10	NTC thermo logger with hook, LCD, and external sensor with 10m cable -40.0 to 125.0°C
HI141DH/2	NTC thermo logger with hook, LCD, and external sensor with 2m cable -40.0 to 125.0°C
HI141DH/20	NTC thermo logger with hook, LCD, and external sensor with 20m cable -40.0 to 125.0°C
HI141DH/5	NTC thermo logger with hook, LCD, and external sensor with 5m cable -40.0 to 125.0°C
HI141DHS/5	NTC thermo logger with hook, LCD, and external penetration sensor with 5m cable -40.0 to 125.0°C
HI141E	NTC thermo logger, internal & external sensor
HI141EH	NTC thermo logger, internal & external sensor
HI141EH/2	NTC thermo logger, internal & external sensor with 2m cable
HI141F	NTC thermo logger, 2 external sensors -40.0 to 125.0°C
HI141FH	NTC thermo logger, 2 external sensors & hook -40.0 to 125.0°C
HI141G	NTC thermo logger, LCD, internal & external sensor
HI141GH	NTC thermo logger, LCD, internal & external sensor -40.0 to 125.0°C
HI141GH/2	NTC thermo logger with hook, LCD, internal & external sensor with 2m cable -40.0 to 125.0°C
HI141J	NTC thermo logger, LCD, 2 ext. sensors -40.0 to 125.0°C

HI141JH	NTC thermo logger, LCD, 2 ext. sensors, hook -40.0 to 125.0°C
HI141JH/2	NTC thermo logger with hook, LCD, 2 ext. sensors with 2m cable -40.0 to 125.0°C
HI141JH/5	NTC thermo logger with hook, LCD, 2 ext. sensors with 5m cable -40.0 to 125.0°C
HI142A	Thermo logger for HI 504903 -30.0 to 70.0°C
HI142AH	Thermo logger with hook for HI 504903 -30.0 to 70.0°C
HI142B	Thermo logger for HI 504903 -10.0 to 30.0°C
HI142BH	Thermo logger with hook for HI 504903 -10.0 to 30.0°C
HI142C	Thermo logger for HI 504903 -30.0 to 10.0°C
HI142CH	Thermo logger with hook for HI 504903 -30.0 to 10.0°C
HI142D	Thermo logger for HI 504903 -20.0 to 60.0°C
HI142DH	Thermo logger with hook for HI 504903 -20.0 to 60.0°C
HI142E	Thermo logger for HI 504903 -30.0 to -10.0°C
HI142EH	Thermo logger with hook for HI 504903 -30.0 to -10.0°C
HI142F	Thermo logger for HI 504903 20.0 to 40.0°C
HI142FH	Thermo logger with hook for HI 504903 20.0 to 40.0°C
HI142G	Thermo logger for HI 504903 -5.0 to 15.0°C
HI142GH	Thermo logger with hook for HI 504903 -5.0 to 15.0°C
HI142H	Thermo logger for HI 504903 10 to 120°C
HI142HH	Thermo logger with hook for HI 504903 10 to 120°C
HI143	Mini Thermo logger with wallmount cradle and lock
HI143-00	HI143 logger with HI143001 RS cradle
HI143001	Cradle for HI143 with RS
HI143002	Cradle for HI143 with USB connection
HI143-10	HI143 logger with HI143002 USB cradle
HI144-00	T-shaped thermistor thermometer, ±1° C accuracy
HI144-01	T-shaped thermistor thermometer, ±2° F accuracy
HI145-00	T-shaped thermistor thermometer, °C
HI145-01	T-shaped thermistor thermometer, °F
HI145-20	T-shaped thermistor thermometer, °C
HI145-30	T-shaped thermistor thermometer, °F
HI146-00	Wall-mounting thermometer (°C) with Cal-Check
HI146-01	Wall-mounting thermometer (°F) with Cal-Check
HI146-99	Wall-mounting waterproof thermometer (°C) with Cal-Check
HI147-00	Check-fridge thermometer (°C) with battery
HI147-01	Check-fridge thermometer (°F) with battery
HI148-00	Temperature indicator (°C) with visual high alarm
HI148-01	Temperature indicator (°F) with visual high alarm
HI149-00	High temperature pocket thermometer (°C)
HI149-01	High temperature pocket thermometer (°F)
HI150-00	Temperature indicator with visual low alarm & relay output
HI150-10	Temperature indicator with visual high alarm & relay output
HI151-00	Checktemp®4C folding probe thermometer (°C)
HI151-001	Checktemp®4C folding probe thermometer (°C) with certificate

HI151-01	Checktemp®4F folding probe thermometer (°F)
HI151-011	Checktemp®4F folding probe thermometer (°F) with certificate
HI1610D	pH combination electrode glass-body, refillable, built-in temp. sensor, 1m cable
HI1611D	pH combination electrode glass-body, gel-filled, built-in temp. sensor, DIN, 1m cable
HI1612D	pH combination electrode glass-body, triple ceramic., refillable, built-in temperature sensor., DIN, 1m
HI1615D	Intelligent pH combination electrode with built-in temp. sensor, amplifier, refillable, DIN, 1 m
HI1616D	Intelligent pH combination electrode with built-in temp. sensor, amplifier, gel fill., 1 m
HI1617D	Intelligent pH combination electrode with built-in temp. sensor, amplifier, DIN, 1 m
HI1618D	Intelligent pH combination electrode with built-in temp. sensor, amplifier, Ultem, DIN, 1m
HI1618D/3	Intelligent pH combination electrode with built-in temp. sensor, amplifier, Ultem, DIN, 3m
HI1618D/5	Intelligent pH combination electrode with built-in temp. sensor, amplifier, Ultem, DIN, 5m
HI180A-1	Magnetic stirrer, light yellow 110/115V
HI180A-2	Magnetic stirrer, light yellow 220/240V
HI180B-1	Magnetic stirrer, light sea-green 110/115V
HI180B-2	Magnetic stirrer, light sea-green 220/240V
HI180C-1	Magnetic stirrer, light blue 110/115V
HI180C-2	Magnetic stirrer, light blue 220/240V
HI180D-1	Magnetic stirrer, yellow 110/115V
HI180D-2	Magnetic stirrer, yellow 220/240V
HI180E-1	Magnetic stirrer, green 110/115V
HI180E-2	Magnetic stirrer, green 220/240V
HI180F-1	Magnetic stirrer, dark blue 110/115V
HI180F-2	Magnetic stirrer, dark blue 220/240V
HI180G-1	Magnetic stirrer, red 110/115V
HI180G-2	Magnetic stirrer, red 220/240V
HI180H-1	Magnetic stirrer, grey 110/115V
HI180H-2	Magnetic stirrer, grey 220/240V
HI180I-1	Magnetic stirrer, ivory 110/115V
HI180I-2	Magnetic stirrer, ivory 220/240V
HI190M-0	Magnetic mini stirrer, ABS cover, 12VDC
HI190M-1	Magnetic mini stirrer, ABS cover, 110/115V
HI190M-2	Magnetic mini stirrer, ABS cover, 220/240V
HI2001	ORP/Pt combination electrode, double junction, BNC connector
HI2002/3	Standard model ORP/Pt electrode with 3m (10') cable
HI2002/5	Standard model ORP/Pt electrode with 5m (16.5') cable
HI2003/3	ORP/Pt electrode with built-in matching pin & 3m (10') cable
HI2003/5	ORP/Pt electrode with built-in matching pin & 5m (16.5') cable
HI2004/5	ORP/Pt electrode with built-in matching pin, amplifier & 5m (16.5') cable
HI2004-1005	ORP electrode with Teflon junction, Pt sensor, BNC, 5m cable
HI2004-1007	ORP electrode, platinum
HI2004-1010	ORP electrode with Teflon junction, Pt sensor, BNC, 10m cable
HI2004-1015	ORP electrode with Teflon junction, Pt sensor, BNC, 15m cable
HI2004-1105	ORP electrode with Teflon junction, Pt sensor, wire, 5m cable

HI2004-1110	ORP electrode with Teflon junction, Pt sensor, wire, 10m cable
HI2004-1115	ORP electrode with Teflon junction, Pt sensor, wire, 15m cable
HI2004-1615	amplified ORP electrode with Teflon junction, Pt sensor, BNC, 15m cable
HI2004-1625	amplified ORP electrode with Teflon junction, Pt sensor, BNC, 25m cable
HI2004-1650	amplified ORP electrode with Teflon junction, Pt sensor, BNC, 50m cable
HI2004-1675	amplified ORP electrode with Teflon junction, Pt sensor, BNC, 75m cable
HI2004-2005	ORP electrode with Teflon junction, Gold sensor, BNC, 5m cable
HI2004-2007	ORP electrode with Teflon junction, Gold sensor, BNC, 7m cable
HI2004-2010	ORP electrode with Teflon junction, Gold sensor, BNC, 10m cable
HI2004-2015	ORP electrode with Teflon junction, Gold sensor, BNC, 15m cable
HI2004-2105	ORP electrode with Teflon junction, Gold sensor, wire, 5m cable
HI2004-2110	ORP electrode with Teflon junction, Gold sensor, wire, 10m cable
HI2004-2115	ORP electrode with Teflon junction, Gold sensor, wire, 15m cable
HI2004-2615	amplified ORP electrode with Teflon junction, Gold sensor, BNC, 15m cable
HI2004-2625	amplified ORP electrode with Teflon junction, Gold sensor, BNC, 25m cable
HI2004-2650	amplified ORP electrode with Teflon junction, Gold sensor, BNC, 50m cable
HI2004-2675	amplified ORP electrode with Teflon junction, Gold sensor, BNC, 75m cable
HI2005/5	ORP/Au electrode with built-in matching pin, amplifier & 5m (16.5') cable
HI2006/5	ORP electrode, flat bulb, in-line
HI2008	PCA330 ORP electrode
HI200M-1	Magnetic mini stirrer, stainless steel cover, 110/115V
HI200M-2	Magnetic mini stirrer, stainless steel cover, 220/240V
HI201	ORP electrode, PVC body, BNC, submersible
HI2012/3	Standard model ORP/Au electrode with 3m (10') cable
HI2012/5	Standard model ORP/Au electrode with 5m (16.5') cable
HI2013/3	ORP/Au electrode with built-in matching pin & 3m (10') cable
HI2013/5	ORP/Au electrode with built-in matching pin & 5m (16.5') cable
HI2014-1005	ORP electrode. with ceramic junction, Pt sensor, BNC, 5m cable
HI2014-1010	ORP electrode. with ceramic junction, Pt sensor, BNC, 10m cable
HI2014-1015	ORP electrode. with ceramic junction, Pt sensor, BNC, 15m cable
HI2014-1105	ORP electrode. with ceramic junction, Pt sensor, wire, 5m cable
HI2014-1110	ORP electrode. with ceramic junction, Pt sensor, wire, 10m cable
HI2014-1115	ORP electrode. with ceramic junction, Pt sensor, wire, 15m cable
HI2014-1615	amplified ORP electrode with ceramic junction, Pt sensor, BNC, 15m cable
HI2014-1625	amplified ORP electrode with ceramic junction, Pt sensor, BNC, 25m cable
HI2014-1650	amplified ORP electrode with ceramic junction, Pt sensor, BNC, 50m cable
HI2014-1675	amplified ORP electrode with ceramic junction, Pt sensor, BNC, 75m cable
HI2014-2005	ORP electrode with ceramic junction, Gold sensor, BNC, 5m cable
HI2014-2010	ORP electrode with ceramic junction, Gold sensor, BNC, 10m cable
HI2014-2015	ORP electrode with ceramic junction, Gold sensor, BNC, 15m cable
HI2014-2105	ORP electrode with ceramic junction, Gold sensor, wire, 5m cable
HI2014-2110	ORP electrode with ceramic junction, Gold sensor, wire, 10m cable
HI2014-2115	ORP electrode with ceramic junction, Gold sensor, wire, 15m cable

HI2014-2615	amplified ORP electrode with ceramic junction, Gold sensor, BNC, 15m cable
HI2014-2625	amplified ORP electrode with ceramic junction, Gold sensor, BNC, 25m cable
HI2014-2650	amplified ORP electrode with ceramic junction, Gold sensor, BNC, 50m cable
HI2014-2675	amplified ORP electrode with ceramic junction, Gold sensor, BNC, 75m cable
HI2020S	pH combination electrode, glass-body, semi-micro, conic, screw connector
HI2024-1005	ORP electrode with open junction, Pt sensor, BNC, 5m cable
HI2024-1010	ORP electrode with open junction, Pt sensor, BNC, 10m cable
HI2024-1015	ORP electrode with open junction, Pt sensor, BNC, 15m cable
HI2024-1105	ORP electrode with open junction, Pt sensor, wire, 5m cable
HI2024-1110	ORP electrode with open junction, Pt sensor, wire, 10m cable
HI2024-1115	ORP electrode with open junction, Pt sensor, wire, 15m cable
HI2024-1615	amplified ORP electrode with open junction, Pt sensor, BNC, 15m cable
HI2024-1625	amplified ORP electrode with open junction, Pt sensor, BNC, 25m cable
HI2024-1650	amplified ORP electrode with open junction, Pt sensor, BNC, 50m cable
HI2024-1675	amplified ORP electrode with open junction, Pt sensor, BNC, 75m cable
HI2024-2005	ORP electrode with open junction, Gold sensor, BNC, 5m cable
HI2024-2010	ORP electrode with open junction, Gold sensor, BNC, 10m cable
HI2024-2015	ORP electrode with open junction, Gold sensor, BNC, 15m cable
HI2024-2105	ORP electrode with open junction, Gold sensor, wire, 5m cable
HI2024-2110	ORP electrode with open junction, Gold sensor, wire, 10m cable
HI2024-2115	ORP electrode with open junction, Gold sensor, wire, 15m cable
HI2024-2615	amplified ORP electrode with open junction, Gold sensor, BNC, 15m cable
HI2024-2625	amplified ORP electrode with open junction, Gold sensor, BNC, 25m cable
HI2024-2650	amplified ORP electrode with open junction, Gold sensor, BNC, 50m cable
HI2024-2675	amplified ORP electrode with open junction, Gold sensor, BNC, 75m cable
HI2031B	pH combination electrode, glass-body, semi-micro, conic, refillable, BNC, 1m cable
HI2031D	pH combination electrode, glass-body, semi-micro, conic, refillable, DIN, 1m cable
HI2031U	pH combination electrode, glass-body, semi-micro, conic, refillable, US, 1m cable
HI207	Educational pH meter
HI208	Educational pH meter with stirrer
HI2110B	pH single electrode, glass-body, BNC, 1m cable
HI21111-1	pH controller, 1 SP, ON/OFF control & analog output, 115 VAC
HI21111-2	pH controller, 1 SP, ON/OFF control & analog output, 230 VAC
HI2111B	pH half cell electrode for strong alkaline solutions, glass-body, conic, refillable, BNC, 1m cable
HI2112B	pH half cell electrode for strong alkaline solutions, Ultem-body, conic, refillable, BNC, 1m cable
HI2114P	pH electrode, BNC and Plug, gel filled, fiber junction, PEI body, 1 mt cable
HI2114P/2	pH combination electrode Ultem body, double junction, gel-filled, BNC, 2m cable
HI21211-1	pH controller, 2 SP, ON/OFF control & analog output, 115 VAC
HI21211-2	pH controller, 2 SP, ON/OFF control & analog output, 230 VAC
HI21221-1	pH controller, 2 SP, proportional, ON/OFF, analog output, 115 VAC
HI21221-2	pH controller, 2 SP, proportional, ON/OFF, analog output, 230 VAC
HI21222-1	pH controller, 2 SP, proportional, ON/OFF, RS485 output, 115 VAC
HI21222-2	pH controller, 2 SP, proportional, ON/OFF, RS485 output, 230 VAC

HI21523-1	pH controller, analog output ON/OFF, PID, RS485 & analog output, 115 V
HI21523-2	pH controller, analog output ON/OFF, PID, RS485 & analog output, 230 V
HI216	Multi-range EC/Resistivity Bench meter with temperature compensation
HI2210-01	Bench pH meter, 2 points calibration, 0.01 resolution, 115V
HI2210-02	Bench pH meter, 2 points calibration, 0.01 resolution, 230V
HI2211-01	Bench pH/mV meter, 2 points calibration, 0.01 resolution, 115V
HI2211-02	Bench pH/mV meter, 2 points calibration, 0.01 resolution, 230V
HI2212-01	pH BENCH METER, CUSTOM LCD, 12/115 VAC
HI2213-01	pH/ORP BENCH METER, CUSTOM LCD, 12/115 VAC
HI2214-01	pH/ORP BENCH METER, USB, 115 VAC
HI2215-01	pH/ORP BENCH METER, USB, 12 VDC/115 VAC
HI2216-01	pH/ORP/ISE BENCH METER, 115 VAC
HI2223-01	pH/ORP BENCH METER, USB, REAL TIME, 12VDC/115 VAC
HI2221-01	pH/ORP BENCH METER, USB, REAL TIME, 12 VDC/115 VAC
HI22111-1	ORP controller, 1 SP, ON/OFF control & analog output, 115 VAC
HI22111-2	ORP controller, 1 SP, ON/OFF control & analog output, 230 VAC
HI2212-01	Bench pH meter, 3 points cal, custom buffers, 0.01 resolution, 115V
HI2212-02	Bench pH meter, 3 points cal, custom buffers, 0.01 resolution, 230V
HI22122-1	ORP controller, 1 SP, proportional, ON/OFF control, RS485 output, 115 V
HI22122-2	ORP controller, 1 SP, proportional, ON/OFF control, RS485 output, 230 V
HI2300-01	conductivity bench meter
HI23211-1	EC controller, 2 set points, on-off, analog output, 115 VAC
HI23211-2	EC controller, 2 set points, on-off, analog output, 230 VAC
HI23212-1	EC controller, 2 set points, on-off, RS485, 115 VAC
HI23212-2	EC controller, 2 set points, on-off, RS485, 230 VAC
HI23221-1	EC controller, 2 set points, PID, analog output, 115 VAC
HI23221-2	EC controller, 2 set points, PID, analog output, 230 VAC
HI23222-1	EC controller, 2 set points, PID, RS485, 115 VAC
HI23222-2	EC controller, 2 set points, PID, RS485, 230 VAC
HI2400-01	Logging DO bench meter
HI24211-1	EC/TDS controller, 2 set points, on-off, analog output, 115 VAC
HI24211-2	EC/TDS controller, 2 set points, on-off, analog output, 230 VAC
HI24212-1	EC/TDS controller, 2 set points, on-off, RS485, 115 VAC
HI24212-2	EC/TDS controller, 2 set points, on-off, RS485, 230 VAC
HI24221-1	EC/TDS controller, 2 set points, PID, analog output, 115 VAC
HI24221-2	EC/TDS controller, 2 set points, PID, analog output, 230 VAC
HI24222-1	EC/TDS controller, 2 set points, PID, RS485, 115 VAC
HI24222-2	EC/TDS controller, 2 set points, PID, RS485, 230 VAC
HI2550-01	pH/EC/ORP BENCH METER, USB, 115 VAC
HI25112-1	Wall mount pH/ORP sensor check, 1 set, ON/OFF, 1 X 420MA
HI25112-2	Wall mount pH/ORP sensor check, 1 set, ON/OFF, 1 X 420MA
HI25122-1	Wall mount PH/ORP sensor check, 1 set, ON/OFF, PID, 1 X 420MA
HI25122-2	Wall mount pH/ORP sensor check, 1 set, ON/OFF, PID, 1 X 420MA

HI25212-1	Wall mount pH/ORP sensor check, 2 set, ON/OFF, 1 X 420MA
HI25212-2	Wall mount pH/ORP sensor check, 2 set, ON/OFF, 1 X 420MA
HI25222-1	Wall mount pH/ORP sensor check, 2 set, ON/OFF, PID, 1 X 420MA
HI25222-2	Wall mount pH/ORP sensor check, 2 set, ON/OFF, PID, 1 X 420MA
HI2910B/15	Amphel Ultem, pH electrode, double junction, gel, BNC
HI2910B/5	Ultem body pH electrode with built-in amplifier, double junction, gel-filled, external thread & BNC, 5m cable
HI2911B/5	Ultem body electrode with built-in amplifier, double junction, polypropylene-filled & BNC with 16.5' (5m) cable
HI2930B/5	ORP Platinum electrode with amplifier, double junction, external thread & BNC with 16.5' (5m) cable
HI2931B/5	ORP Platinum electrode with amplifier, double junction, external thread & BNC with 16.5' (5m) cable
HI3001	Flow-through conductivity 4-ring probe with platinum sensor & built-in NTC temperature sensor for ATC
HI3001D	Flow-through 4-ring conductivity probe for 6 BAR with platinum sensor, NTC temp sensor and DIN connector
HI3002	Flow-through EC 4-ring probe with platinum sensor, external thread for submersion, NTC temperature sensor
HI3003/D	Glass body conductivity probe with DIN connector for HI 9914
HI300N-1	Magnetic heavy-duty stirrer, stainless steel cover, 110/115V
HI300N-2	Magnetic heavy-duty stirrer, stainless steel cover, 220/240V
HI3011	Flow-through conductivity 4-ring probe With platinum sensor
HI3012	Flow-through conductivity 4-ring probe With platinum sensor & standard 1/2" external thread for submersion
HI301N-1	Magnetic two-speed stirrer, stainless steel cover, 220/240V
HI301N-2	Magnetic two-speed stirrer, stainless steel cover, 110/115V
HI302N-1	Magnetic 2.5L two-speed stirrer with tachometer, stainless steel cover, 110/115V
HI302N-2	Magnetic 2.5L two-speed stirrer with tachometer, stainless steel cover, 230/240V
HI303N-1	Magnetic 2.5L two-speed stirrer with tachometer, stainless steel cover, 110/115V
HI303N-2	Magnetic 2.5L two-speed stirrer with tachometer, stainless steel cover, 230/240V
HI304N-1	Magnetic 2.5L auto-reverse stirrer with tachometer, stainless steel cover, 110/115V
HI304N-2	Magnetic 2.5L auto-reverse stirrer with tachometer, stainless steel cover, 230, 240V
HI3090B/5	Platinum ORP electrode, glass-body, ground-glass double junction, gel filled, 12mm diameter, BNC, 5m cable
HI3090T	Glass body platinum/ORP electrode, double junction, T-type connector
HI310N-1	Magnetic heavy-duty stirrer, stainless steel cover, 110/115V
HI310N-2	Magnetic heavy-duty stirrer, stainless steel cover, 220/240V
HI3110S	ORP Platinum electrode, glass-body, gel, screw cap
HI3111S	ORP/Pt combination electrode, glass-body, refillable, screw connector
HI3115S	ORP electrode, glass-body, refillable with side arm, screw cap
HI3118B	Dual platinum ORP electrode for Chlorine Titration
HI311N-1	Magnetic 5L two-speed stirrer, stainless steel cover, 110, 115V
HI311N-2	Magnetic 5L two-speed stirrer, stainless steel cover, 230/240V
HI312N-1	Magnetic 5L auto-reverse stirrer, stainless steel cover, 110/115V
HI312N-2	Magnetic 5L auto-reverse stirrer, stainless steel cover, 230/240V
HI3130B/3	ORP electrode, glass-body, single junction, platinum, 3m cable
HI3131B	ORP/Pt combination electrode, glass-body, refillable, BNC, 1m cable
HI3131D	ORP/Pt combination electrode, glass-body, refillable, DIN, 1m cable
HI3131P	ORP/Pt combination electrode, glass-body, refillable, BNC with pin, 1m cable
HI3131U	ORP/Pt combination electrode, glass-body, refillable, US, 1m cable
HI3133B	ORP, Pt half cell electrode, glass-body, refillable, BNC, 1m cable

HI3135B/3	ORP electrode, pt., glass-body, refillable with side arm, BNC, 3m
HI3210B/5	ORP electrode, Ultem body, double junction, polypropylene-filled, BNC, 16.5', 5m cable
HI3210S	ORP/Pt electrode Ultem body gel-filled, single junction, screw connector
HI3210T	ORP/Pt electrode, Ultem body, gel-filled, double junction, screw cap & PG 13.5 thread
HI3211T	ORP/Pt electrode, Ultem body, polypropylene-filled, double junction, screw cap & PG 13.5 thread
HI3214P	ORP/Pt electrode, Ultem body, gel-filled and cloth junction for use with HI 981406 and HI 982401
HI3214P/2	ORP/Pt combination electrode Ultem body, double junction, gel-filled, BNC, 2m cable
HI3220-01	Bench pH meter w/dot matrix LCD (115V)
HI3221-01	Bench pH/ISE meter w/dot matrix LCD (115V)
HI3222-01	Bench pH/ISE (2 ch) meter w/dot matrix LCD (115V)
HI322N-1	Magnetic 5L 2 speed, auto-reverse stirrer, stainless steel cover, 110, 115V
HI322N-2	Magnetic 5L 2 speed, auto-reverse stirrer, stainless steel cover, 230/240V
HI3230B	ORP/Pt combination electrode Ultem body gel-filled, single junction, BNC, 1m cable
HI3230D	ORP/Pt combination electrode Ultem body gel-filled, single junction, DIN, 1m cable
hi3230U	ORP/Pt combination electrode Ultem body gel-filled, single junction, US, 1m cable
HI324N-1	Magnetic 5L 2 speed, auto-reverse stirrer with tachometer, stainless steel cover, 110/115V
HI324N-2	Magnetic 5L 2 speed, auto-reverse stirrer with tachometer, stainless steel cover, 230, 240V
HI3291	Conmet 1 probe
HI3292	Conmet 2 probe
HI3295	Conmet 3 probe
HI3314	Electrode for HI983314-0/1
HI3314/4	Electrode for HI983314-0/1 with 4m cable
HI3316D	Resistivity probe with built in temperature sensor, 1 mt cable and DIN connector
HI3512-01	pH/ISE/EC BENCH METER, GRAPHIC LCD , 115 VAC
HI3618D	ORP/Pt combination electrode with built-in temp. sensor, glass body, refill, DIN, 1m
HI3619D	Intelligent ORP/Pt combination electrode with amplifier, glass body, DIN, 1 m cable
HI3620D	Intelligent ORP/Pt combination electrode with amplifier, Ultem, DIN, 1m cable
HI38000	Sulfate test kit, 20-100 ppm (100 tests)
HI38000-10	Sulfate HR replacement kit (100 tests)
HI38001	Sulfate LR & HR test kit, 100-1000 & 1000-10000 ppm (100/100 tests)
HI38001-10	Sulfate LR replacement kit (100 tests)
HI38007	Quick pH soil test kit
HI38013	Phenolphthalein & total alkalinity test kit (100 tests)
HI38013-100	Phenolphthalein & total alkalinity replacement kit (200 tests)
HI38014	Total alkalinity test kit (100 tests)
HI38014-100	Replacement reagents for total alkalinity (100)
HI38015	Chloride extended range test kit (100 tests)
HI38015-100	Replacement reagents for total HR Chloride (100)
HI38016	Total chlorine MR test kit with checker disc (100 tests)
HI38016-100	Replacement reagents for total Chlorine (100)
HI38017	Free & Total Chlorine LR & MR test kit checker disc (100/100 tests)
HI38017-200	Replacement reagents for Free & Total Chlorine (200)
HI38018	Free Chlorine LR & MR test kit with checker disc (200 tests)

HI38018-200	Replacement reagents for Free Chlorine (200)
HI38019	Total chlorine LR & MR test kit with checker disc (200 tests)
HI38019-200	Replacement reagents for Free Chlorine (200)
HI38020	Free & Total Chlorine LR, MR, HR test kit checker disc (100/100 tests)
HI38020-200	Replacement reagents for Free & Total Chlorine (200)
HI38022	Total Chlorine HR test kit (100 tests)
HI38022-100	Total Chlorine replacement kit (100 tests)
HI38023	Total Chlorine extended range test kit (100 tests)
HI38023-100	Total Chlorine replacement kit (100 tests)
HI38033	Total Hardness 0-30 gpg range test kit
HI38033-100	Total Hardness 0-30 gpg range replacement kit (100 tests)
HI38034	Total Hardness 0-20 gpg & 0-20 ppm range test kit (100/100 tests)
HI38034-200	Replacement reagents for Total Hardness (100)
HI38035	Total Hardness & Calcium test kit (gpg) (100/100 tests)
HI38035-200	Replacement reagents for Hardness & Calcium (200)
HI38039	Iron LR test kit with checker disc (Total Iron)
HI38039-100	Replacement reagents for Total Iron LR (100)
HI38040	Total Iron MR with checker disc (100 tests)
HI38040-100	Replacement reagents for Total Iron MR (100)
HI38041	Iron HR test kit with checker disc (Total Iron)
HI38041-100	Replacement reagents for Total Iron HR (100)
HI38042	Manganese LR test kit with checker disc (100 tests)
HI38042-100	Replacement reagents for Manganese LR (100)
HI38049	Ammonia test kit for fresh water with checker disc (100 tests)
HI38049-100	Replacement reagents for Ammonia fresh water (100)
HI38050	Nitrate for soil and irrigation water with checker disc
HI38050-100	Nitrate (soil + irrigation) replacement kit (100 tests)
HI38050-200	Nitrate (soil + irrigation) replacement kit (200 tests)
HI38051	Nitrite test kit with checker disc (100 tests)
HI38051-100	Replacement reagents for Nitrite (100)
HI38054	Ozone test kit with checker disc (100 tests)
HI38054-100	Replacement reagents for Ozone (100)
HI38058	pH 4-10 test kit with checker disc (300 tests)
HI38058-100	Replacement reagents for pH (100)
HI38061	phosphate test kit with checker disc
HI38061-100	Replacement reagents for phosphate wide range (100)
HI38066	Silica LR test kit with checker disc (100 tests)
HI38066-100	Replacement reagents for Silica LR (100)
HI38067	Silica HR test kit with checker disc (100 tests)
HI38067-100	Replacement reagents for Silica HR (100)
HI38072	Manganese test kit for irrigation water with checker disc (100 tests)
HI38072-100	Replacement reagents for Manganese (100)
HI38073	phosphorus test kit for soil with checker disc (100 tests)

HI38073-100	Replacement reagents for phosphorus for soil (100)
HI38074	Boron test kit for irrigation water (100 tests average)
HI38074-100	Replacement reagents for Boron (100)
HI38075	Copper LR & HR test kit-color cube method (50/50 tests)
HI38075-100	Replacement reagents for Copper (100)
HI38076	Zinc test kit checker disc (100 tests)
HI38076-100	Replacement reagents for Zinc (100)
HI38077	phosphate test kit for irrigation water with checker disc
HI38077-100	Replacement reagents for phosphate (100)
HI38078	Sodium Absorption Ratio (SAR) test kit (100 tests average)
HI38078-100	Replacement reagents for SAR (100)
HI38079	Magnesium test kit for irrigation water (100 tests average)
HI38079-100	Replacement reagents for Magnesium MR & HR (100)
HI38080	Calcium & Magnesium test kit for soil (100 tests average)
HI38080-100	Replacement reagents for Calcium & Magnesium (100)
HI38081	Calcium & Magnesium test kit for irrigation water (100 tests average)
HI38081-100	Replacement reagents for Calcium & Magnesium (100)
HI38082	Potassium test kit for soil (100 tests)
HI38082-100	Replacement reagents for Potassium (100)
HI38083	Gypsum requirement & exchangeable sodium test kit (100 tests)
HI38083-100	Replacement reagents Gypsum & Sodium (100)
HI38084	Total exchangeable acidity test kit (100 tests average)
HI38084-100	Replacement reagents Total Exchange Acidity (100)
HI38086	Calcium test kit for Irrigation water (100 tests)
HI38086-100	Calcium (irrigation water) replacement kit (100 tests)
HI3810	Dissolved oxygen test kit (110 tests average)
HI3810-100	DO replacement kit (100 tests)
HI3811	Alkalinity test kit (110 tests average)
HI3811-100	Alkalinity replacement kit (100 tests)
HI3812	Hardness test kit
HI3812-100	Hardness replacement kit (100 tests)
HI3813	Acidity and alkalinity test kit
HI3814	Ecology test kit (acidity, alkalinity, carbon dioxide, D.O., hardness test kits and pH tester)
HI3815	Chloride test kit (110 tests average)
HI3815-100	Chloride replacement kit (100 tests)
HI3816	Boiler and feedwater test kit (alkalinity, chloride and hardness test kits)
HI3817	General water test kit (alkalinity, chloride, hardness, iron, sulfite test kits and pH tester)
HI3817BP	BackPack Water Quality Test Kit
HI3817BP/CU	Cirriculum w/lab activity sheets, replacements for HI 3817BP
HI3817BP/FI	Field Instuctions (10 sheets, laminated), replacements
HI3817BP/K	All cirriculum sheets, replacements for HI3817BP
HI3817BP/SC	Secchi disk for back pack, replacement
HI3817BP/TR	Overhead transparancies, replacements for HI3817BP

HI3817BP/VO	Vocabulary terms, replacements for HI3817BP
HI3818	Carbon dioxide test kit (110 tests average)
HI3818-100	Carbon dioxide replacement kit (100 tests)
HI3819	Acid mining test kit (acidity, alkalinity, iron test kits and pH tester)
HI3820	Acidity test kit (110 tests)
HI3820-100	Acidity replacement kit (100 tests)
HI3821	Cooling and boiler water test kit (alkalinity, chloride, D.O., hardness, phosphate and sulfite test kits)
HI3822	Sulfite test kit (100 tests average)
HI3822-100	Sulfite replacement kit (100 tests)
HI3823	Marine science test kit (alkalinity, carbon dioxide,
HI3824	Ammonia test kit for fresh water test kit (25 tests average)
HI3824-025	Ammonia in fresh water replacement kit (25 tests)
HI3824-99	Color cube for ammonia test kit
HI3825	Pool and spa test kit (alkalinity, bromine, chlorine test kits and pH tester)
HI3826	Ammonia test kit for sea water (25 tests average)
HI3826-025	Ammonia in sea water replacement kit (25 tests)
HI3827	Boiler & feedwater test kit (alkalinity, chloride, hardness, phosphate, sulfite test kits & pH tester)
HI3828	Boiler and feedwater test kit (alkalinity, chloride, hardness, iron test kits and pH tester)
HI3829F	Free chlorine chemical test kit, 0.0 to 2.0 ppm
HI3829F-050	Reagents for HI3829F (50 tests)
HI3830	Bromine test kit (60 tests average)
HI3830-060	Bromine replacement kit (60 tests)
HI3830-99	Color cube for bromine test kit
HI3831-99	Color cube for chlorine test kit
HI3831F	Free Chlorine MR test kit with checker disc (50 tests average)
HI3831F-050	Free Chlorine replacement kit (50 tests)
HI3831T	Total Chlorine test kit (50 tests average)
HI3831T-050	Total Chlorine replacement kit (50 tests)
HI3832	Iodine test kit (50 tests average)
HI3832-050	Iodine replacement kit (50 tests)
HI3832-99	Color cube for iodine test kit
HI3833	phosphate test kit (50 tests)
HI3833-050	Phosphate replacement kit (50 tests)
HI3833-99	Color cube for phosphate test kit
HI3834	Iron test kit (50 tests)
HI3834-050	Iron replacement Kit (50 tests)
HI3834-99	Color cube for iron test kit
HI3835	Salinity test kit (110 tests average)
HI3835-100	Salinity replacement kit (100 tests)
HI3837	Boiler and feedwater test kit (phosphate, sulfite test kits and pH tester)
HI3838	Formaldehyde test kit (110 tests average)
HI3838-100	Formaldehyde replacement kit (100 tests)
HI3839	Hydroxide test kit (110 tests average)

HI3839-100	Hydroxide replacement kit (100 tests)
HI3840	Hardness LR test kit, 0-150 ppm (50 tests average)
HI3840-S	Hardness LR test kit, 0-150 ppm, sachet packaging (50 tests average)
HI3841	Hardness MR test kit, 40-500 ppm (50 tests average)
HI3841-S	Sachet packaging hardness test kit (40-500 mg, L), 50 tests
HI3842	Hardness HR test kit, 400-3000 ppm (50 tests)
HI3842-S	Sachet packaging hardness test kit (400-3000 mg, L), 50 tests
HI3843	Bleach test kit (100 tests average)
HI3843-100	Hypochlorite replacement kit (100 tests)
HI3844	Hydrogen peroxide test kit (100 tests average)
HI3844-100	Hydrogen peroxide replacement kit (100 tests)
HI3845	Chromium MR & HR test kit (100 tests average)
HI3845-100	Chromium HR replacement kit (100 tests)
HI3846	Chromium test kit (100 tests)
HI3846-100	Chromium LR replacement kit (100 tests)
HI3847	Copper test kit (100 tests)
HI3847-100	Copper HR replacement kit (100 tests)
HI3849	Hydrazine test kit with checker disc (100 tests)
HI3849-100	Hydrazine replacement kit (100 tests)
HI3850	Ascorbic acid test kit (100 tests average)
HI3850-100	Ascorbic acid replacement kit (100 tests)
HI3851	Cyanuric acid test kit (100 tests)
HI3851-100	Cyanuric acid replacement kit (100 tests)
HI3854	Zinc test kit with checker disc
HI3854-100	Cyanuric acid replacement kit (100 tests)
HI3855	Cyanide test kit with checker disc (100 tests)
HI3855-100	Cyanide replacement kit (100 tests)
HI3856	Copper ultra low range test kit (100 tests)
HI3856-100	Copper LR replacement kit (100 tests)
HI3857	Detergents test kit with checker disc (35 tests)
HI3857-035	Detergents test kit, 0 to 1.3 mg, L
HI3857-100	Detergents replacement kit (100 tests)
HI3859	Glycol YES/NO test kit (25 tests)
HI3859-025	Glycol replacement kit (25 tests)
HI3864	phenols test kit with checker disc (100 tests)
HI3864-100	Phenol replacement kit (100 tests)
HI3873	Nitrite test kit (100 tests)
HI3873-100	Nitrite replacement kit (100 tests)
HI3874	Nitrate test kit (100 tests)
HI3874-100	Nitrate replacement kit (100 tests)
HI3874-99	Color cube for nitrate test kit
HI3875	Free Chlorine test kit checker disc method (100 tests)
HI3875-100	Free Chlorine replacement kit (100 tests)

HI3879	Iodine color cube method test kit (100 tests)
HI3879-100	Replacement kit Iodine color cube method (100 tests)
HI3880	pH 4.0-6.5 test kit (100 tests)
HI3880/0	pH 4.0-6.5 test kit (100 tests)
HI3880-010	4-6.5 pH replacement free-chlorine kit (100 tests)
HI3880-100	4-6.5 pH replacement kit (100 tests)
HI3881	pH 6.0-8.5 test kit (100 tests)
HI3881/0	pH 6.0-8.5 test kit (100 tests)
HI3881-010	6-8.5 pH replacement free-chlorine kit (100 tests)
HI3881-100	6-8.5 pH replacement kit (100 tests)
HI3881-5	pH chemical test kit,4-8 pH range
HI3882	pH 3.0-5.0 test kit with checker disc
HI3882-10	pH replacement kit (200 tests)
HI3885	pH (6.0 to 8.5 range) and chlorine (0.0-2.0 ppm range) chemical test kit
HI3886	pH test kit, 7.5-10 test kit (100 tests)
HI3886/0	pH 7.5-10 test kit (100 tests)
HI3886-010	7.5-10 pH replacement free-chlorine kit (100 tests)
HI3886-100	7.5-10pH replacement kit (100 tests)
HI3887	Free Chlorine & pH test kit (50/100 tests)
HI3888	Total Chlorine & pH 6.0-8.5 test kit (50/100 tests)
HI3889	Iron & Total Hardness test kit (50/50 tests)
HI3893	Saltwater aquaculture and aquarium test kit (ammonia, Nitrate,
HI3895	Quick soil test (nitrogen, phosphorus, potassium and pH test kits)
HI3895-010	Quick soil test (nitrogen, phosphorus, potassium and pH replacement set for 10 tests)
HI3896	Soil test (nitrogen, phosphorus, potassium and pH test kits)
HI3896-025	Soil analysis replacement kit (25 tests)
HI3896BP	BackPack Soil Analysis Test Kit
HI3897	Oleic Acid test kit for Olive oil
HI3897-010	Oleic acid replacement kit
HI3898	Chlorine rapid test kit for COD applications
HI3899BP	Marine Science Back Pack
HI3935	Replacement electrode for waterproof tester
HI4000-00	Halide electrodes ISA, 500 ml
HI4000-47	4 and 7 buffers with chloride background (for glass pH sensors)
HI4000-50	Liquid membrane sensor handle
HI4000-51	Gas sensor replacement pH
HI4000-52	Gas sensor membrane cap
HI4000-54	Gas sensing replacement pH for HI4105
HI4000-70	Halide polishing strip (10 pcs)
HI4001-00	Alkaline ISA for ammonia/cyanide, 500 ml
HI4001-01	0.1 M ammonia standard, 500 ml
HI4001-02	100 ppm ammonia standard, 500 ml
HI4001-03	1000 ppm ammonia standard, 500 ml

HI4001-30	Nitrate test kit for ammonia ISE
HI4001-40	Ammonia filling solution, (4) 30 ml
HI4001-45	Conditioning solution for ammonia ISE, 500 ml
HI4001-51	Ammonia membrane kit (20 pcs)
HI4002	Bromide ISE, half cell, solid state
HI4002-01	0.1 M bromide standard, 500 ml
HI4003	Cadmium ISE, half cell, solid state
HI4003-01	0.1 M cadmium standard, 500 ml
HI4004	Calcium ISE, half cell, polymer membrane
HI4004-00	Calcium ISA, 500 ml
HI4004-01	0.1 M calcium standard, 500 ml
HI4004-45	Conditioning and storage solution for Calcium ISE, 500 mL
HI4004-51	Calcium module for half cell
HI4005-00	Carbon Dioxide ISA, 500 ml
HI4005-01	0.1 M carbon dioxide standard, 500 ml
HI4005-03	1000 ppm carbon dioxide standard, 500 ml
HI4005-40	Carbon dioxide filling solution, (4) 30 ml
HI4005-45	Conditioning solution for Carbon Dioxide ISE, 500 mL
Hi4005-51	Carbon dioxide membrane kit (3 pcs)
HI4005-53	Carbon Dioxide Membrane Kit (3 caps)
HI4007	Chloride ISE, half cell, solid state
HI4007-01	0.1 M chloride standard, 500 ml
HI4007-02	100 ppm chloride standard, 500 ml
HI4007-03	1000 ppm chloride standard, 500 ml
HI4008	Cupric ISE, half cell, solid state
HI4008-01	0.1 M cupric standard, 500 ml
HI4009	Cyanide ISE, half cell, solid state
HI4010	Fluoride ISE, half cell, solid state
HI4010-00	TISAB II (for fluoride), 500 ml
HI4010-01	0.1M fluoride standard, 500 ml
HI4010-02	100 ppm fluoride standard, 500 ml
HI4010-03	1000 ppm fluoride standard, 500 ml
HI4010-05	TISAB II (for fluoride), 1 gallon
HI4010-06	TISAB II concentrate (for fluoride), 500 ml
HI4010-10	10 ppm fluoride standard with TISAB II
HI4010-11	1 ppm fluoride standard with TISAB II
HI4010-12	2 ppm fluoride standard with TISAB II
HI4010-30	Kit of (4) each 500ml 1,10 ppm fluoride std, and TISAB II
HI4011	Iodide ISE, half cell, solid state
HI4011-01	0.1 M iodide standard, 500 ml
HI4012	Lead/Sulfate ISE, half cell, solid state
HI4012-00	ISA for lead or sulfate, 500 ml
HI4012-01	0.1 M lead standard, 500 ml

HI4012-21	0.1 M sulfate standard, 500 ml
HI4013	Nitrate ISE, half cell, polymer membrane
HI4013-00	ISA for nitrate, 500 ml
HI4013-01	0.1 M nitrate standard, 500 ml
HI4013-02	100 ppm nitrate standard, 500 ml
HI4013-03	1000 ppm nitrate standard, 500 ml
HI4013-06	Interferent suppressant ISA for Nitrate ISE electrode, 500 mL
HI4013-53	Nitrate module 3 pack for half cell
HI4014	Potassium ISE, half cell, polymer membrane
HI4014-00	ISA for potassium, 500 ml
HI4014-01	0.1 M potassium standard, 500 ml
HI4014-51	Potassium module for half cell
HI4015	Silver/Sulfide ISE, half cell, solid state
HI4015-00	SAOB (sulfide antioxidant buffer), 500 ml
HI4015-01	0.1 M silver standard, 500 ml
HI4101	Ammonia ISE, combination, gas sensing
HI4102	Bromide ISE, combination, solid state
HI4103	Cadmium ISE, combination, solid state
HI4104	Calcium ISE, combination, polymer membrane
HI4104-51	Calcium module for combination
HI4105	Carbon Dioxide ISE, combination, gas sensing
HI4107	Chloride ISE, combination, solid state
HI4108	Cupric ISE, combination, solid state
HI4109	Cyanide ISE, combination, solid state
HI4110	Fluoride ISE, combination, solid state
HI4110-51	Fluoride module for combination electrode
HI4111	Iodide ISE, combination, solid state
HI4112	Lead/Sulfate ISE, combination, solid state
HI4113	Nitrate ISE, combination, polymer membrane
HI4113-53	Nitrate module 3 pack for combination
HI4114	Potassium ISE, combination, polymer membrane
HI4114-51	Potassium module, combination
HI4115	Silver/Sulfide ISE, combination, solid state
HI4221-01	Single channel pH, mV, °C bench meter with color dot-matrix LCD, 115V
HI4222-01	pH, ISE Dual Channel Bench Meter with color LCD, 115V
HI4321-01	Conductivity Bench Meter, USP, color LCD, with HI 76310, 115V
HI4410S	ORP/Au combination electrode Ultem body gel-filled, screw connector
HI4421-01	Dissolved Oxygen and BOD meter with dot matrix color LCD (probe included), 115V
HI4430B	ORP/Au combination electrode Ultem body gel-filled, BNC, 1m cable
HI4430D	ORP/Au combination electrode Ultem body gel-filled, DIN, 1m cable
HI4521-01	pH, Conductivity (USP) Bench Meter with color LCD, 115V
HI4522-01	pH/ISE, Conductivity (USP) Bench Meter with color LCD, 115V
HI4619D	ORP/Au combination electrode with built-in temp. sensor, glass body, refillable, DIN, 1m

HI50001-01	pH 1.00, 10 X 20 ml sachets, +/-0.01 pH & certificate
HI50001-02	pH 1.00, 25 X 20 ml sachets, +/-0.01 pH & certificate
HI50002-01	pH 2.00, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50002-02	pH 2.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI50003-01	pH 3.00, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50003-02	pH 3.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI50003P	pH 3.00 technical buffer solution, 25 sachets, 20 ml
HI50004-01	pH 4.00, 10 X 20 ml sachets, +/-0.01 pH & certificate
HI50004-02	pH 4.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI50005-01	pH 5.00, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50005-02	pH 5.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI50006-01	pH 6.00, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50006-02	pH 6.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI50007-01	pH 7.00, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50007-02	pH 7.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI50008-01	pH 8.00, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50008-02	pH 8.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI50009-01	pH 9.00, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50009-02	pH 9.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI5001	pH 1.00 technical buffer solution, 500 cc
HI50010-01	pH 10.00, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50010-02	pH 10.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI50011-01	pH 11.00, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50011-02	pH 11.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI50012-01	pH 12.00, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50012-02	pH 12.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI50013-01	pH 13.00, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50013-02	pH 13.00, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI50016-01	pH 1.68, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50016-02	pH 1.68, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI5002	pH 2.00 technical buffer solution, 500 cc
HI5002/5	Glass Pt100 probe With 3-wire Pt100 sensor, 5 m cable
HI5002-01	pH 2.00, 1 LT +/- 0.01 pH, box & certificate
HI50021P	Check solution, 20 mL, 25 pcs (for HI 9813-6 only)
HI5002-36	pH 2.00, 36 X 500 ml, +/- 0.01 pH, box & certificate
HI5003	pH 3.00 technical buffer solution, 500 cc
HI5003-36	pH 3.00, 36 X 500 mL, +/- 0.01 pH, box & certificate
HI50037-01	pH 3.79, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50037-02	pH 3.79, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI5003L	pH 3.00 technical buffer solution, 450 ml
HI5004	pH 4.01 technical buffer solution, 500 cc
HI5004-01	pH 4.01, 1 LT, +/- 0.01 pH, box & certificate
HI5004-12	pH 4.01, 12X 500 ml, +/- 0.01 pH, box & certificate

HI5004-36	pH 4.01, 36 X 500 ml, +/- 0.01 pH, box & certificate
HI50046-01	pH 4.63, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50046-02	pH 4.63, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI5004-R	pH 4.00 red, 500 ml, +/- 0.01 pH, box & certificate
HI5004-R08	pH 4.00 red, 1 gallon, +/-0.01 pH, box & certificate
HI5004-R36	pH 4.00 red, 36 X 500 ml, +/- 0.01 pH, box & certificate
HI5005	pH 5.00 technical buffer solution, 500 cc
HI5005-01	pH 5.00, 1LT, +/-0.01 pH, box & certificate
HI5006	pH 6.00 technical buffer solution, 500 cc
HI5006-01	pH 6.00, 1 LT, +/- 0.01 pH, box & certificate
HI50061-01	pH 6.86,10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50061-02	pH 6.86, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI5006-36	pH 6.00, 36 X 500 ml, +/- 0.01 pH , box & certificate
HI50068-01	pH 6.86, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50068-02	pH 6.86, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI5007	pH 7.01 technical buffer solution, 500 cc
HI5007-01	pH 7.01, 1L, +/- 0.01 pH , box & certificate
HI5007-12	pH 7.01, 12 X 500 ml, +/- 0.01 pH, box & certificate
HI5007-36	pH 7.01, 36 X 500 ml, +/- 0.01 pH, box & certificate
HI50074-01	pH 7.40, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50074-02	pH 7.40, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI5007-G	pH 7.01, 1 X 500 ml, +/- 0.01 pH, box & certificate
HI5007-G08	pH 7.00 yellow, 1 gallon, +/- 0.01 pH, box & certificate
HI5007-G36	pH 7.00 yellow, 36 X 500 ml, +/-0.01 pH, box & certificate
HI5007-Y	pH 7.00 yellow, 500 ml with certificate
HI5008	pH 8.00 technical buffer solution, 500 cc
HI5008-01	pH 8.00, 1 liter, +/- 0.01 pH, box & certificate
HI5008-36	pH 8.00 , 36 X 500 mL +/- 0.01 pH , box & certificate
HI5009	pH 9.00 technical buffer solution, 500 cc
HI5009-01	pH 9.00 ,1 liter, +/- 0.01 pH, box & certificate
HI50091-01	pH 9.18, 10 X 20 ml sachets, +/- 0.01 pH & certificate
HI50091-02	pH 9.18, 25 X 20 ml sachets, +/- 0.01 pH & certificate
HI5009-36	pH 9.00 , 36 X 500 mL, +/- 0.01 pH , box & certificate
HI5010	pH 10.01 technical buffer solution, 500 cc
HI5010-01	pH 10.00, 1 liter, +/- 0.01 pH, box & certificate
HI5010-12	pH 10.01, 12 X 500 ml, +/-0.01 pH, box & certificate
HI5010-36	pH 10.01, 36 X 500 ml, +/-0.01 pH, box & certificate
HI5010-B	pH 10.00 blue ,500 ml, +/- 0.01 pH, box & certificate
HI5010-V	pH 10.01 Buffer Solution
HI5010-V08	pH 10.00 blue, 1 gallon, +/- 0.01 pH, box & certificate
HI5010-V36	pH 10.00, 36 X 500 ml, +/- 0.01 pH, box & certificate
HI5011	pH 11.00 technical buffer solution, 500 cc
HI5012	pH 12.00 technical buffer solution, 500 cc

HI50124-01	pH 12.45, 10 X 20 ml sachets,+/- 0.01 pH, with certificate
HI50124-02	pH 12.45, 25 X 20 ml sachets,+/- 0.01 pH, with certificate
HI5013	pH 13.00 technical buffer solution, 500 cc
HI5016	pH 1.68, 500 ml, +/- 0.01 pH, box & certificate
HI5037	pH 3.80, 500 ml,+/- 0.001 pH box & certificate
HI504112-0	pH, ORP controller, 1 set-point, on, off, 1 analog-out, RS485 (24 VDC, ac)
HI504112-1	pH /ORP controller, 1 SP, on/off, 1 an-out, RS485 (115 VAC)
HI504112-2	pH /ORP controller, 1 SP, on/off, 1 an-out, RS485 (230 VAC)
HI504114-0	pH, ORP controller, 1 set-point, on, off, 1 analog-out, RS485 (24 VDC, ac)
HI504114-1	pH /ORP controller, 1 SP, on/off, 2 an-out, RS485 (115 VAC)
HI504114-2	pH /ORP controller, 1 SP, on/off, 2 an-out, RS485 (230 VAC)
HI504122-0	pH, ORP controller, 1 set-point, on, off & PID, 1 analog-out, RS485 (24 VDC, ac)
HI504122-1	pH /ORP controller, 1 SP, on/off, 1 an-out, RS485 (115 VAC), & PID
HI504122-2	pH /ORP controller, 1 SP, on/off, 1 an-out, RS485 (230 VAC), & PID
HI504124-0	pH, ORP controller, 1 set-point, on, off & PID, 2 analog-out, RS485 (24 VDC, ac)
HI504124-1	pH /ORP controller, 1 SP, on/off, 2 an-out, RS485 (115 VAC), & PID
HI504124-2	pH /ORP controller, 1 SP, on/off, 2 an-out, RS485 (230 VAC), & PID
HI504212-0	pH, ORP controller, 2 set-point, on, off, 1 analog-out, RS485 (24 VDC, ac)
HI504212-1	pH /ORP controller, 2 SP, on/off, 1 an-out, RS485 (115 VAC)
HI504212-2	pH /ORP controller, 2 SP, on/off, 1 an-out, RS485 (230 VAC)
HI504214-0	pH, ORP controller, 2 set-point, on, off, 2 analog-out, RS485 (24 VDC, ac)
HI504214-1	pH /ORP controller, 2 SP, on/off, 2 an-out (115 VAC)
HI504214-2	pH /ORP controller, 2 SP, on/off, 2 an-out (230 VAC)
HI504222-0	pH, ORP controller, 2 set-point, on, off & PID, 1 analog-out, RS485 (24 VDC, ac)
HI504222-1	pH /ORP controller, 2 SP, on/off, 1 an-out, RS485 (115 VAC), & PID
HI504222-2	pH /ORP controller, 2 SP, on/off, 1 an-out, RS485 (230 VAC), & PID
HI504224-0	pH, ORP controller, 2 set-point, on, off & PID, 2 analog-out, RS485 (24 VDC, ac)
HI504224-1	pH /ORP controller, 2 SP, on/off, 2 an-out, (115 VAC), & PID
HI504224-2	pH /ORP controller, 2 SP, on/off, 2 an-out, (230 VAC), & PID
HI5046	pH 4.63, 500 ml, +/-0.01 pH, box & certificate
HI5046-01	pH 4.63, 1 liter, +/- 0.01 pH, box & certificate
HI504812-0	pH, ORP controller, 1 set-point & advanced clean, on, off, 1 analog-out, RS485 (24 VDC, ac)
HI504812-1	pH /ORP controller, 2 SP, dig-tx, on/off, 1 an-out, RS485 (115 VAC)
HI504812-2	pH /ORP controller, 2 SP, dig-tx, on/off, 1 an-out, RS485 (230 VAC)
HI504814-0	pH, ORP controller, 1 set-point & advanced clean, on, off, 2 analog-out, RS485 (24 VDC, ac)
HI504814-1	pH /ORP controller, 2 SP, dig-tx, on/off, 2 an-out, (115 VAC)
HI504814-2	pH /ORP controller, 2 SP, dig-tx, on/off, 2 an-out, (230 VAC)
HI504822-0	pH, ORP controller, 1 set-point & advanced clean, on, off & PID, 1 analog-out, RS485 (24 VDC, ac)
HI504822-1	pH /ORP controller, 2 SP, dig-tx, on/off, 1 an-out, RS485 (115 V) & PID
HI504822-2	pH /ORP controller, 2 SP, dig-tx, on/off, 1 an-out, RS485 (230 V) & PID
HI504824-0	pH, ORP controller, 1 set-point & advanced clean, on, off & PID, 2 analog-out, RS485 (24 VDC, ac)
HI504824-1	pH /ORP controller, 2 SP, dig-tx, on/off, 2 an-out, (115 VAC), & PID
HI504824-2	pH /ORP controller, 2 SP, dig-tx, on/off, 2 an-out, (230 VAC), & PID

HI504900-1	Cellular pH one interface for USA
HI504900-2	Cellular pH one interface for Europe
HI504901-1	GSM supervisor USA
HI504901-2	GSM supervisor Europe
HI504902	RS485 Modem (PSTN)
HI504903-1	GSM supervisor for HI 142 (wavecom - USA)
HI504910	pH /ORP digital transmitter
HI504912-0	pH, ORP controller, 2 set-point & advanced clean, on, off, 1 analog-out, RS485 (24 VDC, ac)
HI504912-1	pH /ORP contr., 2 SP, clean, dig-tx, on/off, 1 an-out, RS485 (115 V)
HI504912-2	pH /ORP contr., 2 SP, clean, dig-tx, on/off, 1 an-out, RS485 (230 V)
HI504914-0	pH, ORP controller, 2 set-point & advanced clean, on, off, 2 analog-out, RS485 (24 VDC, ac)
HI504914-1	pH /ORP controller, 2 SP, clean, dig-tx, on/off, 2 an-out, (115 VAC)
HI504914-2	pH /ORP controller, 2 SP, clean, dig-tx, on/off, 2 an-out, (230 VAC)
HI504920	Calibrator for digital transmitter
HI504922-0	pH, ORP controller, 2 set-point & advanced clean, on, off & PID, 1 analog-out, RS485 (24 VDC, ac)
HI504922-1	pH /ORP contr., 2 SP, clean, dig-tx, on/off, 1 an-out, RS485 (115 V) & PID
HI504922-2	pH /ORP contr., 2 SP, clean, dig-tx, on/off, 1 an-out, RS485 (230 V) & PID
HI504924-0	pH, ORP controller, 2 set-point & advanced clean, on, off & PID, 2 analog-out, RS485 (24 VDC, ac)
HI504924-1	pH /ORP contr., 2 SP, clean, dig-tx, on/off, 2 an-out, RS485 (115 V) & PID
HI504924-2	pH /ORP contr., 2 SP, clean, dig-tx, on/off, 2 an-out, RS485 (230 V) & PID
HI5068	pH 6.86, 500 ml, +/-0.01 pH, box & certificate
HI5074	pH 7.40, 500 ml, +/-0.01 pH, box & certificate
HI5074-01	pH 7.40, 1 liter, +/- 0.01 pH, box & certificate
HI5091	pH 9.18, 500 ml, +/- 0.01 pH, box & certificate
HI5110B	ORP half cell, Ag, glass body for Argentometric titration, BNC
HI5124	pH 12.45, 500 ml, +/- 0.01 pH, box & certificate
HI5291005	Amphel Ultem body combination electrode, replaceable battery, gel filled, double-cloth junction, BNC connector
HI5311	Ag/AgCl reference electrode, glass-body, double-junction, refillable, 1m cable
HI5312	Reference half cell electrode, Ag, AgCl, Teflon junction, 4mm banana connector
HI5313	Ag/AgCl reference for FC301B, plastic-body, gel filled, 1m cable
HI5314	Reference half cell electrode, Ag, AgCl, 3 BAR with back pressure, 4mm banana connector
HI5315	Double junction reference electrode
HI5412	Single calomel reference electrode, glass-body, refillable, 1m cable
HI5413	Reference half cell electrode, Ag, AgCl, Teflon junction, 4mm banana connector
HI5414	Reference half cell electrode, Ag, AgCl, 3 BAR with back pressure, double junction, 4mm banana connector
HI54710	pH 4.00, pH 7.00, pH 10.00, 500 ml (x3), ±0.01 pH, box
HI54710-10	pH 4.00, pH 7.00, pH 10.00, storage (4 X 500 ml)
HI54710-11	pH 4.00, pH7.00, pH 10.00, storage, cleaning (5 X 500 ml)
HI54710-12	pH 4.00, pH 7.00, pH 10.00, storage, clean, elect (6 X 500ml)
HI54710-13	pH 4.00, pH 7.00, pH 10.00, storage, clean, elect (6 X 500 mL)
HI60001-01	pH 1.000, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60001-02	pH 1.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI60002-01	pH 2.000, 10 X20 ml sachets, +/-0.002 pH & certificate

HI60002-02	pH 2.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI60003-01	pH 3.000,10 X 20 ml sachets, +/-0.002 pH & certificate
HI60003-02	pH 3.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI60004-01	pH 4.000, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60004-02	pH 4.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI60005-01	pH 5.000, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60005-02	pH 5.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI60006-01	pH 6.000, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60006-02	pH 6.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI60007-01	pH 7.000, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60007-02	pH 7.000, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60008-01	pH 8.000, 10 X 20 ml sachets, +/-00.002 pH & certificate
HI60008-02	pH 8.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI60009-01	pH 9.000, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60009-02	pH 9.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI6001	pH 1.679 buffer standard solution with certificate of analysis
HI60010-01	pH 10.000, 10 X 20 ml sachets ,+/-0.02 pH & certificate
HI60010-02	pH 10.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI6001-01	pH 1.679 , 1 LT, +/- 0.002 pH, box & certificate
HI60011-01	pH 11.000, 10 X 25 ml sachets, +/-0.002 pH & certificate
HI60011-02	pH 11.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI60012-01	pH 12.000, 10 X 25 ml sachets, +/-0.002 pH & certificate
HI60012-02	pH 12.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI60013-01	pH 13.000, 10 X 25 ml sachets, +/-0.002 pH & certificate
HI60013-02	pH 13.000, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI60016-01	pH 1.679, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60016-02	pH 1.679, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI6002	pH 2.000, 500 ml, +/-0.002 pH, box & certificate
HI6002-01	pH 2.000, 1 LT, +/- 0.002 pH, box & certificate
HI6003	pH 3.000 , 500 ml, +/- 0.002 pH, box & certificate
HI6003-01	pH 3.000, 1 LT, +/- 0.002 pH, box & certificate
HI60037-01	pH 3.788, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60037-02	pH 3.788, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI6004	pH 4.010 buffer standard solution with certificate of analysis
HI6004-01	pH 4.010, 1 LT, +/- 0.002 pH, box & certificate
HI60046-01	pH 4.630, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60046-02	pH 4.630, 25 X 10 ml sachets, +/-0.002 pH & certificate
HI6005	pH 5.000, 500 ml, +/-0.002 pH , box & certificate
HI6005-01	pH 5.000, 1 LT, +/- 0.002 pH, box & certificate
HI6006	pH 6.862 buffer standard solution with certificate of analysis
HI6006-01	pH 6.000, 1 LT, +/- 0.002 pH, box & certificate
HI60068-01	pH 6.860 ,10 X 20 ml sachets, +/-0.002 pH & certificate
HI60068-02	pH 6.860, 25 X 20 ml sachets, +/-0.002 pH & certificate

HI6007	pH 7.010 buffer standard solution with certificate of analysis
HI6007-01	pH 7.010, 1 LT, +/- 0.002 pH, box & certificate
HI60074-01	pH 7.400, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60074-02	pH 7.400, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI6008	pH 8.000, 500 ml, +/-0.002 pH, box & certificate
HI6008-01	pH 8.000, 1 LT, +/- 0.002 pH, box & certificate
HI6009	pH 9.177 buffer standard solution with certificate of analysis
HI6009-01	pH 9.000, 1 LT, +/- 0.002 pH, box & certificate
HI60091-01	pH 9.180, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60091-02	pH 9.180, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI6010	pH 10.010 buffer standard solution with certificate of analysis
HI6010-01	pH 10.010, 1 LT, +/- 0.002 pH, box & certificate
HI6011	pH 11.000, 500 ml, +/- 0.002 pH, box & certificate
HI6011-01	pH 11.000, 1 LT, +/- 0.002 pH, box & certificate
HI6012	pH 12.000, 500 ml, +/- 0.002 pH, box & certificate
HI6012-01	pH 12.000, 1 LT, +/- 0.002 pH, box & certificate
HI60121	Adapter for electrode
HI60124-01	pH 12.450, 10 X 20 ml sachets, +/-0.002 pH & certificate
HI60124-02	pH 12.450, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI6013	pH 13.000, 500 ml, +/- 0.002 pH, box & certificate
HI6013-01	pH 13.000, 1 LT, +/- 0.002 pH, box & certificate
HI6016	pH 1.679, 25 X 20 ml sachets, +/-0.002 pH & certificate
HI6016-01	pH 1.679, 1 LT, +/- 0.002 pH, box & certificate
HI6031	1413 µS/cm conductivity solution with certificate of analysis
HI6032	1382 ppm conductivity solution with certificate of analysis
HI6033	84 µS/cm conductivity solution (µmho/cm) with certificate of analysis
HI6037	pH 3.788, 500 ml, +/- 0.002 pH, box & certificate
HI6037-01	pH 3.788, 1 LT, +/- 0.002 pH, box & certificate
HI6038	pH 3.788 buffer solution, 500 ml, with certificate
HI6046	pH 4.630, 500 ml, +/- 0.002 pH, box & certificate
HI6046-01	pH 4.630, 1 LT, +/- 0.002 pH, box & certificate
HI6050	Submersible electrode holder, 0.6 m (23.8")
HI60501	Immersion pH & ORP electrode holder ¾NPT, PVC
HI60501-0	1 set of O-rings for HI60501
HI605011	PVC DIN mounting flange (required)
HI60501-1	Electrode holder spare external cap
HI60503	Immersion pH & ORP electrode holder ¾NPT, PVDF
HI6051	Submersible electrode holder, 1.1 m (43.5")
HI6052	Submersible electrode holder, 1.6m (63.2")
HI60542	In-line pH & ORP electrode holder ¾NPT, PVC
HI60542-0	1 set of O-rings for HI60542
HI60545	Bypass loop pH & ORP electrode holder ¾NPT, PVC
HI60545-0	1 set of O-rings for HI60545

HI6054B	In-line electrode holder, 3/4 x 16UNF thread
HI6054N	1" NPT threaded pipe electrode holder 110 mm*
HI6054T	In-line electrode holder, PG 13.5 thread
HI6057	3/4"Nipple for in-line installation with standard fitting
HI6068	pH 6.865, 500 ml, +/- 0.002 pH, box & certificate
HI6068-01	pH 6.865, 1 LT, +/- 0.002 pH, box & certificate
HI6074	pH 7.413, 500 ml, +/- 0.002 pH, box & certificate
HI6074-01	pH 7.413, 1 LT, +/- 0.002 pH, box & certificate
HI6091	pH 9.177, 500 ml, +/- 0.002 pH, box & certificate
HI6091-01	pH 9.177, 1 LT, +/- 0.002 pH, box & certificate
HI61001-51	Wine Ammonia ISE membranes kit (20 pcs)
HI6100205	Amplified pH electrode for acid samples with fluoride, with matching pin, 5 m cable, BNC connector
HI6100405	Amplified pH electrode for general purpose, with matching pin, 5 m cable, BNC connector
HI6100605	Amplified pH electrode for low temperature, with matching pin, 5 m cable, BNC connector
HI6100605GT	pH electrode with guard and teflon junction, no Amphel
HI6100805	Amplified pH electrode for high temperature, with matching pin, 5 m cable, BNC connector
HI61010	Wine half cell ISE electrode for fluoride analysis
HI6101205	Amplified pH electrode for acid samples with fluoride, with matching pin, Pt 100, 5 m cable, BNC connector
HI6101205C	pH electrode HF
HI61014	Potassium half-cell electrode
HI6101405	Amplified pH electrode for general purpose, with matching pin, Pt 100, 5 m cable, BNC connector
HI61014-51	Potassium ISE spare module
HI6101605	Amplified pH electrode for low temperature, with matching pin, Pt 100, 5 m cable, BNC connector
HI6101805	Amplified pH electrode for high temperature, with matching pin, Pt 100, 5 m cable, BNC connector
HI61101	Ammonia combination electrode
HI6124	pH 12.450, 500 ml, +/- 0.002 pH, box & certificate
HI6124-01	pH 12.450, 1 LT, +/- 0.002 pH, box & certificate
HI6200405	Amplified platinum ORP electrode with matching pin, 5m cable, BNC connector
HI6200505	Amplified gold ORP electrode with matching pin, 5m cable, BNC connector
HI6291005	Amphel Ultem body electrode, replaceable battery, gel filled, double-cloth junction, BNC connector
HI62911	Titanium double junction pH electrode for HI99131
HI62920D	pH electrode with titanium body, amplified, with temperature and DIN connector for HI504902
HI6293005	Amphel Ultem body ORP electrode with replaceable battery, gel filled, cloth-double junction, BNC connector
HI6493005	Amphel Ultem body ORP electrode with replaceable battery, gel filled, cloth-double junction, BNC connector
HI70000P	Rinse solution - 20 ml sachet (25 pcs)
HI70000P/5	Rinse solution - 20 ml sachet (500 pcs)
HI70004C	pH 4.01 buffer solution @ 25°C-20 ml sachet (25 pcs) with certificate
HI70004P	pH 4.01 buffer solution @ 25°C-20 ml sachet (25 pcs)
HI70006C	pH 6.86 buffer solution @ 25°C-20 ml, 25 sachets, with certificate
HI70006P	pH 6.86 buffer solution @ 25°C- 20 ml sachet (25 pcs)
HI70007C	pH 7.01 buffer solution @ 25°C-20 ml, 25 sachets, with certificate
HI70007P	pH 7.01buffer solution @ 25°C- 20 ml sachet (25 pcs)
HI70009C	pH 9.18 buffer solution @ 25°C-20 ml, 25 sachets, with certificate

HI70009P	pH 9.18 buffer solution @ 25°C- 20 ml sachet (25 pcs)
HI70010C	pH 10.01 buffer solution @ 25°C- 20 ml, 25 sachets, with certificate
HI70010P	pH 10.01 buffer solution @ 25°C- 20 ml sachet (25 pcs)
HI70010P/5	pH 10.01 buffer solution @ 25°C- 20 ml sachet (500 pcs)
HI7001L	pH 1.68 calibration buffer @ 25°C- 0.46 L
HI7001M	pH 1.68 calibration buffer @ 25°C- 0.23 L
HI700221-1	EC controller, analog output, 2 set point, on, off & PID, 115 VAC
HI700221-2	EC controller, analog output, 2 set point, on, off & PID, 230 VAC
HI700222-1	EC controller, RS485 output, 2 set point, on, off & PID, 115 VAC
HI700222-2	EC controller, RS485 output, 2 set point, on, off & PID, 230 VAC
HI70030C	12880 µS/cm EC solution (µmho/cm), with certificate of analysis
HI70030P	12880 µS/cm conductivity solution (µmho/cm), 20 ml (25 pcs)
HI70031C	1413 µS/cm conductivity solution (µmho/cm) with certificate of analysis
HI70031P	1413 µS/cm conductivity solution (µmho/cm), 20 ml (25 pcs)
HI70031P/5	Conductivity solution, 1413 µS/cm, pack of 500 sachets
HI70032C	1382 ppm TDS solution (mg/L) @ 25°C with certificate of analysis
HI70032P	1382 ppm TDS solution (mg/L) @ 25°C, 20 ml
HI70032P/5	1382 ppm TDS solution (mg, L) @ 25°C, 20 ml (500 pcs)
HI70033C	84 µS/cm conductivity solution (µmho/cm) with certificate of analysis
HI70033P	84 µS/cm conductivity solution (µmho/cm), 20 ml (25 pcs)
HI70038C	6.44 ppt TDS solution (g/L) @ 25°C with certificate of analysis
HI70038P	6.44 ppt TDS solution (g/L) @ 25°C, 20 ml (25 pcs)
HI70039C	5000 µS/cm conductivity solution (µmho/cm) with certificate of analysis
HI70039P	5000 µS/cm conductivity solution (µmho/cm), 20 ml (25 pcs)
HI7004/1G	pH 4.01 buffer solution @ 25°C- 1 US Gallon
HI7004/1L	pH 4.01 buffer solution @ 25°C- 1 L
HI7004L	pH 4.01 buffer solution @ 25°C- 0.46 L
HI7004L/C	pH 4.01 buffer solution @ 25°C- 0.46 L with certificate of analysis
HI7004M	pH 4.01 buffer solution @ 25°C- 0.23 L
HI7004P/5	pH 4.01 buffer solution @ 25°C-20 ml sachet (500 pcs)
HI7006/1G	pH 6.86 buffer solution @ 25°C- 1 US Gallon
HI7006/1L	pH 6.86 buffer solution @ 25°C- 1 L
HI700620P	Electrode cleaning solution for cosmetics industry 20 ml sachet (25 pcs)
HI700621P	Electrode cleaning solution for cosmetics industry 20 ml sachet (25 pcs)
HI700630P	Electrode cleaning solution for food processing 20 ml sachet (25 pcs)
HI700635P	Electrode cleaning solution for food processing (wine) 20 ml sachet (25 pcs)
HI700636P	Electrode cleaning solution for food processing (wine) 20 ml sachet (25 pcs)
HI700640P	Electrode cleaning solution for food processing (dairy) 20 ml sachet (25 pcs)
HI700641P	Electrode cleaning solution for food processing (dairy) 20 ml sachet (25 pcs)
HI700642P	Electrode cleaning solution for food processing 20 ml sachet (25 pcs)
HI700661P	Electrode cleaning sol. for agriculture application 20 ml sachet (25 pcs)
HI700663P	Electrode cleaning solution for agriculture 20 ml sachet (25 pcs)
HI700664P	Electrode cleaning solution for agriculture 20 ml sachet (25 pcs)

HI700670P	Electrode cleaning solution for process 20 ml sachet (25 pcs)
HI700671P	Electrode cleaning solution for process 20 ml sachet (25 pcs)
HI700680P	Electrode cleaning solution for industry 20 ml sachet (25 pcs)
HI7006L	pH 6.86 buffer solution @ 25°C- 0.46 L
HI7006L/C	pH 6.86 buffer solution @ 25°C- 0.46 L with certificate of analysis
HI7006M	pH 6.86 buffer solution @ 25°C- 0.23 L
HI7007/1G	pH 7.01 buffer solution @ 25°C- 1 US Gallon
HI7007/1L	pH 7.01 buffer solution @ 25°C- 1 L
HI7007L	pH 7.01 buffer solution @ 25°C- 0.46 L
HI7007L/C	pH 7.01 buffer solution @ 25°C-0.46 L with certificate of analysis
HI7007M	pH 7.01 buffer solution @ 25°C- 0.23 L
HI7007P/5	pH 7.01 buffer solution @ 25°C- 20 ml sachet (500 pcs)
HI70080C	800 ppm TDS solution (mg/L) @ 25°Cwith certificate of analysis
HI70080P	800 ppm TDS solution (mg/L) @ 25°Cwith certificate of analysis
HI7009/1G	pH 9.18 buffer solution @ 25°C- 1 US Gallon
HI7009/1L	pH 9.18 buffer solution @ 25°C- 1 L
HI7009L	pH 9.18 buffer solution @ 25°C- 0.46 L
HI7009L/C	pH 9.18 buffer solution @ 25°C-0.46 L with certificate of analysis
HI7009M	pH 9.18 buffer solution @ 25°C- 0.23 L
HI7010/1G	pH 10.01 buffer solution @ 25°C- 1 US Gallon
HI7010/1L	pH 10.01 buffer solution @ 25°C- 1 L
HI7010L	pH 10.01 buffer solution @ 25°C- 0.46 L
HI7010L/C	pH 10.01 buffer solution @ 25°C-0.46 L with certificate of analysis
HI7010M	pH 10.01 buffer solution @ 25°C- 0.23 L
HI7020L	ORP testing solution 200/275 mV @ 25°C, 0.46 L
HI7020M	ORP testing solution 200/275 mV @ 25°C, 0.23 L
HI7021L	ORP testing solution 240 mV @ 25°C, 0.46 L
HI7021M	ORP testing solution 240 mV @ 25°C, 0.23 L
HI7022L	ORP testing solution 470 mV @ 25°C, 0.46 L
HI7022M	ORP testing solution 470 mV @ 25°C, 0.23 L
HI7023/1L	TISAB solution, 1 L
HI7023L	TISAB solution, 0.46 L
HI7030/1G	12880 µS/cm conductivity solution (µmho/cm), 1 gallon
HI70300L	Storage solution for pH /ORP electrodes, 0.46 L
HI70300M	Storage solution for pH /ORP electrodes, 0.23 L
HI7030L	12880 µS/cm conductivity solution (µmho/cm), 0.46 L
HI7030M	12880 µS/cm conductivity solution (µmho/cm), 0.23 L
HI7031/1G	1413 µS/cm conductivity solution (µmho/cm), 1 gallon
HI7031L	1413 µS/cm conductivity solution (µmho/cm), 0.46 L
HI7031L/C	1413 µS/cm conductivity solution with certificate (µmho/cm), 0.46 L
HI7031M	1413 µS/cm conductivity solution (µmho/cm), 0.23 L
HI7032L	1382 ppm TDS solution (mg/L) @ 25°C, 0.46 L
HI7032M	1382 ppm TDS solution (mg/L) @ 25°C, 0.23 L

HI7033L	84 µS/cm conductivity solution (µmho/cm), 0.46 L
HI7033M	84 µS/cm conductivity solution (µmho/cm), 0.23 L
HI7034L	80000 µS/cm conductivity solution (µmho/cm), 0.46 L
HI7034M	80000 µS/cm conductivity solution (µmho/cm), 0.23 L
HI7035L	111800 µS/cm conductivity solution (µmho/cm), 0.46 L
HI7035M	111800 µS/cm conductivity solution (µmho/cm), 0.23 L
HI7036L	12.41 ppt TDS solution (g/L) @ 25°C, 0.46 L
HI7036M	12.41 ppt TDS solution (g/L) @ 25°C, 0.23 L
HI7037L	NaCl calibration solution, 500mL
HI7037M	NaCl calibration solution, 230mL
HI7039L	5000 µS/cm conductivity solution (µmho/cm), 0.46 L
HI7039M	5000 µS/cm conductivity solution (µmho/cm), 0.23 L
HI70401	Potassium hydrogen phthalate, 20 g
HI70402	Tartaric acid, 20 g
HI70403	Sodium Thiosulfate penta hydrate, 20 g
HI70404	KCl powder packets, 100 packets
HI70405	Glucose/Fructose standard
HI70406	Sodium chloride, 20 g
HI70407	Potassium iodate, 20 g
HI70408	Oxalic acid, 20 g
HI70409	Potassium permanganate, 20 g
HI7040L	Zero oxygen solution, 500 ml
HI7040M	Zero oxygen solution, 230 ml
HI7041L	DO probe electrolyte solution, 460 ml
HI7041M	DO probe electrolyte solution, 230 ml
HI7041S	Electrolyte solution for D.O. probes, 30 ml
HI70423	NaOH, 0.11N (N/9), 1 L
HI70424	Ammino-propanol buffer, 25 ml
HI70425	16% Sulfuric acid
HI70426	Glyoxal (40%), 1L
HI70427	HNO3 (1.5M), 500 mL
HI70428	NaOH (0.25N), 1 L
HI70429	AgNO3 (0.05M), 1L
HI7042S	Electrolyte for galvanic Dissolved Oxygen probe
HI70430	DPD Reagent for PCA Series
HI70431	Total Chlorine Reagent for PCA Series
HI70432	H2O2 (3%), 25 ml
HI70433	Stabilized iodine, 0.01N, 1L
HI70434	Phosphoric acid (85%), 500 ml
HI70435	NaOH (5M), 500 ml
HI70436	Distilled water, 3.75 L
HI70437	Concentrated Potassium (30%) Iodide solution, 500 ml
HI70438	Tris buffer

HI70439	0.1M Sodium Thiosulfate
HI70440	0.02N Stabilized 12
HI70441	0.04N Stabilized 12
HI70442C	1500 ppm TDS solution (mg/L) @ 25°C with certificate of analysis
HI70442L	1500 ppm TDS solution (mg/L) @ 25°C, 0.46 L
HI70442M	1500 ppm TDS solution (mg/L) @ 25°C, 0.23 L
HI70442P	1500 ppm TDS solution (mg/L) @ 25°C, 20 ml (25 pcs)
HI70443	10% Sulfuric acid
HI70444	25% Sulfuric acid
HI70445	1m Nitric acid
HI70446	Fehling Solution A
HI70447	Fehling Solution B
HI70448	0.02M NaNO ₃
HI70449	0.01M EDTA
HI70450	PCA 300 indicator solution
HI70451	PCA 300 buffer solution
HI70452	PCA DPD compound
HI70453	HCL, 0.02N, 1L
HI70454	0.02 NaOH
HI70455	Titration solution 0.01 N NaOH, 1L
HI70456	Titration solution 0.1 N NaOH, 1L
HI70457	Titration solution 1 N NaOH, 1L
HI70458	Titration solution 0.01 M H ₂ SO ₄ , 1L
HI70459	Titration solution 0.05 M H ₂ SO ₄ , 1L
HI70460	PCA total chlorine reagents kit
HI70461	PCA 301 buffer solution
HI70462	Titration solution 0.01 N HCL, 1L
HI70463	Titration solution 0.1 N HCL, 1L
HI70464	Titration solution 1 N HCL, 1L
HI70465	Reagent for hydrogen peroxide titration (30 ml)
HI70466	0.00564N phenylarsine oxide (PAO) standard solution (500 ml)
HI70467	Acetate buffer pH 4 (200 ml)
HI70468	Potassium iodide powder for 100 tests
HI70469	0.00188N iodine standard solution (4x250 ml)
HI70470	0.00564N phenylarsine oxide (PAO) standard solution (500 ml)
HI70471	0.000564N phenylarsine oxide (PAO) standard solution (500 ml)
HI70472	Phosphate buffer pH 7 (200 ml)
HI70473	PCA tubing kit, pressure regulator to drain (2 pcs)
HI70474	PCA peristaltic pump tubing kit (6 pcs)
HI70475	PCA peristaltic pump tubing kit (2 pcs)
HI70476	PCA reagent bottle tubing kit (6 pcs)
HI70477	PCA tubing set for measuring cell (2 pcs)
HI70478	PCA tubing kit, bottle to pump (6 pcs)

HI70479	PCA tubing kit, pump to Y strainer (8 pcs)
HI70480	PCA free chlorine reagents kit
HI70481	PCA total chlorine reagents kit
HI70482	PCA filters
HI70483	PCA complete tubing kit
HI70483T	Complete tubing kit for HI84100 and HI84102
HI70484	PCA complete tubing kit (3 pcs)
HI70485	PCA cuvet stirrer motor
HI70486	PCA stirring bar (2 pcs)
HI70487	PCA measuring cell
HI70487/A	Adapter set for measuring cell
HI70487/N	Measuring cell for PCA
HI70488	PCA electrovalve, 60 Hz
HI70489	PCA electrovalve, 50 Hz
HI70490	PCA 300 free chlorine reagent 500ml
HI70490P	400 mA fuse (10 pcs)
HI70491	PCA 300 total chlorine reagent 500ml
HI70492	Spare part for PCA 300 (drain connector)
HI70493	Spare part for PCA 300 (pressure regulator out connector)
HI70494P	PCA calibration port cap (10 pcs)
HI70495	Spare part for PCA 300 (pressure regulator input)
HI70496	PCA 300 replactment filter 0.45 uM (1 pc)
HI70497	PCA 300 replactment filter 50 uM (1 pc)
HI7051L	Soil test extraction solution, 0.46 L
HI7051M	Soil test extraction solution, 0.23 L
HI70601/2	Replacement RH/°C probe for HI8564, 2 m cable, DIN connector
HI70601/5	Replacement RH/°C probe for HI8564, 5 m cable, DIN connector
HI70602	Replacement probe for HI8565
HI70603	Replacement probe for HI8666
HI70604/2	RH probe for HI9160, HI9161, HI91610, HI9261, screw Connector, 2m
HI70604/5	RH probe for HI9160, HI9161, HI91610, HI9261, screw Connector, 5m
HI70605/2	RH/°C probe for HI9065, screw connector, 2m cable
HI70605/5	RH/°C probe for HI9065, screw connector, 5m cable
HI70606/2	RH/°C probe for HI9065, 2m cable
HI70606/5	RH/°C probe for HI9161, 5m cable
HI70607/2	RH/°C probe for HI9065, 2m cable
HI70607/5	RH/°C probe for HI9065, 5m cable
HI70608/2	RH/°C probe for HI9064, 2m cable
HI70608/5	RH/°C probe for HI9064, 5m cable
HI7061L	General cleaning solution, 0.46 L
HI7061M	General cleaning solution, 0.23 L
HI70620L	Electrode cleaning solution for cosmetics industry (disinfection, 0.46 L
HI70620M	Electrode cleaning solution for cosmetics industry (disinfection, 0.23 L

HI70621L	Electrode cleaning solution for cosmetics industry (skin grease), 0.46 L
HI70621M	Electrode cleaning solution for cosmetics industry (skin grease), 0.23 L
HI70630L	Electrode acid cleaning solution for meat (grease and fats), 0.46 L
HI70630M	Electrode acid cleaning solution for meat (grease and fats), 0.23 L
HI70631L	Electrode alkaline cleaning solution for meat (grease and fats), 0.46 L
HI70631M	Electrode alkaline cleaning solution for meat (grease and fats), 0.23 L
HI70632L	Electrode cleaning solution for meat disinfection (blood), 0.46 L
HI70632M	Electrode cleaning solution for meat disinfection (blood), 0.23 L
HI70635L	Electrode cleaning solution from wine deposits, 0.46 L
HI70635M	Electrode cleaning solution from wine deposits, 0.23 L
HI70636L	Electrode cleaning solution from wine stains, 0.46 L
HI70636M	Electrode cleaning solution from wine stains, 0.23 L
HI70640L	Electrode cleaning solution for dairy (milk deposits), 0.46 L
HI70640M	Electrode cleaning solution for dairy (milk deposits), 0.23 L
HI70641L	Electrode cleaning solution for dairy (disinfection), 0.46 L
HI70641M	Electrode cleaning solution for dairy (disinfection), 0.23 L
HI70642L	Electrode cleaning solution for dairy (cheese), 0.46 L
HI70642M	Electrode cleaning solution for dairy (cheese), 0.23 L
HI70662	Cleaning solution for Honey meter (30 ml)
HI70662L	Electrode cleaning solution for honey, 0.46L
HI70662M	Electrode cleaning solution for honey, 0.23L
HI70663L	Electrode cleaning solution from soil (deposits), 0.46 L
HI70663M	Electrode cleaning solution from soil (deposits), 0.23 L
HI70664L	Electrode cleaning solution from humus related products, 0.46 L
HI70664M	Electrode cleaning solution from humus related products, 0.23 L
HI70670L	Electrode cleaning solution for process (salt deposits), 0.46 L
HI70670M	Electrode cleaning solution for process (salt deposits), 0.23 L
HI70671L	Electrode cleaning solution for process (from algae, fungus, bacteria), 0.46 L
HI70671M	Electrode cleaning solution for process (from algae, fungus, bacteria), 0.23 L
HI70680L	Electrode cleaning solution from cellulose deposits, 0.46 L
HI70680M	Electrode cleaning solution from cellulose deposits, 0.23 L
HI70681L	Electrode cleaning solution from ink stains, 0.46 L
HI70681M	Electrode cleaning solution from ink stains, 0.23 L
HI70701/1L	Fluoride solution – 1 g/ L, 1 L
HI70701L	Fluoride solution – 1 g/L, 0.46 L
HI70701M	Fluoride solution – 1 g/L, 0.23 L
HI70702/1L	Fluoride solution – 10 mg, L, 1 L
HI70702L	Fluoride solution – 10 mg/L, 0.46 L
HI70702M	Fluoride solution – 10 mg/L, 0.23 L
HI70703/1L	Fluoride solution – 100 mg, L, 1 L
HI70703L	Fluoride solution – 100 mg/L, 0.46 L
HI70703M	Fluoride solution – 100 mg/L, 0.23 L
HI7071	3.5M KCl/AgCl electrolyte solution for single junction electrodes

HI7071L	3.5M KCl/AgCl electrolyte solution for single junction electrodes, 460 ml
HI7071M	3.5M KCl/AgCl electrolyte solution for single junction electrodes, 230 ml
HI7072	1M KNO ₃ electrolyte for double-junction electrodes, 4X30 ml bottles
HI7072L	1M KNO ₃ electrolyte for double-junction electrodes, 500 ml
HI7073L	Protein cleaning solution, 0.25 L
HI7073M	Protein cleaning solution, 0.25 L
HI7074L	Inorganic cleaning solution, 0.50 L
HI7074M	Inorganic cleaning solution, 0.25 L
HI7075	Electrolyte solution with KNO ₃ and KCl
HI7076	Electrolyte solution 1 M NaCl
HI7077L	Oil, Fat and Grease cleaning solution, 0.46 L
HI7077M	Oil, Fat and Grease cleaning solution, 0.23 L
HI7078	0.5 Molar electrolyte solution (4 x 30 ml)
HI7080L	Na solution - 2.3 g/L - 0.46 L
HI7080M	Na solution - 2.3 g/L - 0.23 L
HI7081L	NaCl solution - 30 g/L - 0.46 L
HI7081M	NaCl solution - 30 g/L - 0.23 L
HI7082	3.5M KCl electrolyte for double-junction electrodes
HI7082L	3.5M KCl electrolyte for double-junction electrodes, 460 ml
HI7082M	3.5M KCl electrolyte for double-junction electrodes, 230 ml
HI7083L	NaCl solution - 3 g/L - 0.46 L
HI7083M	NaCl solution - 3 g/L - 0.23 L
HI7084L	NaCl solution - 58.4 g/L - 0.46 L
HI7084M	NaCl solution - 58.4 g/L - 0.23 L
HI7085L	NaCl solution - 0.3 g/L - 0.46 L
HI7085M	NaCl solution - 0.3 g/L - 0.23 L
HI7086L	Na solution - 23 g/L - 0.46 L
HI7086M	Na solution - 23 g/L - 0.23 L
HI7087L	Na solution - 0.23 g/L - 0.46 L
HI7087M	Na solution - 0.23 g/L - 0.23 L
HI7088L	NaCl solution - 5.84 g/L - 0.46 L
HI7088M	NaCl solution - 5.84 g/L - 0.23 L
HI7089L	NaCl solution - 125 g/L - 0.46 L
HI7089M	NaCl solution - 125 g/L - 0.23 L
HI7090L	ISA solution - 0.46 L
HI7090M	ISA solution - 0.23 L
HI7091L	Pre-treatment reducing solution for ORP electrodes, 0.46 L
HI7091M	Pre-treatment reducing solution for ORP electrodes, 0.23 L
HI7092L	Pre-treatment oxidizing solution for ORP electrodes, 0.46 L
HI7092M	Pre-treatment oxidizing solution for ORP electrodes, 0.23 L
HI7093	Electrode Refilling Solution (4x30ml), 1M NaCl
HI70960	Conductive electrolyte, sample preparation solution, 30 ml
HI70960L	Conductivity electrolyte solution for pH of viscous fluids, 0.46 L

HI70960M	Conductivity electrolyte solution for pH of viscous fluids, 0.23 L
HI710001	Soft carrying case for HI8424 housing
HI710002	Soft carrying case for portable thermistor thermometer
HI710003	Soft carrying case for HI9214
HI710004	Soft carrying case for HI93510 housing
HI710005	12VDCto 115VAC, US plug
HI710005/8	115VAC to 12 VDC adapter, for HI42xx family
HI710006	12VDCto 230VAC, European plug
HI710006/8	230VAC to 12 VDC adapter, for HI42xx family
HI710007	Blue shockproof rubber boot
HI710008	Orange shockproof rubber boot
HI710009	Blue rubber boot
HI710010	Orange rubber boot
HI710011	Sintered cap
HI710012	12 VDC to 230 VAC, UK plug
HI710013	12 VDC to 230 VAC, South Africa plug
HI710014	12 VDC to 230 VAC, Australian plug
HI710015	New blue rubber boot for the HI8314N, HI8424N, etc.
HI710016	New orange rubber boot for the HI8733N, etc.
HI710018	Blue rubber boot for HI991001(new Shape)
HI710019	Orange rubber boot for HI991001(new Shape)
HI710020	Spare box for HI9040 meters (1 pcs)
HI710022	New protective case for HI8424, new casing
HI710031	General hard carrying case
HI710032	Paper roll for bench meters (10 pcs)
HI710033	Ink cartridge for bench meters
HI710034	Paper roll for portable meters (10 pcs)
HI710035	Ink cartridge for portable meters
HI710040	Inductive charger
HI710041	Inductive charger
HI710042	Inductive Battery Charger Casing for HI 9818x Series
HI710045	Cable for recharging HI 9828 batteries
HI710046	Cable for recharging HI 9828 batteries from 12V power
HI7101	RH calibration chamber for probe s without sintered cap
HI7102	RH calibration chamber for probe s with sintered cap
HI710221-1	EC, TDS controller, analog output, 2 set point, on, off & PID, 115 VAC
HI710221-2	EC, TDS controller, analog output, 2 set point, on, off & PID, 230 VAC
HI710222-1	EC, TDS controller, RS485 output, 2 set point, on, off & PID, 115 VAC
HI710222-2	EC, TDS controller, RS485 output, 2 set point, on, off & PID, 230 VAC
HI7111/P	LiCl calibration salt, 15 g. (6 bottles)
HI7121/P	NaCl calibration salt, 33 g. (6 bottles)
HI7164	Undecal connector
HI72001	100 pcs of tube nut diameter, 5 X 8 mm, new AART0001/P

HI720014	14 pcs of springs, AART 0014/P
HI720018	12 pcs injection nipples, AART0018/P
HI72002	50 pcs of head nipples new AART002/P
HI720029	Pump's kit: LDPE hose 3m (9.9')
HI72003	16 pieces of valves AART0003P
HI720030	Pump's kit: LDPE hose 10m (33')
HI720031	Pump's kit: LDPE hose 50m (165')
HI720032	Pump's kit: LDPE hose 100m (333')
HI72006	12 pcs of INVAR O-ring AART0006/P
HI72007	2 pcs PTFE diaphragms for ASP/DP/DR/CP/CD/SP
HI72008	2 pcs pf TFE diaphragm for ASP/1/2/K2 AART0007SP
HI72009	2 pcs of Plastic Plate New AART0009/P
HI720122-1	Inductive EC controller, 1 set point, on/off & PID, single analog output, 115 VAC
HI720122-2	Inductive EC controller, 1 set point, on/off & PID, single analog output, 230 VAC
HI720224-1	Inductive EC controller, 2 set point, on/off & PID, 2 analog output, 115 VAC
HI720224-2	Inductive EC controller, 2 set point, on/off & PID, 2 analog output, 230 VAC
HI721001	1 Pump head with O-ring suction & disc. valve, BL01
HI721002	Suction valve assembly
HI721003	Pump's kit: Glass balls (10 pcs) & valve o-rings (10 pcs)
HI721004	Pump's kit: Injection nipple, teflon spring,
HI721005	Pump's kit: Filter with holder & valve assembly
HI721006	Pump's kit: Kynar springs (4 pcs)
HI721008	Pump's kit: ceramic weights (4 pcs)
HI721009	1 Diaphragm BLSK-09B
HI721010	Teflon coated O-ring for pump head BLSK-10
HI721012	Magnet 2 counter sink screws 220V BLSK20D
HI721014	Bottom housing and housing seal BLSK-14
HI721016	1 complete housing circuit for BL1.5-14 220V
HI721019	1 complete driving circuit for BL7-8 220V BLSK19D
HI721020	1 complete driving circuit for BL10-4 220V BLSK20D
HI721101	Pump's kit: O-ring, screws (6 pcs) & washers (6 pcs)
HI721102	Pump's kit: O-ring, glass valve ball, valve spacer & seat, head nipple & tube nut (discharge valve assembly)
HI721103	Pump's kit: O-ring, glass valve ball, valve spacer & seat, head nipple & tube nut (suction valve assembly)
HI721106	Blackstone Pump head assembly
HI721107	Large pump head assembly
HI721108	BL, Kynar nut (25 pcs)
HI721301	Replacement Tester Batteries 1.5 V (100 pcs)
HI721310	Replacement batteries for portable non-waterproof instruments, 9 V (100 pcs)
HI721311	Kit for HI8014 and HI8314
HI721312	Kit for HI931000 and HI8424 casings
HI721313	Kit for HI8733 and HI8633
HI721314	Kit for HI8734
HI721316	General hard carrying case for non-waterproof meters

HI721317	General hard carrying case for waterproof/printing/logging meters
HI721319	Auger for ground penetration for HI99121
HI7291005	Amphel Ultem body electrode, replaceable battery, gel filled, cloth-double junction, BNC connector
HI72911	Stainless steel double junction pH electrode for HI99141
HI72911B	pH/°C electrode with double junction, flat tip, titanium body, BNC+Phono plug connector
HI7299505	Amphel glass body pH electrode, replaceable battery, gel filled, teflon-double junction, BNC connector
HI73106	Spare electrode for HI98106 & HI98107
HI73108	Spare electrode for HI98108
HI73120	Spare ORP electrode for HI98120
HI73127	Spare electrode for HI98127 & HI98128
HI73128	Electrode removal tool for new WP testers
HI73128P	Electrode removal tool for new WP testers (10 pcs)
HI731311	5 empty COD vials with caps
HI731313	Hard carrying case for HI93703 with calibration & cleaning solutions
HI731316	Stirrer bar for mini-titrator (5 pcs)
HI731318	Tissue for wiping cuvetts (4 pcs)
HI731319	Micro stir bars (10 pcs) for magnetic stirrers
HI731320	Stir bars (10 pcs) for magnetic stirrers
HI731321	Glass cuvetts (4 pcs)
HI731322	Thermistor with bare wire end 10m cable HI76P2/10
HI731323	Phono plug with 1m cable and wire end for HI 762 and HI 765 series probes (4 pcs)
HI731324	0.5 m (1.7') measuring bar (5 pcs) for level controllers
HI731325	Cap for cuvet (4 pcs)
HI731325N	Cap for cuvet C200 series (4 pieces)
HI731325W	Spare caps for cuvette for HI837 series of photometers (4 pcs)
HI731326	Calibration screwdriver (20 pcs)
HI731327	Carrying case for C102 & C114 with 4calibration solutions, cleaning solution for cuvetts, 4 tissues
HI731328	0.5 m (1.7') measuring bar for level controllers
HI731331	4 large vials
HI731331N	Spare cuvettes for HI98703 turbidity meter (4 pcs)
HI731332P	Square spare cuvettes for bench photometers (100 pcs)
HI731335	4 caps for large vials
HI731335N	Spare cap for standard cuvettes (4 pcs)
HI731340	200 uL pipette
HI731341	1000 uL pipette
HI731342	2000 uL pipette
HI731350	25 Tips for 200 uL pipette
HI731351	25 Tips for 1000 uL pipette
HI731352	4 Tips for 2000 uL pipette
HI73201	Spare electrode for HI98201
HI73202	Spare electrode for HI98202
HI73301	Spare probe for HI98301
HI73302	Spare probe for HI98302

HI73303	Spare probe for HI98303
HI73304	Spare probe for HI98304
HI73308	Spare probe for HI98308
HI73309	Spare probe for HI98309
HI73311	Spare probe for HI98311 & HI98312
HI73331	Direct soil penetration EC probe for HI98331
HI740002P	Checker casing battery cover (10 pcs)
HI740003P	Checktemp®C battery cover (10 pcs)
HI740004P	Checktemp®C 1 battery cover (10 pcs)
HI740005P	Checktemp®C 2 battery cover (10 pcs)
HI740006P	Conmet battery cover (10 pcs)
HI740007P	HI8424 casing battery cover (10 pcs)
HI740008P	HI9000 battery cover (10 pcs)
HI740009P	HI9025 casing battery cover (10 pcs)
HI740010	Battery cover for HI9041 (10 pcs)
HI740011P	Piccolo+ battery cover (10 pcs)
HI740012P	HI9181 casing battery cover (10 pcs)
HI740013P	HI9214 cover (10 pcs)
HI740032P	Cap for 30 ml beaker (10 pcs)
HI740025	Checktemp®C 1 base (6 pcs)
HI740026P	1.4 V battery (10 pcs)
HI740028P	1.5 V AAA battery (10 pcs)
HI740027P	1.5 V AA battery (10 pcs)
HI740031	Spare battery for Amphenel electrodes
HI740017P	Hygrocheck battery cover (10 pcs)
HI740020P	pHel battery cover (10 pcs)
HI740021P	Piccolo battery cover (10 pcs)
HI740024P	Checktemp®C 1 base (10 pcs)
HI740014P	HI92810 casing battery cover (10 pcs)
HI740015P	HI93501 casing series battery cover (10 pcs)
HI740016P	HI93510 casing series battery cover (10 pcs)
HI740018P	Ion Specific Meter battery cover (10 pcs)
HI740019P	C100 battery cover (10 pcs)
HI740029P	9 V battery (10 pcs)
HI740030P	HI9130 battery cover (10 pcs)
HI740022P	Waterproof tester casing battery cover with O-ring (10 pcs)
HI740033	Replacement battery for HI 141 series, 3.6V AA Lithium (1 pc)
HI740034	Cap for 100 mL beaker (10 pcs)
HI740034P	Cap for 100 ml beaker (10 pcs)
HI740035	Electrode holder and plastic beaker for HI207 & HI208
HI740036	100 mL plastic beaker (10 pcs)
HI740036P	50 ml plastic beaker (10 pcs)
HI740037	30 mL plastic beaker (10 pcs)

HI740037P	20 ml plastic beaker (10 pcs)
HI740038	60 ml glass BOD bottle and stopper
HI740039	60 ml glass BOD bottle
hi740040	Glass cap for 60 ml BOD bottle
HI740041	60 ml glass BOD bottle and stopper (6 pcs)
HI740042	60 ml glass BOD bottle (6 pcs)
HI740043	Glass cap for 60 ml BOD bottle (6 pcs)
HI740044	US gallon bottle
HI740044P	US gallon bottle (5 pcs)
HI740045	Cap for 1 US gallon bottle (5 pcs)
HI740045P	Cap for 1 US gallon bottle (10 pcs)
HI740046	1 L bottle
HI740046P	1 L bottle (10 pcs)
HI740047	1 L bottle
HI740047P	Cap for 1 L bottle (10 pcs)
HI740048	120 mL bottle
HI740048P	120 ml bottle (10 pcs)
HI740049	Cap for 120 ml bottle
HI740049P	Cap for 120 ml bottle (10 pcs)
HI740050	120 ml bottle (5 pcs)
HI740052	230 ml bottle
HI740052P	230 ml bottle (10 pcs)
HI740053	Graduated glass bottle with caps (10 x100ml)
HI740054	230mL bottle (6 pcs)
HI740055	Cap for 230 ml bottles (6 pcs)
HI740056	30 mL bottle
HI740056P	30 ml bottle (10 pcs)
HI740058	30 ml bottle (6 pcs)
HI740058P	Plastic bottle, 30 ml (10 pcs)
hi740059	Cap for 30 mL bottle (6 pcs)
HI740059P	Cap for 30 ml bottle (10 pcs)
HI740060	30 mL dropping bottle
HI740060P	30 ml dropping bottle (10 pcs)
HI740061	Plug for 30 ml dropping bottle
HI740061P	Plug for 30 ml dropping bottle (10 pcs)
HI740063	30 ml dropping bottle (6 pcs)
HI740063P	30 ml dropper bottle (10 pcs)
HI740064	Plug for 30 ml dropping bottle (6 pcs)
HI740065	Cap for 30 ml dropping bottle (6 pcs)
HI740065P	Cap for 30 ml dropping bottle (10 pcs)
HI740066	30 ml FDA bottle
HI740066P	30 ml FDA bottle (10 pcs)
HI740068	30 ml FDA bottle (6 pcs)

HI740068P	30 ml FDA bottle (10 pcs)
HI740069	Cap for 30 ml FDA bottle (6 pcs)
HI740069P	Cap for 30 ml FDA bottle (10 pcs)
HI740070	460 ml bottle
HI740070P	460 ml bottle (10 pcs)
HI740072	460 ml bottle (6 pcs)
HI740073	Cap for 460 ml bottle (6 pcs)
HI740073P	Cap for 460 ml bottle (10 pcs)
HI740074	460 ml rectangular bottle
HI740074P	460 ml rectangular bottle (10 pcs)
HI740076	460 ml rectangular bottle (6 pcs)
HI740076P	460 ml rectangular bottle (10 pcs)
HI740077	Cap for 460 ml rectangular bottle (6 pcs)
HI740077P	Cap for 460 ml rectangular bottle (10 pcs)
HI740082	1 L FDA bottle
HI740082P	1 L FDA bottle (10 pcs)
HI740083	Cap for 1 L FDA bottle (5 pcs)
HI740083P	Cap for 1 L FDA bottle (10 pcs)
HI740084	460 ml FDA bottle
HI740084P	460 ml FDA bottle (10 pcs)
HI740086	460 ml FDA bottle (6 pcs)
HI740087	Cap for 460 ml FDA bottle (6 pcs)
HI740087P	Cap for 460 ml FDA bottle (10 pcs)
HI740088	Vessel for Water Test
HI740091	Calibration tool for WP testers (3 pcs)
HI740091P	Calibration tool for WP testers (20 pcs)
HI740093	Cap for refillable electrodes (10 pcs)
HI740093P	Cap for refillable electrodes (20 pcs)
HI740094	Transportation cap for DO probe s (2 pcs)
HI740094P	Transportation cap for DO probe s (10 pcs)
HI740095	Transportation cap for ISM (2 pcs)
HI740098	Carrying case for HI3813
HI740099	Carrying case for HI3814
HI740100	Carrying case for HI3816
HI740101	Carrying case for HI3817
HI740102	Carrying case for HI3819
HI740103	Carrying case for HI3821
HI740104	Carrying case for HI3823
HI740105	Carrying case for HI3825
HI740106	Carrying case for HI3827
HI740107	Carrying case for HI3828
HI740108	Carrying case for HI3837
HI740109	Hard carrying case for Piccolo

HI740110	Hard carrying case for non-waterproof testers
HI740112	Hard carrying case for Conmet
HI740115	Carrying case for HI3835
HI740116	BNC connector (2 pcs)
HI740117	DIN connector (2 pcs)
HI740118	US standard connector (2 pcs)
HI740119	Fust holder cover (2 pcs)
HI740119P	Fuse holder cover (10 pcs)
HI740120	pH 301 series left keyboard cover
HI740121	Right plastic cover for WM series
HI740122	Plastic right cover for terminals of BL 7916 and BL 7917
HI740122P	Plastic right cover for terminals of BL 7916 and BL 7917
HI740123	Wrist-strap
HI740124	Rear cover for HI140 series
HI740124P	Rear cover for HI140 series
HI740125	Rear cover for HI981401 housing
HI740125P	Rear cover for HI981401 housing
HI740126	Rear cover for HI8614 housing
HI740127	Transparent cover for printer of portable printing/logging meters
HI740128	Transparent cover for printer of HI9152 & HI9218
HI740129	Transparent left cover for BL 7916 & BL 7917
HI740130	Transparent cover for HI8710 housing
HI740131	Plastic cover for mini-controller
HI740132	Dosing spoon
HI740132P	Dosing spoon (10 pcs)
HI740133	Dosing spoon (6 pcs)
HI740134	Plastic dust cover
HI740135	Filter for HI3838
HI740136	1 A, 5x20 mm fuse
HI740136P	1 A, 5x20 mm fuse (10 pcs)
HI740137	1 A, 5x20 mm fuse (6 pcs)
HI740138	2 A, 5x20 mm fuse
HI740138P	2 A, 5x20 mm fuse (10 pcs)
HI740139	2 A, 5x20 mm fuse (6 pcs)
HI740140	200 mA, 5x20 mm fuse
HI740140P	200 mA, 5x20 mm fuse (10 pcs)
HI740141	200 mA, 5x20 mm fuse (6 pcs)
HI740142	1 ml graduated syringe
HI740142P	Graduated syringe (10 pcs)
HI740143	1 ml graduated syringe (6 pcs)
HI740144	Pipette tip (6 pcs)
HI740144P	Pipette tip (10 pcs)
HI740145	Mounting bracket for HI8710 housing (2 pcs)

HI740146	Mounting bracket for HI931700 housing (2 pcs)
HI740147	Mounting bracket for pH 500 housing (2 pcs)
HI740148	Nut/screw with washer for HI8710 housing (4 pcs)
HI740148P	Nut/screw with washer for HI8710 housing (10 pcs)
HI740150	Nut/screw with washer for pH 500 housing (4 pcs)
HI740150P	Nut/screw with washer for pH 500 housing (10 pcs)
HI740151	Black nut for HI8614 housing (2 pcs)
HI740151P	Black nut for HI8614 housing (10 pcs)
HI740152	Grey nut for HI8614 housing
HI740153P	HI1083 O-ring (10 pcs)
HI740154	HI 1083 O-ring (6 pcs)
HI740155	Capillary pipettes (20 pcs)
HI740156	Pump's kit: Valve seats (3 pcs)
HI740157P	Plastic refilling pipette (20 pcs)
HI740158	ELTH replacement probe
HI740159	Plastic tweezers (1 pcs)
HI740162	Checktemp@C protective cap
HI740162P	Checktemp@C protective cap (5 pcs)
HI740164	HI1083 protective cap
HI740165	HI1330 protective cap
HI740166	HI1331 protective cap
HI740167	HI2031 protective cap
HI740169	Hygrocheck protective cap
HI740170	Protective cap with O-ring for top compartment in HI 9033 housing
HI740172	Piccolo electrode protective cap
HI740173	Skincheck electrodes protective cap
HI740174	Waterproof testers spare cap
HI740178	RH probe s protective cap
HI740179	Conmet protective PVC sleeve
HI740180	HI76302W protective PVC sleeve
HI740181	HI1285 protective sleeve
HI740182	HI76303 protective sleeve
HI740189	HI7685, HI7686 and HI7687 sleeve
HI740191	Extractable terminal, 2 inputs
HI740191P	Extractable terminal, 2 inputs (10 pcs)
HI740192	Extractable terminal, 3 inputs
HI740192P	Extractable terminal, 3 inputs (10 pcs)
HI740193	Extractable terminal, 4 inputs
HI740193P	Extractable terminal, 4 inputs (10 pcs)
HI740194	Electrodes protective cap
HI740195	10mL glass burette with 500mL reagent container & pressure bulb
HI740196	Plastic vial for HI3835 (5 pcs)
HI740196P	Plastic vial for HI3835 (20 pcs)

HI740197	Carrying case for HI3810
HI740198	Power cord with DIN plug
HI740199	Power cord with US plug
HI740201	Carrying case for HI3822
HI740203	Soft carrying case for Hygrocheck
HI740204	Large extractable terminal, 2 inputs
HI740204P	Large extractable terminal, 2 inputs (10 pcs)
HI740205	Large extractable terminal, 3 inputs
HI740205P	Large extractable terminal, 3 inputs (10 pcs)
HI740207	HI93703 battery cover
HI740207P	HI93703 battery cover (10 pcs)
HI740208	FC200 protective cap
HI740208P	FC200 protective cap
HI740210	Testers with new pHep housing protective cap
HI740210P	Testers with new pHep housing protective cap
HI740211	DO probe s transparent protective cap
HI740212	25mL glass burette with 1L reagent container & pressure bulb
HI740213	Motor for magnetic stirrers (3 pcs)
HI740214	5 Amp, 5x20mm fuses (1 pcs)
HI740214P	4 Amp, 5x20mm fuses (10 pcs)
HI740215	5 Amp, 5x20mm fuses (6 pcs)
HI740215P	Fuses (4A, 6pcs)
HI740216	Test tube cooling rack
HI740217	COD reactor safety shield
HI740218	Rugged carrying case for portable photometers and turbidity meters
HI740219	COD adapter
HI740220	25mL glass test tubes with caps (2 pieces)
HI740221	Magnetic key to start HI141 series
HI740222	Rugged carrying case for HI 83216 and HI 83226
HI740223	Plastic beaker (170 ml)
HI740224	plastic beaker (170 ml) 12 pieces
HI740225	Syringe (60 ml)
HI740226	Pipette (5 ml)
HI740227	Filter Assembly
HI740228	Spare filters (25 pieces)
HI740229	polypropylene cylinder (100 ml)
HI740230	Demineralized water (230 ml)
HI740231	Glass cylinder (20 ml) with cap (2 PCS)
HI740232	Filter paper type 1 (100 pcs)
HI740233	Filter paper type 2 (100 PCS)
HI740234	Replacement tungsten lamp for HI98703 Turbidity meter
HI750146	Wall-mounting probe holder
HI7610	Stainless steel Pt100 probe with 3 wire Pt100 sensor

HI7611	Stainless steel Pt1000 probe with 3 wire Pt1000 sensor
HI761285	Conductivity probe with built in temperature sensor, for HI8730, HI8731, HI8732
HI7620	Glass Pt100 probe with 3 wire Pt100 sensor
HI762000C	Calibration-check key @ 0°C, (±0.4°C)
HI762-004F	Calibration-check key @ -0.4°F, (±0.8°F)
HI762032F	Calibration-check key @ 32°F, (±0.8°F)
HI762070C	Calibration-check key @ 70°C, (±0.4°C)
HI7621	Glass Pt1000 probe with 3 wire Pt1000 sensor
HI762158F	Calibration-check key @ 158°F, (±0.8°F)
HI762-18C	Calibration-check key @ -18°C, (±0.4°C)
HI762A	Air/Gas probe with 3.3' (1m) cable, white handle
HI762A/10	Air/Gas probe with 33' (10m) cable, white handle
HI762BL	General purpose/liquid probe with 3.3' (1m) cable, black handle
HI762-BP	Thermistor probe without handle to measure the temperature of stacked goods
HI762-DIP	Weighted probe without handle to measure the temperature in tanks
HI762L	General purpose/liquid probe with 3.3' (1m) cable, white handle
HI762L/10	General purpose/liquid probe with 33' (10m) cable, white handle
HI762L/2	General purpose/liquid probe with 6.6' (2m) cable, white handle
HI762PBL	General purpose penetration probe with 3.3' (1m) cable, blue handle
HI762PBL/10	General purpose penetration probe with 33' (10m) cable, blue handle
HI762PG	General purpose penetration probe with 3.3' (1m) cable, green handle
HI762PG/10	General purpose penetration probe with 33' (10m) cable, green handle
HI762PR	General purpose penetration probe with 3.3' (1m) cable, red handle
HI762PR/10	General purpose penetration probe with 33' (10m) cable, red handle
HI762PW	General purpose penetration probe with 3.3' (1m) cable, white handle
HI762PW/10	General purpose penetration probe with 33' (10m) cable, white handle
HI762PWL	Penetration probe with 3.3' (1m) cable, white handle
HI762W	Wire probe with 3.3' (1m) cable with out handle
HI762W/10	Wire probe with 33' (10m) cable with out handle
HI763	Temperature probe for HI8520/HI8521/HI8417
HI7630	EC, TDS probe, amperometric for HI 993301, HI 993302 with 2m cable
HI76300	4-ring EC probe for EC214
HI7630-00	Conductivity probe, use w/HI7632-00, HI983313-0/1, HI983318-0/1
HI76301D	4-ring EC probe for HI 8633 and HI 8734, DIN with 1m cable
HI76301W	4-ring EC probe
HI76302/10	4-ring EC probe with 10 m (33') cable
HI76302/20	4-ring EC probe with 20 m (66') cable
HI76302/27	4-ring EC probe with 27 m (89') cable
HI76302/60	4-ring EC probe with 60 m (198') cable
HI76302W	4-ring EC probe with DIN Connector
HI76303	4-ring ATC platinum probe with connector for HI933100
HI76304	Conductivity/TDS probe for liquid measurement of HI993310
HI76305	Conductivity/TDS probe for soil measurement of HI993310

HI76306	Conductivity, TDS, temperature probe, DIN with 1m cable
HI76309	Conductivity/TDS probe for HI9835
HI76309/1.5	Conductivity, TDS probe for HI9835 with 1.5 m cable
HI76309/15	G.L.I. Conductivity probe
HI7631/2	Conductivity probe with 1/2" thread
HI7631/2/5	HI7631/2 with 1/2" threading and 5m cable
HI7631/3	Conductivity probe with 3/4" thread
HI76310	Conductivity/TDS probe for HI9932
HI7632	Conductivity/TDS probe
HI7632/2	Conductivity/TDS probe with 1/2" thread
HI7632/3	Conductivity/TDS probe with 3/4" thread
HI7632-00	Conductivity probe for HI983317
HI7632D	EC plastic body probe for HI9914
HI7632D/1	Conductivity probe (high range)
HI7633/5	4-ring ATC probe with 5m (16.5') cable
HI7633W	4-ring ATC conductivity probe with connector for HI8733
HI7634	Conductivity/TDS probe
HI7634/2	Conductivity/TDS probe with 1/2" thread
HI7634/3	Conductivity/TDS probe with 3/4" thread
HI7634-00	TDS probe for HI983319
HI7634-00/4	HI7634-00 with 4m cable, conductivity probe
HI7634D/1	Conductivity probe (low range)
HI7634D-00	Low range conductivity probe for minicontrollers with thread
HI7635	In-line polypropylene probe with threaded ends,4-pin potent. method
HI7635D	In-line polypropylene probe with threaded ends ,NTC sensor, 4 pin
HI7635W	4 Pin in-line conductivity probe for HI8931 series (wire)
HI7636	In-line polypropylene probe with threaded ends,4-pin potent. method
HI7638	4-ring EC probe with platinum rings, temperature NTC sensor for ATC, 3m cable
HI7638/10	4-ring EC probe with Pt rings, temperature NTC sensor for ATC, 10 m cable
HI7639	4-ring EC probe with platinum rings, temperature Pt100 sensor for ATC, 3m cable
HI7639/15	In-line conductivity probe with Pt100, ATC, 15m cable
HI7640	4-ring EC probe with platinum rings, 3m cable
HI76401	DO probe with 3 m (10') for HI8043
HI76401/10	DO probe with 10 m (33') for HI8043
HI76404	Electrode holder for pH 200 Series bench-top pH meters
HI76404A/P	Teflon for D.O. probe s (5 pcs), HI 8043 only
HI76404N	Electrode holder for HI142xx series
HI76405	Electrode holder
HI76405A	Cantilever arm
HI76405B	Steel base for mini titrator
HI76405C	Steel base
HI76406	Electrode Holder
HI76407/10	DO probe for HI9142/43/45/41 & 410 with 33', 10m cable

HI76407/10F	Dissolved Oxygen probe for HI9146-10
HI76407/2	DO probe for HI964400 with 6.6', 2 m cable
HI76407/20	DO probe for HI9142/43/45/41 & 410 with 67', 20m cable
HI76407/30	Dissolved Oxygen probe for HI9142, 43, 45, 41 & 410 with 67', 30 m cable
HI76407/30F	Dissolved Oxygen probe for HI9146 with 30 mt cable
HI76407/4	DO probe for HI9142/43/45/41 & 410 with 13', 4m cable
HI76407/4F	DO probe for HI9146 with 4m cable
HI76407/50	Dissolved Oxygen probe for HI9142, 43, 45, 41 & 410 with 50 m cable
HI76407/50F	Dissolved Oxygen probe for HI9146 with 50 mt cable
HI76407/60	DO probe, 60m
HI76407A/P	Teflon for D.O. probe s (5 pcs)
HI76408	DO probe for wine bottles with 4m cable
HI76409/10	Galvanic Dissolved Oxygen Probe with Built-in Temperature Sensor, 10 m cable for HI 9147
HI76409/4	Galvanic Dissolved Oxygen Probe with Built-in Temperature Sensor, 4 m cable for HI 9147
HI76409-0	Protective Sleeve for HI 76409, xx Dissolved Oxygen Probe Series
HI76409A/P	Membrane for HI 76409 Dissolved Oxygen Probe Series, 5 pcs.
HI765000C	Calibration-check key @ 0°C, (±0.4°C)
HI765-004F	Calibration-check key @ -0.4°F, (±0.8°F)
HI7650-1005	Inductive conductivity probe, ABS body, 5 mt cable, no ATC
HI7650-1010	Inductive conductivity probe, ABS body, 10 mt cable, no ATC
HI7650-1015	Inductive conductivity probe, ABS body, 15 mt cable, no ATC
HI7650-1105	Inductive conductivity probe, ABS body, pt100 temperature sensor, 5 mt cable
HI7650-1110	Inductive conductivity probe, ABS body, pt100 temperature sensor, 10 mt cable
HI7650-1115	Inductive conductivity probe, polypropylene body, pt100 temperature sensor, 15 mt cable
HI765032F	Calibration-check key @ 32°F, (±0.8°F)
HI765070C	Calibration-check key @ 70°C, (±0.4°C)
HI765158F	Calibration-check key @ 158°F, (±0.8°F)
HI765-18C	Calibration-check key @ -18°C, (±0.4°C)
HI765A	Air/Gas probe with 3.3' (1m) cable, white handle
HI765A/10	Air/Gas probe with 33' (10m) cable, white handle
HI765BL	General purpose/penetration probe with 3.3' (1m) cable, black handle
HI765BP	Thermistor probe without handle to measure the temperature of stacked goods
HI765-DIP	Weighted probe without handle to measure the temperature in tanks, 1 mt cable
HI765DIP/10	Weighted probe without handle to measure the temperature in tanks, 10 mt cable
HI765DIP/15	Weighted probe without handle to measure the temperature in tanks, 15 mt cable
HI765DIP/3	Weighted probe without handle, designed to measure the temperature in tanks
HI765DIP/5	Weighted probe without handle, designed to measure the temperature in tanks
HI765L	General purpose/liquid probe with 3.3' (1m) cable, white handle
HI765L/10	General purpose/liquid probe with 33' (10m) cable, white handle
HI765PBL	General purpose/penetration probe with 3.3' (1m) cable, blue handle
HI765PBL/10	General purpose/penetration probe with 33' (10m) cable, blue handle
HI765PG	General purpose/penetration probe with 3.3' (1m) cable, green handle
HI765PG/10	General purpose/penetration probe with 33' (10m) cable, green handle

HI765PR	General purpose/penetration probe with 3.3' (1m) cable, red handle
HI765PR/10	General purpose/penetration probe with 33' (10m) cable, red handle
HI765PW	General purpose/penetration probe with 3.3' (1m) cable, white handle
HI765PW/10	General purpose/penetration probe with 33' (10m) cable, white handle
HI765PWD	General purpose, penetration probe with 3.3' (1m) cable, white handle with DIN connector
HI765PWL	Penetration probe with 3.3' (1m) cable, white handle
HI765PWL/2	Penetration probe with 6.6' (2m) cable, white handle
HI765RP	Penetration probe with 6.6' (2m) PVC cable, white handle
HI765S	Surface probe for FoodCare thermometers, white handle
HI765W	Wire probe thermistor sensor 3.3' (1m) cable with out handle
HI765W/10	Wire probe thermistor sensor 33' (10m) cable with out handle
HI765W1	Temperature probe
HI76608	ATC probe for pH transmitters with 3 m (10') cable
HI7662	ATC probe for Na and NaCl meters
HI7662-T	Spare temperature probe for HI4211 and HI4212
HI7663	Spare temperature probe for PH20 and PH21
HI7667	Temperature probe for HI8314, HI8418, HI8424 with m cable
HI7669	Temperature Tripole connector with 1m cable
HI7669/2W	ATC probe for pH meters
HI7669AW	ATC probe for pH meters
HI766A	Roller surface K-type thermocouple probe with flexible stainless. steel tube
HI766B	Surface temp. K-type thermocouple probe with stainless steel tube
HI766B1	90° Cangle surface K-type thermocouple probe with stainless steel tube
HI766B2	Surface temp. K-type thermocouple probe , with stainless steel tube
HI766B3	Surface temp. K-type thermocouple probe , insulated shaft, stain. steel
HI766B4	Grill surface K-type thermocouple probe with jacketed cable, stainless sensor
HI766C	Penetration K-type thermocouple probe with stainless steel tube
HI766C1	Ultra-fast penetration. K-type thermocouple probe with stainless steel tube
HI766CAR	Thermocouple probes for short applications
HI766D	Air temperature K-type thermocouple probe with stainless steel tube
HI766D/12	Air temperature K-type thermocouple probe with stainless steel tube, 12 cm length
HI766D1	Air temperature 50 mm long K-type thermocouple probe with stainless steel tube
HI766E1	General purpose K-type thermocouple probe with stainless steel tube
HI766E2	General purpose K-type thermocouple probe with stainless steel tube
HI766E2/20	General purpose K-type thermocouple probe with stainless steel tube, 20 mt cable
HI766E3	K-type thermocouple general purpose probe
HI766EX	Extension cable for K-type thermocouple probe 1m (3.3')
HI766F	High temperature K-type thermocouple wire probe with stainless steel AISI 316 tube with out handle
HI766F/3	High temperature K-type thermocouple wire probe with stainless steel AISI 316 tube with out handle, 3 mt cable
HI766F1	Flexible wire temperature K-type thermocouple probe with out handle
HI766F1/3	Flexible wire temperature K-type thermocouple probe with out handle
HI766F1/5	Flexible wire temperature K-type thermocouple probe with out handle, 3 mt cable
HI766HD	probe handle with PVC, 3.3' (1m) cable with male K-thermocouple connector

HI766PA	Roller surface K-type thermocouple probe with stainless steel tube
HI766PB	Surface temp. K-type thermocouple probe with stainless steel tube
HI766PC	Penetration K-type thermocouple probe with stainless steel tube
HI766PD	Air temperature K-type thermocouple probe with stainless steel tube
HI766PE1	General purpose K-type thermocouple probe with stainless steel tube
HI766PE2	General purpose K-type thermocouple probe with stainless steel tube
HI766TR1	Penetration K-type thermocouple probe with stainless steel tube
HI766TR2	Penetration K-type thermocouple probe with stainless steel tube
HI766TR3	Penetration K-type thermocouple probe with stainless steel 1.5 m tube
HI766TR4	Penetration K-type thermocouple probe with stainless steel 2 m tube
HI766TV1	Pipe clamp K-type thermocouple temp. probe with sensor in clamp
HI766W/50	K-Thermocouple probe for liquids, 50 mt cable
HI766Z	Wire temperature probe for ovens, 1 mt cable
HI766Z/3	Wire temperature probe for ovens, 3 mt cable
HI766Z/5	Wire temperature probe for ovens, 5 mt cable
HI766Z/7	Wire temperature probe for ovens, 7 mt cable
HI767/P	Input plug (5 pcs)
HI7671/P	Output plug (5 pcs)
HI7682	Amperometric conductivity probe with 3m cable for HI933700
HI7683	Conductivity probe for HI8819
HI7684	Conductivity probe for HI8820
HI7685	4-ring platinum probe with DIN connector for HI8819
HI7686	4-ring platinum probe with connector for HI9032
HI7687	4-ring platinum ATC probe with connector for HI8820
HI768A	Air/gas Pt 100 4-wire temperature probe
HI768A/3	Air, gas Pt 100 4-wire temperature probe, 1 mt cable
HI768A/5	Air, gas Pt 100 4-wire temperature probe, 3 mt cable
HI768L	General purpose/liquid Pt 100 4-wire probe
HI768L/3	General purpose, liquid Pt 100 4-wire probe , 3 mt cable
HI768L/5	General purpose, liquid Pt 100 4-wire probe , 5 mt cable
HI768P	General purpose Pt 100 4-wire penetration probe
HI769828/10	Spare DO/EC/T probe for HI 9828, with 10 m cable
HI769828/100	Spare DO/EC/T probe for HI 9828, with 100m cable
HI769828/20	Spare DO/EC/T probe for HI 9828, with 20 m cable
HI769828/30	Spare DO/EC/T probe for HI 9828, with 30 m cable
HI769828/4	Spare DO/EC/T probe for HI 9828, with 4 m cable
HI769828/40	Spare DO/EC/T probe for HI 9828, with 40 m cable
HI769828/50	Spare DO/EC/T probe for HI 9828, with 50 m cable
HI769828/60	Spare DO/EC/T probe for HI 9828, with 60 m cable
HI769828/70	Spare DO/EC/T probe for HI 9828, with 70 m cable
HI769828/80	Spare DO/EC/T probe for HI 9828, with 80 m cable
HI769828/90	Spare DO/EC/T probe for HI 9828, with 90 m cable
HI769828-0	Spare pH module for HI 769828 probe

HI7698281	USB cable
HI769828-1	Spare pH/ORP module for HI 769828 probe
HI7698282	Probe maintenance kit
HI769828-2	Spare DO module for HI 769828 probe
HI7698283	Calibration beaker for HI 9828
HI769828-3	Spare EC module for HI 769828 probe
Hi7698284	Flow cell for HI 769828 probe
HI76P2-10	Phono plug with 10m cable and wire end for HI 762 and HI 765 series probes (4 pcs)
HI770710C	pH 7.01-10.01 certified buffer sol. @ 25°C, 20mL sachet (5 pcs each)
HI770710P	pH 7.01 & 10.01 buffer solutions-20 ml sachet (10 pcs, 5 each)
HI77100C	pH 7.01 and 1413 µS/cm EC solution, with certificate of analysis
HI77100P	pH 7.01 and 1413 µS/cm conductivity solutions
HI77200C	pH 7.01 & 1500 ppm TDS solutions with certificate of analysis
HI77200P	pH 7.01 & 1500 ppm calibration solutions
HI77300C	pH 7.01 & 1382 ppm TDS with certificate of analysis
HI77300P	pH 7.01 & 1382 ppm TDS solutions
HI77400C	pH 4.01 & 7.01 certified buffer solution @ 25°C-20 ML sachet (10 pcs)
HI77400P	pH 4.01 and 7.01 buffer solution @ 25°C-20 ML sachet (10 pcs)
HI77410P	pH 4.01, 7.01, 10.01 and rinse solution, 5 sachets each
HI77700C	pH 7.01 certified buffer solution - 20 ML sachet (10 pcs)
HI77700P	pH 7.01 buffer solution - 20 ML sachet (10 pcs)
HI778P	Low noise screened coaxial cable - 100m (333')
HI778P/1	Screw connector with 0.2" (5mm) diameter cable & 3.3', 1m
HI778P/10	Screw connector with 0.2" (5mm) diameter cable & 33', 10m
HI778P/15	Screw connector with 0.2" (5mm) diameter cable & 49, 5' 15m
HI778P/20	Electrode connector and 20m cable, 5mm diameter
HI778P/3	Screw connector with 0.2" (5mm) diameter cable & 9.9', 3m
HI778P/5	Screw connector with 0.2" (5mm) diameter cable & 16.5', 5m
HI779/1	6-wire cable, 1 m (3.3')
HI779/10	6-wire cable, 10 m (33')
HI779/15	6-wire cable, 15 m (50')
HI779/3	6-wire cable, 3 m (10')
HI779/5	6-wire cable, 5 m (16.5')
HI7853/1	Cable for electrodes, 1 m (3.3')
HI7853/10	6-wire cable, 10 m (33')
HI7853/15	6-wire cable, 15 m (50')
HI7853/3	6-wire cable, 3 m (10')
HI7853/5	6-wire cable, 5 m (16.5')
HI7854/1	Screw connector with 0.12" (3mm) diameter & 3.3', 1m cable
HI7854/10	Screw connector with 0.12" (3mm) diameter & 33', 10m cable
HI7854/15	Screw connector with 0.12" (3mm) diameter & 49.5', 15m cable
HI7854/3	Screw connector with 0.12" (3mm) diameter, 9.9', 3m cable
HI7854/5	Screw connector with 0.12" (3mm) diameter, 16.5', 5m cable

HI7855/1	Screw to BNC Connector, 1m cable
HI7855/10	Screw to BNC Connector with 33', 10m cable
HI7855/15	Screw to BNC Connector with 49.5', 15m cable
HI7855/3	Screw to BNC Connector with 9.9', 3m cable
HI7855/5	Screw to BNC Connector with 16.5', 5m cable
HI7856/1	Screw to US plug connector, 1m cable
HI7856/10	Screw to US plug connector with 33', 10m cable
HI7856/15	Screw to US plug connector with 49.5', 15m cable
HI7856/3	Screw to US plug connector with 9.9', 3m cable
HI7856/5	Screw to US plug s connector with 16.5', 5m cable
HI7857/1	Screw to DIN connector, 1m cable
HI7857/10	Screw to DIN connector with 33', 10m cable
HI7857/15	Screw to DIN connector with 49.5', 15m cable
HI7857/3	Screw to DIN connector with 9.9', 3m cable
HI7857/5	Screw to DIN connector with 16.5', 5m cable
HI7858/1	Extension cable, female BNC Connector, 3.3', 1m cable
HI7858/10	Extension cable, female BNC Connector, 33', 10m cable
HI7858/15	Extension cable, female BNC Connector, 49.5', 15m cable
HI7858/3	Extension cable, female BNC Connector, 9.9', 3m cable
HI7858/5	Extension cable, female BNC Connector, 16.5', 5m cable
HI7859/1	Cable, BNC and DIN, 1m (3.3')
HI7859/10	Cable, BNC and DIN, 10m (33')
HI7859/15	Cable, BNC and DIN, 15m (50')
HI7859/3	Cable, BNC and DIN, 3m (10')
HI7859/5	Cable, BNC and DIN, 5m (16.5')
HI7860/1	Cable, BNC and US, 1m (3.3')
HI7860/10	Cable, BNC and US, 10m (33')
HI7860/15	Cable, BNC and US, 15m (50')
HI7860/3	Cable, BNC and US, 3m (10')
HI7860/5	Cable, BNC and US, 5m (16.5')
HI7861/1	Cable, BNC and spade, 1m (3.3')
HI7861/10	Cable, BNC and spade, 10m (33')
HI7861/15	Cable, BNC and spade, 15m (50')
HI7861/3	Cable, BNC and spade, 3m (10')
HI7861/5	Cable, BNC and spade, 5m (16.5')
HI7862/1	HI931002 connection cable, 1m (3.3')
HI7863	Connector, DIN to BNC for HI 931001 & HI8427
HI7871/115	Mini level controller 110/115V
HI7871/220	Mini level controller 220/240V
HI7873/115	Mini level controller 110/115V
HI7873/220	Mini level controller 220/240V
HI7874	Transmitter
HI800104	Fertilizer software multilingual

HI8004/1L	pH 4.01 buffer solution @ 25°C- 1 L FDA approved bottle
HI8004L	pH 4.01 buffer solution @ 25°C- 0.46 L FDA approved bottle
HI8004L/C	pH 4.01 buffer solution @ 25°C- 0.46 L FDA approved bottle with cert.
HI8006/1L	pH 6.86 buffer solution @ 25°C- 1 L FDA approved bottle
HI8006L	pH 6.86 buffer solution @ 25°C- 0.46 L FDA approved bottle
HI8006L/C	pH 6.86 buffer solution @ 25°C- 0.46 L FDA approved bottle, with cert.
HI8007/1L	pH 7.01 buffer solution @ 25°C- 1 L FDA approved bottle
HI8007L	pH 7.01 buffer solution @ 25°C- 0.46 L FDA approved bottle
HI8007L/C	pH 7.01 buffer solution @ 25°C-0.46 L FDA approved bottle, with certif.
HI8009/1L	pH 9.18 buffer solution @ 25°C- 1 L FDA approved bottle
HI8009L	pH 9.18 buffer solution @ 25°C- 0.46 L FDA approved bottle
HI8009L/C	pH 9.18 buffer solution @ 25°C-0.46 L FDA approved bottle, with certif.
HI8010	Basic portable pH meter
HI8010/1L	pH 10.01 buffer solution @ 25°C- 1 L FDA approved bottle
HI8010L	pH 10.01 buffer solution @ 25°C- 0.46 L FDA approved bottle
HI8010L/C	pH 10.01 buffer solution @ 25°C-0.46 L FDA approved bottle, with certif.
HI8014	pH/mV/°C meter for schools
HI80300L	Storage solution for pH /ORP electrodes, 0.46 L FDA approved bottle
HI80300M	Storage solution for pH /ORP electrodes, 0.23 L FDA approved bottle
HI8030L	12880 µS/cm conductivity solution - 0.46 L FDA approved bottle
HI8031L	1413 µS/cm conductivity solution-0.46 L FDA approved bottle
HI8033	Conductivity/TDS meter
HI8033L	84 µS/cm conductivity solution-0.46 L FDA approved bottle
HI8034L	80000 µS/cm conductivity solution-0.46 L FDA approved bottle
HI8035L	111800 µS/cm conductivity solution-0.46 L FDA approved bottle
HI8039L	5000 µS/cm conductivity solution - 0.46 L FDA approved bottle
HI8043	DO meter
HI8061L	General cleaning solution, 0.46 L FDA approved bottle
HI8061M	General cleaning solution, 0.23 L FDA approved bottle
HI8064	Hygrometer
HI8071	3.5M KCl/AgCl electrolyte solution for single junction electrodes, 4 x 50 ml FDA approved bottles
HI8072	1M KNO ₃ electrolyte for double-junction electrodes, FDA approved. bottles
HI8073L	Protein cleaning solution, 0.23 L FDA approved bottle
HI8073M	Applications with Protein content, 0.23 L FDA approved bottle
HI8077L	Oil, Fat and Grease cleaning solution, 0.46 L FDA approved bottle
HI8077M	Oil, Fat and Grease cleaning solution, 0.23 L FDA approved bottle
HI8080L	Na solution - 2.3 g/L - 0.46 L FDA approved bottle
HI8080M	Na solution - 2.3 g/L - 0.23 L FDA approved bottle
HI8082	3.5M KCl electrolyte for double-junction electrodes, FDA approved. bottles
HI8084L	NaCl solution - 58.4 g/L - 0.46 L FDA approved bottle
HI8084M	NaCl solution - 58.4g/L - 0.23 L FDA approved bottle
HI8086L	Na solution - 23 g/L - 0.46 L FDA approved bottle
HI8086M	Na solution - 23 g/L - 0.23 L FDA approved bottle

HI8087L	Na solution - 0.23 g/L - 0.46 L FDA approved bottle
HI8087M	Na solution - 0.23 g/L - 0.23 L FDA approved bottle
HI8088L	NaCl solution - 5.84 g/L - 0.46 L FDA approved bottle
HI8088M	NaCl solution - 5.84 g/L - 0.23 L FDA approved bottle
HI8089L	NaCl solution - 125 g/L - 0.46 L FDA approved bottle
HI8089M	NaCl solution - 125 g/L - 0.23 L FDA approved bottle
HI8093	1M KCl/AgCl electrolyte solution for single junction electrodes FDA approved bottles
HI8094M	Food care 58 g/L sodium solution, 230 ml
HI8095L	NaCl solution - 146 g/L - 0.46 L FDA approved bottle
HI8095M	NaCl solution - 146 g/L - 0.23 L FDA approved bottle
HI8299505	Amphel glass body pH electrode, polypropylene filled, teflon-double junction, BNC connector
HI83099	COD meter
HI8314	Small casing pH meter and with DIN connector
HI83140	Small casing pH meter with electrode check
HI83141	Small casing pH meter and with BNC connector
HI83141V	Basic wine pH meter
HI83200-01	Laboratories bench photometer with dot matrix LCD (115V)
HI83200-02	Laboratories bench photometer with dot matrix LCD (230V)
HI83203-01	Aquaculture bench photometer with dot matrix LCD (115V)
HI83203-02	Aquaculture bench photometer with dot matrix LCD (230V)
HI83205-01	Boiler & Cooling Towers bench photometer with dot matrix LCD (115V)
HI83205-02	Boiler & Cooling Towers bench photometer with dot matrix LCD (230V)
HI83206-01	Environmental Testing bench photometer with dot matrix LCD (115V)
HI83206-02	Environmental Testing bench photometer with dot matrix LCD (230V)
HI83208-01	Water Conditioning bench photometer with dot matrix LCD (115V)
HI83208-02	Water Conditioning bench photometer with dot matrix LCD (230V)
HI83209-01	Education bench ISM meter
HI83210-01	Pulp & paper Mills bench ISM meter
HI83212-01	Power plants utilities bench ISM meter
HI83215K	Rugged carrying case with accessories
HI83216-01	Basic Swimming Pools bench photometer with dot matrix LCD (115V)
HI83216-02	Basic Swimming Pools bench photometer with dot matrix LCD (230V)
HI83219	Maple syrup analyzer, French version
HI83220	Maple syrup analyzer, English version
HI83225-01	Grow master bench ISM with Calcium and Magnesium
HI83226-01	Advanced Swimming Pools bench photometer with dot matrix LCD (1150V)
HI83226-02	Advanced Swimming Pools bench photometer with dot matrix LCD (230V)
HI83414-01	Bench Turbidity (extended range) and Chlorine Meter with dot matrix LCD, USB, 115 VAC
HI83414-02	Bench Turbidity (extended range) and Chlorine Meter with dot matrix LCD, USB, 230 VAC
HI83750-01	Peroxides in Olive oil analyzer, 115V
HI83750-02	Peroxides in Olive oil analyzer, 230V
HI83900-25	Activation solutions for HI83900 Lysimeter, 500 ml
HI83900-30	Suction Lysimeter (30cm) with Cleaning Solution Starter Kit

HI83900-60	Suction Lysimeter (60cm) with Cleaning Solution Starter Kit
HI83900-90	Suction Lysimeter (90cm) with Cleaning Solution Starter Kit
HI839800-01	Test tube heater for COD (115 VAC)
HI839800-02	Test tube heater for COD (220 VAC)
HI8410	Panel mount galvanic dissolved oxygen meter
HI84181-0	ISA solution for potassium analysis in wine, 500 mL
HI8424	pH/mV/°C meter with automatic calibration
HI8427	pH/mV simulator
HI84429-01	Milk and cheese titratable acids minititrator and pH meter, 115V
HI84429-50	Titration solution 100 ml
HI84429-55	Pump calibration standard for HI84429, 500ml
HI84429-60	Buffer solution pH 8.3, 500 ml
HI84429-65	pH 4.01 Buffer solution, 230 ml
HI84429-70	pH 6.00 Buffer solution, 230 ml (6 pcs)
HI84430-01	Total Acidity minititrator and pH meter (115 V)
HI84430-02	Total Acidity minititrator and pH meter (230 V)
HI84431-01	Total Alkalinity minititrator and pH meter (115 V)
HI84431-02	Total Alkalinity minititrator and pH meter (230 V)
HI84431-50	Titration solution for low range (100 mL)
HI84431-51	Titration solution for high range (100 mL)
HI84431-55M	Pump calibration solution (230 mL)
HI84431-70	Reagents kit for low and high range (150 titration approximately)
HI84431-71	Reagents kit for low range (about 150 titrations)
HI84431-72	Reagents kit for high range (about 150 titrations)
HI84432-01	Fruit juice Acidity minititrator and pH meter (115V)
HI84432-02	Fruit juice Acidity minititrator and pH meter (230V)
HI84433-01	FORMOL INDEX MINITITRATOR FOR WINE, 115VAC
HI84434-01	VINEGAR MINITITRATOR, 115 VAC
HI84435-01	TOTAL ACIDITY IN MUSTARD MINITITRATOR, 115 VAC
HI84437-01	TOTAL ACIDITY IN MAYONNAISE MINITITRATOR, 115 VAC
HI847491-01	Beer Haze turbidity meter, ISO compliant model, 115 VAC
HI847491-02	Beer Haze turbidity meter, ISO compliant model, 230 VAC
HI847492-01	Beer Haze turbidity meter, USEPA compliant model, 115 VAC
HI847492-02	Beer Haze turbidity meter, USEPA compliant model, 230 VAC
HI847493-01	Beer Haze turbidity meter, MEBAK compliant model, 115 VAC
HI847493-02	Beer Haze turbidity meter, MEBAK compliant model, 230 VAC
HI8510	Panel mounted pH indicator, transmitter input
HI8510E020	Panel mounted pH indicator with electrode input, 0 - 20 mA output
HI8510E420	Panel mounted pH indicator with electrode input, 4 - 20 mA output
HI8510T020	Panel mounted pH indicator, transmitter input, 0 - 20 mA output
HI8510T420	Panel mounted pH indicator, transmitter input, 4 - 20 mA output
HI8512	Panel mounted ORP indicator, with electrode input
HI8512E020	Panel mounted ORP indicator, with electrode input, 0 -20 mA output

HI8512E420	Panel mounted ORP indicator with electrode input, 4 -20 mA output
HI8512T020	Panel mounted ORP indicator, transmitter input, 0 - 20 mA output
HI8512T420	Panel mounted ORP indicator, transmitter input, 4 - 20 mA output
HI8614LN	pH transmitter with isolated output & LCD
HI8614N	pH transmitter with isolated output
HI8615LN	ORP transmitter with isolated output & LCD
HI8615N	ORP transmitter with isolated output
HI86301N	Portable TDS meter (1990 ppm)
HI86302N	Portable TDS meter (10.00 ppt)
HI86303N	Portable EC meter (1999 micro Siemens)
HI86304N	Portable EC meter (19.99 milliSiemens)
HI8633N	Conductivity meter
HI8666	RH/°C transmitter with mounting brackets
HI8710	Panel mounted pH controller with isolated out, transmitter and direct electrode input
HI8711	Panel mounted pH controller, 2 SP, alarm, transmitter and electrode input
HI8720	Panel mounted ORP controller with isolated out, transmitter and direct electrode input
HI8730N	Portable EC/TDS meter, low range, with manual temperature compensation
HI8731N	Portable EC/TDS meter, medium range, with manual temperature compensation
HI87314N	Portable EC/Resistivity meter with manual temperature compensation
HI8732N	Portable EC/TDS meter, high range, with manual temperature compensation
HI8733N	Conductivity meter
HI8734N	TDS meter
HI8751	Thermistor thermometer with HI765PW temperature probe
HI8752	Thermistor thermometer with HI765BL temperature probe
HI8753	Thermistor thermometer with HI765BL temperature probe
HI8754	K-type thermocouple degree C, probe not included
HI8755	K-type thermocouple degree F/C, probe not included
HI8756	K-type thermocouple degree F, probe not included
HI8757	K-type thermocouple thermometer (°C)
HI8758	K-type thermocouple thermometer (°F)
HI88703-01	Bench Turbidity meter with extended range, dot matrix LCD, USB, 115 VAC
HI88703-02	Bench Turbidity meter with extended range, dot matrix LCD, USB, 230 VAC
HI8915	pH/mV/°C meter with recorder
HI8931AN	Panel mounted conductivity controller 0.0-199.9 mS, cm
HI8931BN	Panel mounted conductivity controller 0.00-19.99 mS, cm
HI8931CN	Panel mounted conductivity controller 0-1999 µS, cm
HI8931DN	Panel mounted conductivity controller 0.0-199.9 µS, cm
HI8936ALN	Conductivity transmitter with LCD (0.0-199.9 mS, cm)
HI8936AN	Conductivity transmitter (0-199.9 mS, cm)
HI8936BLN	Conductivity transmitter with LCD (0.00-19.99 mS, cm)
HI8936BN	Conductivity transmitter (0.00-19.99 mS, cm)
HI8936CLN	Conductivity transmitter with LCD (0-1999 µS, cm)
HI8936CN	Conductivity transmitter (0-1999 µS, cm)

HI8936DLN	Conductivity transmitter with LCD (0.0-199.9 μ S, cm)
HI8936DN	Conductivity transmitter (0.0-199.9 μ S, cm)
HI9000	Low cost thermometer with stainless steel probe, degree C
HI900100	Titrator pump assembly
HI900105	Burette assembly (5 ml syringe) for titrator
HI900110	10 ml burette assembly for titrator
HI900125	Burette with valve for titrator
HI900205	5 ml syringe for titrator, with gasget (white), burette cap
HI900210	10 ml syringe for titrator, with gasget (white), burette cap
HI900225	25 ml syringe for titrator, with gasget (white), burette cap
HI900260	3 Way valve, 3 gasgets, 2 screws
HI900270	Aspiration tube assembly for titrator
HI900280	Dispensing tube assembly for titrator
HI900290	1L Glass titrant bottle with holder assembly
HI900301	Overhead stirrer assembly for titrator
HI900302	3 Propellers for titrator
HI900900	Windows® Compatible Software for HI 900 Series Titrators
HI900901	HI901 start-up disk for titrator
HI900902	Upgrade SW for HI901 to HI902
HI900920	Temperature probe for titrator
HI900930	RS232 Cable for PC Connection
HI900940	RS232 Cable for titrator
HI900941	Short cap for titrator
HI900942	Tool for burette cap for titrator
HI90140	Infrared Transmitter for HI140
HI9033	Conductivity meter with carrying case
HI9034	TDS meter with carrying case
HI9039	uP ATC fertilizer meter with HI76302 probe
HI9040	Thermistor thermometer with HI765BL temperature probe
HI9041	Rugged, Accurate and Reliable Thermometers, Measuring from -50.0 to 150.0°C or -58.0 to 302.0°F
HI9041C	Thermistor °C thermometer
HI9041F	Thermistor °F thermometer
HI9043	K-type thermocouple thermometer
HI9044	K-type thermocouple thermometer with temperature probe
HI9050	Thermistor thermometer in "C" with probe HI765BL
HI9051	Thermistor thermometer in "F" with probe HI765BL
HI9052	K-type thermocouple in "C" thermometer, probe not included
HI9053	K-type thermocouple in "C" thermometer, probe not included
HI9054	K-type thermocouple in "F" thermometer, probe not included
HI9055	K-type thermocouple in "F" thermometer, probe not included
HI9056	2 Inputs, uP K-type thermocouple, no probes included
HI9057	uP, K, J & T-type with C/F thermocouple thermometer
HI9060	Thermistor thermometer with temperature probe

HI9061	Water-Resistant Thermometer with Interchangeable Probe
HI9061C	Waterproof thermistor °C thermometer with 9V battery
HI9061C/C	Waterproof thermistor C thermometer w/batt. & cal. cert
HI9061F	Waterproof thermistor °F thermometer
HI9061F/C	Waterproof thermistor F thermometer w/batt. & cal. cert
HI9063	K-type thermocouple thermometer with 4 (1.5V) AA batteries
HI9063C	K-type thermocouple thermometer kit with probe handle and 4 interchangeable sensors, 4 (1.5V) AA batteries
HI9064	Hygrometer with carrying case
HI9065	Thermo-hygrometer with carrying case
HI9110	Wine pH meter and kit
HI9124	Portable pH meter with multi level LCD
HI9125	portable pH/ORP meter
HI9126	Calcheck portable pH/ORP meter with multi level LCD
HI9141	DO meter with carrying case
HI91410	DO meter with carrying case
HI9142	DO meter with carrying case
HI9146-04N	Extended range waterproof DO meter, probe with 4m cable in carrying case
HI9146-10N	Extended range waterproof DO meter, probe with 10m cable in carrying case
HI914701	Inductive battery charger for HI9147
HI9147-04	Water-resistant DO meter with ATC, auto-cal and 4m probe
HI9147-10	Water-resistant DO meter with ATC, auto-cal and 10m probe
HI9147-15	Water-resistant DO meter with ATC, auto-cal and 15m probe
HI91530K	Waterproof uP K-type thermocouple thermometer
HI91531K	Waterproof uP K-type thermocouple thermometer
HI91610C	Thermo-hygrometer (°C) with carrying case
HI91610F	Thermo-hygrometer (°F) with HI70604/2 & carrying case
HI9161C	Thermo-hygrometer (°C) with carrying case
HI9161F	Thermo-hygrometer (°F) with carrying case
HI9200/25	25-pin infrared transmitter
HI9200/9	9-pin infrared transmitter
HI92000	Windows compatible software for portable and bench meters
HI920005	Tag for meters
HI920010	9 to 9-pin connection cable
HI920010/25	9 to 25 pin connector, RS232 cable
HI920011	5 to 9-pin connection cable
HI920011/25	5 to 25 pin connector
HI920013	USB cable, 1.8 mt long
HI9210	pH, °C waterproof meter with manual calibration
HI9210N	pH/°C waterproof meter with manual calibration
HI9214	Stick pH/°C meter
HI92140	Windows compatible software for HI140
HI92150	Compact Adapter for RS232 to USB
HI92500	Windows compatible software for pH 500 and mV600 Series

HI931001	pH /mV simulator
HI931002	4-20 mA , simulator & calibrator,
HI93102	Portable Br2/Free & Total Cl2/CyanuricAcid/Fe/I2/pH /turbidity meter
HI93102-0	0 NTU turbidity calibration solution, 30 ml
HI93102-20	20 NTU turbidity calibration solution, 30 ml
HI93104	Free & Total Cl2/CyanuricAcid/pH meter
HI93104C	Free & Total Cl2/CyanuricAcid/pH kit with carrying case
HI931100	Sodium & salinity meter with carrying case
HI931101	Sodium & salinity meter with carrying case
HI93114	Portable turbidity/chlorine meter
HI93124	C 124 Beer quality haze meter kit with carrying case
HI93124-0	EBC haze calibration set for C 124 30 ml bottle
HI93124-03	EBC haze meter Calibration Set
HI93124-1	Calibration solution 2.5 EBC 30 ml for HI 93124
HI93124-2	Calibration solution 125 EBC 30 ml for HI 93124
HI93125	Limpidity meter for red and white wine, turbidity
HI933000	Conductivity meter
HI933300	Portable logging conductivity meter with carrying case
HI933301	Portable logging conductivity meter with carrying case
HI93414	EPA Compliant turbidity meter and chlorine meter
HI93414-11	Calibration set for HI93414
HI935002	Waterproof- 2 channel K-type thermocouple thermometer
HI935005	K-type waterproof thermocouple thermometer
HI935005N	K-type waterproof thermocouple thermometer
HI935006	T-type thermocouple thermometer
HI935007N	Waterproof °C/°F K-type thermocouple thermometer
HI935007NS	Waterproof °C/°F K-type thermocouple thermometer with stability indicator
HI935009	Waterproof- 2 channel K-type thermocouple thermometer
HI93501N	Waterproof °C thermistor thermometer with HI762PWL probe
HI93503N	Waterproof °C thermistor thermometer with HI765PWL probe
HI93510	Waterproof thermistor thermometer with temperature probe
HI93510N	Waterproof thermistor thermometer with temperature probe
HI93512	Waterproof-2 channels. thermistor thermometer with wrist strap, temp. probe
HI93522	Waterproof-2 channel thermistor thermometer with temp. probe
HI93530	K-type waterproof thermocouple thermometer
HI93530N	K-type waterproof thermocouple thermometer
HI93531	K-type waterproof thermocouple thermometer
HI93531N	K-type waterproof thermocouple thermometer
HI93531R	K-type waterproof thermocouple thermometer with RS232
HI93532	K-type waterproof thermocouple thermometer 2 channels
HI93532N	K-type waterproof thermocouple thermometer 2 channels
HI93532R	K-type waterproof thermocouple thermometer 2 channels with RS232
HI93542	Dual-channel, waterproof K, J, T-type thermocouple thermometer

HI93551	Waterproof K, J, T-type thermocouple thermometer
HI93551N	Waterproof K, J, T-type thermocouple thermometer
HI93551R	Waterproof K, J, T-type thermocouple thermometer with RS232
HI93552	Dual-channel, waterproof K, J, T-type thermocouple thermometer
HI93552R	Dual-channel, waterproof K, J, T-type thermocouple thermometer with RS232
HI93640	Thermo-hygrometer with sintered cap
HI93640N	Thermo-hygrometer with resistive sensor
HI93700	Ammonia LR meter
HI93700-01	Reagent kit for 100 tests (ammonia LR)
HI93700-03	Reagent kit for 300 tests (ammonia LR)
HI93700C	Ammonia LR kit with carrying case
HI93701-00	Free chlorine standard, 0 mg/L (4 pcs)
HI93701-01	Reagent kit for 100 tests (free chlorine LR), powder reagents
HI93701-03	Reagent kit for 300 tests (free chlorine LR), powder reagents
HI93701-10	Free chlorine standard, 1 mg/L (4 pcs)
HI93701-11	Free chlorine standards, 0, 0.25, 0.5 and 1 mg/L (1 each)
HI93701-25	Free chlorine standard, 0.25 mg/L (4 pcs)
HI93701-50	Free chlorine standard, 0.5 mg/L (4 pcs)
HI93701-F	Reagent kit for 300 tests (free chlorine), liquid reagents
HI93701-T	Reagent kit for 300 tests (total chlorine), liquid reagents
HI93702	Copper HR meter
HI93702-01	Reagent kit for 100 tests (copper HR)
HI93702-03	Reagent kit for 300 tests (copper HR)
HI93702T-01	Total copper reagent set for 100 tests
HI93702T-03	Total copper reagent set for 300 tests
HI93703	Portable turbidity meter
HI93703-0	0 FTU turbidity calibration solution, 30 ml
HI93703-05	500 FTU turbidity calibration sol., 30 ml, for HI93703-11& LP 2000-11
HI93703-10	10 FTU turbidity calibration solution, 30 ml
HI93703-11	Portable turbidity meter
HI93703-50	Cuvet cleaning solution, 230 ml
HI93703-52	Glycol ozone Reagents for 100 tests (optional)
HI93703-53	Fluoride Reagents for chlorine removal (optional)
HI93703-54	Resin (100g)
HI93703-55	Carbon (50 pieces)
HI93703-56	35mL Glycerol, 60 square cuvettes, pipette, syringe
HI93703-57	Glycerol (4 x 30 ml bottles)
HI93703-58	Silicon oil for turbidity meter cuvettes
HI93703-59	Charcoal, activated (10g)
HI93703C	Portable turbidity meter with carrying case
HI93704	Hydrazine meter
HI93704-01	Reagent kit for 100 tests (hydrazine)
HI93704-03	Reagent kit for 300 tests (hydrazine)

HI93705	Silica meter
HI93705-01	Reagent kit for 100 tests (silica)
HI93705-03	Reagent kit for 300 tests (silica)
HI93706-01	Reagent kit for 100 tests (phosphorus)
HI93706-03	Reagent kit for 300 tests (phosphorus)
HI93707-01	Reagent kit for 100 tests (nitrite LR)
HI93707-03	Reagent kit for 300 tests (nitrite LR)
HI93708	Nitrite HR meter
HI93708-01	Reagent kit for 100 tests (nitrite HR)
HI93708-03	Reagent kit for 300 tests (nitrite HR)
HI93709-01	Reagent kit for 100 tests (manganese HR)
HI93709-03	Reagent kit for 300 tests (manganese HR)
HI93710-01	Reagent kit for 100 tests (pH)
HI93710-03	Reagent kit for 300 tests (pH)
HI93711-01	Reagent kit for 100 tests (total chlorine LR), powder reagents
HI93711-03	Reagent kit for 300 tests (total chlorine LR), powder reagents
HI93711-D3	DPD3 reagent kit for 600 tests (total chlorine), liquid reagents
HI93712	Aluminum meter
HI93712-01	Reagent kit for 100 tests (aluminum)
HI93712-03	Reagent kit for 300 tests (aluminum)
HI93713	phosphate LR meter
HI93713-01	Reagent kit for 100 tests (phosphate LR)
HI93713-03	Reagent kit for 300 tests (phosphate LR)
HI93713C	phosphate kit with carrying case
HI93714	Cyanide meter
HI93714-01	Reagent kit for 100 tests (cyanide)
HI93714-03	Reagent kit for 300 tests (cyanide)
HI93715	Ammonia MR meter
HI93715-01	Reagent kit for 100 tests (ammonia MR)
HI93715-03	Reagent kit for 300 tests (ammonia MR)
HI93715C	Ammonia MR kit with carrying case
HI93716-01	Reagent kit for 100 tests (bromine)
HI93716-03	Reagent kit for 300 tests (bromine)
HI93717-01	Reagent kit for 100 tests (phosphate HR)
HI93717-03	Reagent kit for 300 tests (phosphate HR)
HI93718-01	Reagent kit for 100 tests (iodine)
HI93718-03	Reagent kit for 300 tests (iodine)
HI93719-01	Reagent kit for 100 tests (Mg hardness)
HI93719-03	Reagent kit for 300 tests (Mg hardness)
HI93720-01	Reagent kit for 100 tests (Ca hardness)
HI93720-03	Reagent kit for 300 tests (Ca hardness)
HI93721-01	Reagent kit for 100 tests (iron HR)
HI93721-03	Reagent kit for 300 tests (iron HR)

HI93721C	Iron kit with carrying case
HI93722	Cyanuric acid meter
HI93722-01	Reagent kit for 100 tests (Cyanuric acid)
HI93722-03	Reagent kit for 300 tests (Cyanuric acid)
HI93723	Chromium VI HR meter
HI93723-01	Reagent kit for 100 tests (chromium VI HR)
HI93723-03	Reagent kit for 300 tests (chromium VI HR)
HI93725	Total Hardness/pH meter
HI93726	Nickel HR meter
HI93726-01	Reagent kit for 100 tests (nickel HR)
HI93726-03	Reagent kit for 300 tests (nickel HR)
HI93727	Color meter
HI93728	Nitrate meter
HI93728-01	Reagent kit for 100 tests (nitrate)
HI93728-03	Reagent kit for 300 tests (nitrate)
HI93728C	Nitrate kit with carrying case
HI93729	Fluoride LR meter
HI93729-01	Reagent kit for 100 tests (fluoride LR)
HI93729-03	Reagent kit for 300 tests (fluoride LR)
HI93729C	Fluoride LR meter with carrying case
HI93730	Molybdenum meter
HI93730-01	Reagent kit for 100 tests (molybdenum)
HI93730-03	Reagent kit for 300 tests (molybdenum)
HI93731	Zinc meter
HI93731-01	Reagent kit for 100 tests (zinc)
HI93731-03	Reagent kit for 300 tests (zinc)
HI93732-01	Reagent kit for 100 tests (DO) with HI93732N
HI93732-03	Reagent kit for 300 tests (DO) with HI93732N
HI93732N	Dissolved oxygen meter with 60 ml BOD bottle
HI93733	Ammonia HR meter
HI93733-01	Reagent kit for 100 tests (ammonia HR)
HI93733-03	Reagent kit for 300 tests (ammonia HR)
HI93734-01	Remove liquid reagents for 100 tests (free and total chlorine HR)
HI93734-03	Remove liquid reagents for 300 tests (free and total chlorine HR)
HI93735	Total hardness meter
HI93735-0	Reagent kit for 100 tests (Total hardness, 0-750 mg/L)
HI93735-00	Reagent kit for 100 tests (Total hardness, 0-250 mg/L)
HI93735-01	Reagent kit for 100 tests (Total hardness, 200-500 mg/L)
HI93735-02	Reagent kit for 100 tests (Total hardness, 400-750 mg/L)
HI93737	Silver meter
HI93737-01	Reagent kit for 50 tests (silver)
HI93737-03	Reagent kit for 150 tests (silver)
HI93738	Chlorine dioxide meter

HI93738-01	Reagent kit for 100 tests (chlorine dioxide)
HI93738-03	Reagent kit for 300 tests (chlorine dioxide)
HI93739	Fluoride HR meter
HI93739-01	Reagent kit for 100 tests (fluoride HR)
HI93739-03	Reagents kit for 300 tests (fluoride HR)
HI93740	Nickel LR meter
HI93740-01	Reagent kit for 50 tests (nickel LR)
HI93740-03	Reagent kit for 150 tests (nickel LR)
HI93741	Total Hardness/Fe meter
HI93742	Fe/Mn meter
HI93743	Fe/pH meter
HI93744	Fe/Total hardness/pH meter
HI93745	Free & Total Cl ₂ /Fe/Total hardness/pH meter
HI93746-01	Reagent kit for 50 tests (iron LR)
HI93746-03	Reagent kit for 150 tests (iron LR)
HI93747-11	2 X cal check vials for HI 93747
HI93748	Manganese LR meter
HI93748-01	Reagent kit for 50 tests (manganese LR)
HI93748-03	Reagent kit for 150 tests (manganese LR)
HI93749	Chromium VI LR meter
HI93749-01	Reagent kit for 100 tests (chromium VI LR)
HI93749-03	Reagent kit for 300 tests (chromium VI LR)
HI93750	Potassium meter
HI93750-01	Reagent kit for 100 tests (potassium)
HI93750-03	Reagents kit for 300 tests (potassium)
HI93751	Sulfate meter
HI93751-01	Reagent kit for 100 tests (sulfate)
HI93751-03	Reagents kit for 300 tests (sulfate)
HI93752	Calcium & magnesium HR meter
HI937520-01	Reagents kit for 50 tests (Magnesium)
HI937520-03	Reagents kit for 150 tests (Magnesium)
HI93752-01	Reagent kit for 100 tests (Calcium and magnesium HR)
HI93752-03	Reagent kit for 300 tests (Calcium and magnesium HR)
HI937521-01	Reagents kit for 50 testes (Calcium)
HI937521-03	Reagents kit for 150 testes (Calcium)
HI93753	Chloride meter
HI93753-01	Reagent kit for 100 tests (Chloride)
HI93753-03	Reagent kit for 300 tests (Chloride)
HI93754A-25	Low range COD reagents (25 tests)
HI93754B-25	Medium range COD reagents (25 tests)
HI93754C-25	High range COD reagents (25 tests)
HI93754D-25	COD low range mercury free
HI93754E-25	COD MR mercury free

HI93754F-25	COD LR ISO 15705
HI93754G-25	COD MR ISO 15705
HI93754H-25	COD LR compatible
HI93755-01	Alkalinity reagent set for 100 tests
HI93755-03	Alkalinity reagent set for 300 tests
HI93756-01	Ca hardness reagent set for 100 tests
HI93756-03	Ca hardness reagent set for 300 tests
HI93757-01	Ozone reagent set
HI93757-03	Ozone reagent set for 300 tests
HI93758A-50	Test vials reactive phosphorus reagent set for 50 tests
HI93758B-50	Test vials acid hydrolysable phosphorous reagent set for 50 tests
HI93758C-50	Test vials total phosphorus reagent set for 50 tests
HI93761-03	Trace chlorine analysis (300 tests)
HI93763A-50	Test vials reactive phosphorus HR reagent set for 45 tests average
HI93763B-50	Test vials total phosphorus HR reagent set for 45 tests average
HI93764A-25	Test vials ammonia LR reagent set for 25 tests
HI93764B-25	Test vials ammonia HR reagent set for 25 tests
HI93766-50	Test vials Nitrate reagent set for 50 tests
HI93767A-50	Test vials total Nitrogen reagent set for 45 tests average
HI93767B-50	Test vials total Nitrogen HR reagent set for 45 tests average
HI93828	Nitrate 0/100 ppm/res.1ppm/acc+/-5ppm,+/5%
HI93828C	Nitrate ISM
HI943500A	Panel mounted conductivity controller 0.0-199.9 mS/cm
HI943500B	Panel mounted conductivity controller 0.00-19.99 mS/cm
HI943500C	Panel mounted conductivity controller 0-1999 µS/cm
HI943500D	Panel mounted conductivity controller 0.0-199.9 µS/cm
HI94754A-25	COD low range EPA approved Dichromate Method with bar code, 25 tests
HI94754B-25	COD medium range EPA approved Dichromate Method with bar code, 25 tests
HI94754C-25	COD high range EPA approved Dichromate Method with bar code, 25 tests
HI94754D-25	COD low range, Dichromate Method, Mercury Free with bar code, 25 tests
HI94754E-25	COD medium range, Dichromate Method, Mercury Free with bar code, 25 tests
HI94754F-25	COD, low range ISO 15705 method, with bar code, 25 tests
HI94754G-25	COD, medium range ISO 15705 method, with bar code, 25 tests
HI94754H-25	COD, Compatible, Dichromate Method, 25 tests
HI94758A-50	Phosphorus, Reactive, Ascorbic Acid Method with bar code, 50 tests
HI94758B-50	Phosphorus Acid-Hydrolyzable, Ascorbic Acid Method, with bar code, 50 tests
HI94758C-50	Phosphorus Total, Ascorbic Acid Method, with bar code, 50 tests
HI94763A-50	Phosphorus Reactive HR, Vanadomolibdophosphoric Acid Method, with bar code, 45 tests
HI94763B-50	Phosphorus Total HR, Vanadomolibdophosphoric Acid Method, with bar code, 45 tests
HI94764A-25	Ammonia LR, Nessler Method with bar code, 25 tests
HI94764B-25	Ammonia HR, Nessler Method, with bar code, 25 tests
HI94766-50	Nitrate, Chromotropic Acid Method with bar code, 50 tests
HI94767A-50	Nitrogen, Total, LR, Chromotropic Acid Method, with bar code, 50 tests

HI94767B-50	Nitrogen, Total, HR, Chromotropic Acid Method with bar code, 50 tests
HI955201	Pt100 Printing Thermometer with up to 2 Probes
HI955201C	Printing Pt100 thermometer
HI955201C/C	Printing Pt100 thermometer, 1 channel input, paper, batts, cal. cert.
HI955202	Pt100 Printing Thermometer with up to 2 Probes
HI955202C	Printing Pt100 thermometer
HI955202C/C	Printing Pt100 thermometer, 2 channel input, paper, batts, cal. cert.
HI955301	1 or 2 Channel Printing and Logging Pt100 Thermometers
HI955301C	Printing Pt100 thermometer with 1 channel input
HI955301C/C	Printing Pt100 thermometer, 1 channel input, paper, batts, cal. cert.
HI955302	1 or 2 Channel Printing and Logging Pt100 Thermometers
HI955302C	Printing Pt100 thermometer with 2 channel input
HI955302C/C	Printing Pt100 thermometer, 2 channel input, paper, batts, cal. cert.
HI955501	Pt100 thermometer
HI955502	Pt100 thermometer with general purpose fixed probe
HI9564	Thermo-hygrometer with carrying case
HI9565	Thermo-hygrometer with dew point indication and carrying case
HI95701-11	Standard kit 1 x 0 ppm & 1 x 1 ppm
HI95706-11	Standard kit 1 x 0 ppm & 1 x 15 ppm
HI95707-11	Calibration-check nitrite standard cuvetts
HI95711-03	Ultra Low Range reagents set (300 tests)
HI95711-11	Standard kit 1 x 0 ppm & 1 x 1 ppm
HI95715	Ammonia medium range meter
HI95715-11	Standard kit 1X 0 ppm & 1x15 ppm
HI95715C	Kit supplied with HI95715, rigid carrying case, with cuvettes, reagents and cal check standards
HI95717-11	Standard kit 1 x 0 ppm & 1 x 15 ppm
HI95721-11	Standard kit 1 x 0 ppm & 1 x 1,5 ppm
HI95724-11	2 X cal check vials for HI 95724
HI95725-11	Legionella ISM standard kit
HI95729	ISM meter for fluoride w/calibration check
HI95729-11	Cal check standards for HI 95729
HI95729C	ISM meter HI 95729 in kit + pipette w/calibration check
HI95734-11	Standard kit 1 x 0 ppm & 1 x 4 ppm free & total chlorine
HI95747	LR copper cal check meter
HI95747-01	Reagents for copper analysis 100 tests
HI95747-03	Reagents for copper analysis 300 tests
HI95747-11	Cal-check copper standard cuvetts
HI95747C	Low range copper meter kit w/calibration check
HI95759	Portable maple syrup transmittance analyzer (English version)
HI95759KIT	Maple meter with refractometer and HI93703-56
HI95760	Portable maple syrup meter, French version
HI95761-01	Reagent for trace chlorine analysis 100 tests
HI95761-03	Reagent for trace chlorine analysis 300 tests

HI95761-11	Cal-check trace chlorine standard cuvetts
HI95762-01	Free chlorine reagent for drinking water 100 tests
HI95762-03	Free chlorine reagent for drinking water 300 tests
HI95762-11	Cal-check low range for drinking water chlorine standard cuvetts
HI95765	Portable animal blood plasma quality analyzer
HI95769	Portable anionic detergent meter with cal-check
HI95769-01	Anionic detergent reagent set, 100 tests
HI95769-11	Cal-check anionic detergent standard cuvetts
HI95769C	Portable anionic detergent meter kit with cal-check in a rugged carrying case
HI95771-01	UHR chlorine reagent set 100 test
HI95771-03	UHR chlorine reagent set 300 tests
HI95771-11	Cal check calibration and validation set
HI96101	Bromine, Free & Total Chlorine, Cyanuric Acid, Iron, Iodine and pH
HI96106	Original Champ pH tester, non waterproof
HI96107	Original pHep pH tester, non waterproof
HI96108	Original pHep+ pH tester, non waterproof
HI96301	Original DiST®1 TDS tester (non waterproof)
HI96302	Original DiST®2 TDS tester (non waterproof)
HI96303	Original DiST®3 TDS tester (non waterproof)
HI96304	Original DiST®4 TDS tester (non waterproof)
HI96700	Ammonia ISM meter only
HI96700C	Ammonia ISM kit, case and standards
HI96701	free chlorine ISM w/CalCheck, meter only
HI96701C	free chlorine ISM w/CalCheck KIT
HI96702	Very low range free chlorine ISM w/CalCheck, meter only
HI96702C	Very low range free chlorine ISM w/CalCheck w/carrying case
HI96704	Hydrazine Colorimeter
HI96705	Silica photometer
HI96706	phosphorous ISM w/CalCheck, meter only
HI96706C	phosphorous ISM w/CalCheck, meter & carrying case
HI96707	low range nitrate ISM w/CalCheck, meter only
HI96707C	low range nitrate ISM w/CalCheck Kit
HI96708	Hi range Nitrite photometer.
HI96709	Manganese meter
HI96710C	Free & Total Chlorine and pH photometer with kit, case, and standards
HI96711	chlorine meter,0 TO 5 ppm, w/calibration check with Tag Id System
HI96711C	chlorine meter,0 TO 5 ppm, w/calibration check with Tag Id System - KIT
HI96712	Aluminium photometer
HI96713	low range phosphate meter with calcheck
HI96713C	low range phosphate meter with kit, case, and standards
HI96715	ammonia medium range ISM w/CalCheck, meter only
HI96715C	ammonia medium range ISM w/CalCheck w/carrying case - Kit
HI96716	Bromine photometer

HI96717	high range phosphate ISM w/CalCheck, meter only
HI96717C	high range phosphate ISM w/CalCheck, kit
HI96718	magnesium hardness photometer
HI96719	Calcium hardness photometer
HI96720	hardness HR ISM
HI96720-11	Cal Check standards for HI96720
HI96720B	Cal Check standards for HI96720
HI96720C	Waterproof hardness ISM, with carrying case
HI96720KIT	KIT for HI96720, with carrying case and reagents
HI96721	high range iron ISM w/CalCheck, meter only
HI96721C	high range iron ISM w/CalCheck - KIT
HI96722	portable ISM for Cyanuric Acid measurements
HI96722-11	Cal Check standards for HI96722
HI96722C	HI96722 with carrying case and Cal Check standards
HI96723	portable ISM for Chromium VI measurements
HI96724	free & total chlorine ISM w/CalCheck, meter only
HI96724C	free & total chlorine ISM w/CalCheck kit
HI96725	Legionella meter
HI96725C	Legionelle meter with KIT
HI96726	nickel ISM
HI96726-11	Cal Check standards for HI96726
HI96726B	Cal Check standards for HI96702
HI96726C	nickel ISM, with carrying case
HI96726KIT	KIT for HI96726, with carrying case and reagents
HI96727	Color of water ISM
HI96727-11	Cal Check standards for HI96727
HI96728	portable ISM for Nitrate measurements
HI96729	low range fluoride ISM w/CalCheck, meter only
HI96729C	low range fluoride ISM w/CalCheck w/carrying case and 100 reagents
HI96730	Molybdenum ISM
HI96731	Zinc ISM
HI96731-11	Cal Check standards for HI96731
HI96732	Dissolved oxygen ISM with 60 MI BOD bottle
HI96733	Ammonia ISM range 0.0 to 50.0 mg/L
HI96733C	Ammonia HR ISM, with rigide carrying case
HI96734	high range free & total chlorine ISM w/CalCheck, meter only
HI96734C	high range free & total chlorine ISM w/CalCheck w/carrying case and 100 reagents
HI96735	Total hardness ISM
HI96737	Silver ISM
HI96737-11	Cal Check standards for HI96737
HI96738	Chlorine dioxide ISM
HI96739	Fluoride 0-20 ppm ISM
HI96739-11	Cal Check standards for HI96739

HI96741	Total hardness Iron LR ISM
HI96742	portable ISM for Iron (LR) and Manganese measurements
HI96744	Waterproof portable ISM for Total Hardness, Low range Iron and pH measurements
HI96744-11	Cal Check standards for HI96744
HI96744KIT	KIT for HI96744, with carrying case and reagents
HI96745	Free & Total Chlorine, Fe, Total hardness, pH ISM
HI96746	Iron LR ISM
HI96746-11	Cal Check standards for HI96746
HI96747	Low Range copper ISM
HI96747C	low range copper ISM w/CalCheck w/carrying case - KIT
HI96746C	Iron LR ISM with carrying case and kit
HI96747	Waterproof ISM for measuring Copper, LR
HI96747C	Kit for Waterproof ISM for measuring Copper, LR
HI96748	Manganese LR ISM
HI96750	Potassium ISM
HI96750-11	Cal Check standards for HI96750
HI96750C	HI96750 with carrying case and Cal Check standards
HI96751	Sulfate ISM meter
HI96751-11	Cal Check standards for HI96751
HI96751B	Cal check standard for Sulfate ISM (25 ppm)
HI96751C	Sulfate portable colorimeter, with carrying case
HI96752	Calcium & Magnesium HR ISM
HI96753	Chloride photometer
HI96753-11	Cal Check standards for HI96753
HI96753C	HI96753 with carrying case and Cal Check standards
HI96759	Waterproof maple syrup transmittance analyzer w/CalCheck, English
HI96760	Waterproof maple syrup transmittance analyzer w/CalCheck, French
HI96761C	Waterproof very low range total chlorine ISM w/CalCheck w/carrying case and 100 reagents
HI96762	Waterproof ISM for Measuring Free Chlorine, for Drinking Water Applications
HI96762C	Kit for Waterproof ISM for Measuring Free Chlorine, for Drinking Water Applications
HI96765	Waterproof plasma blood analyzer, w/CalCheck, meter only
HI96769	Waterproof anionic detergents ISM w/CalCheck, meter only
HI96769C	Waterproof anionic detergents ISM w/CalCheck w/carrying case and 100 reagents
HI96770	Silica ISM, 0 to 200 ppm, with calibration check
HI96770C	Silica ISM, 0 to 200 ppm, with calibration check
HI96771	Waterproof chlorine ultra high range ISM w/CalCheck, meter only
HI96771C	Waterproof chlorine ultra high range ISM w/CalCheck w/carrying case and 100 reagents
HI96781	Chlorine ISM, 0.00 to 5.00 ppm, with calibration check with Tag Id System
HI96781C	Chlorine ISM, 0.00 to 5.00 ppm, with calibration check with Tag Id System
HI96801	Refractometer 0-85% Brix
HI96802	Fructose refractometer, 0-85% scale
HI96803	Glucose refractometer, 0-85% scale
HI96804	Invert Sugar refractometer, 0-85% scale

HI96811	Refractometer 0-50% Brix
HI96812	Wine refractometer, Baume scale, 0 to 27
HI96813	Wine refractometer, potential alcohol and Brix scale
HI96814	Wine refractometer, Oechsle, Babo and Brix scale
HI96816	Potential alcohol refractometer
HI96821	Salinity refractometer
HI96822	Sea water refractometer
HI96828	Waterproof portable ISM for Nitrate measurements
HI96831	Ethylene Glycol refractometer
HI96832	Propylene Glycol refractometer
HI97500	Portable lux meter
HI981000	Kit for pH 300 series
HI98103	Checker®1pH tester
hi98103-00	Checker with screw connector
HI98103GC	Grape Check, HI98103 with HI1413S
HI98106	Champ® pH tester
HI98107	pHep® pH tester
HI98108	pHep®+ pH tester
HI98109	Skincheck pH tester
HI98110	Skincheck1 pH tester
HI98111	Piccolo® pH tester , with carrying case
HI98112	Piccolo®2 pH tester , with carrying case
HI98113	Piccolo® plus , with carrying case
HI9811-5N	pH /EC/TDS meter (6000 uS, 3000 mg/L) with °C range
HI98120	ORP/temperature WP tester
HI98121	pH /ORP/temperature WP tester
HI9812-5N	pH /EC/TDS meter (1990 uS - 1990 ppm) with °C range
HI98127	pHep®4 Waterproof pH tester,
HI98128	pHep®5 Waterproof pH tester,
HI98129	Combo pH /EC/TDS/°C tester
HI98130	Combo pH /EC/TDS/°C tester
HI9813-5N	pH /EC/TDS meter (4.00 mS, 1999 ppm) with °C range
HI9813-6N	pH /EC/TDS meter (4.00 mS, 1999 ppm) with °C range, Clean & Cal
HI98140N	pH/°C logging meter and carrying case
HI981400	pH indicator for HACCP control
HI981401N	Gro'Chek® pH indicator
HI981402	pH indicator
HI981404N	pH/TDS combination Gro'Chek® with large LCD
HI981405N	pH/EC combination Gro'Chek® with large LCD
HI981406	pH/ORP indicator with LED alarm signals
HI981408	Gro'Chek® pH tester
HI981409	TDS Gro'Chek® tester
HI981410	EC Gro'Chek® tester

HI98143-01	pH /EC transmitter with isolated output 0-1V
HI98143-04	pH /EC transmitter with isolated output 0-4V
HI98143-20	pH /EC transmitter with isolated output 4-20 mA
HI98143-22	pH /EC isolated transmitter, non-sourcing current type, 4-20mA output
HI9815	pH interface with Windows compatible software
HI98150N	pH/mV/°C logging meter and carrying case
HI981500	Windows compatible software for pH Turtle
HI981504/5	pH, EC, TDS & Temperature (.5 conversion factor). All in Growcheck Monitor
HI981504/7	pH/EC/TDS/Temperature (.7) all in Growcheck monitor
HI98160N	pH/mV/Temp. portable meter w/smart electrode
HI98172	pH/ORP/ISE meter, 5 pt cal, LOG, RS232
HI98183	Waterproof, Portable pH, ORP and Temperature Meter with Graphic Display, Expanded calibration and PC Connectivity, 230VAC
HI98183-01	Waterproof, Portable pH, ORP and Temperature Meter with Graphic Display, Expanded calibration and PC Connectivity, 115VAC
HI98184	Waterproof, Portable pH, ORP, ISE and Temperature Meter with Graphic Display and PC Connectivity, 230VAC
HI98184-01	Waterproof, Portable pH, ORP, ISE and Temperature Meter with Graphic Display and PC Connectivity, 115VAC
HI98185	Waterproof, Portable pH, ORP, ISE and Temperature Meter with Graphic Display, Expanded calibration and PC Connectivity, 230 VAC
HI98185-01	Waterproof, Portable pH, ORP, ISE and Temperature Meter with Graphic Display, Expanded calibration and PC Connectivity, 115 VAC
HI98186	Waterproof Dissolved Oxygen with 4 mt cable probe, carrying case
HI98186-01	Waterproof Portable Dissolved Oxygen Meter with Graphic Display, Expanded calibration and PC Connectivity, 115V
HI98188	Waterproof EC with USP, EC probe and carrying case
HI98188-01	Waterproof, Portable EC, Resistivity, TDS, NaCl and Temperature Meter with Graphic Display, Expanded calibration and PC Connectivity, 115V
HI98201	ORP tester
HI98202	pNa Sodium tester
HI98203	Salintest, Salinity tester
HI98204	Water Test pH /EC/ORP/°C meter
HI98230	pH/°C printing meter with carrying case
HI98240	pH/°C printing and logging meter with carrying case
HI982401	ORP indicator with alarm signals
HI982411-1	Mini panel mounted ORP controller
HI9828010	Multiparameter Water Quality Meter with GPS System with 10 mt cable, 240VDC
HI98280100	Multiparameter Water Quality Meter with GPS System with 100 mt cable, 240VDC
HI98280100-01	Multiparameter Water Quality Meter with GPS System with 100 mt cable, 115VDC
HI9828010-01	Multiparameter Water Quality Meter with GPS System with 10 mt cable, 115VDC
HI9828020	Multiparameter Water Quality Meter with GPS System with 20 mt cable, 240VDC
HI9828020-01	Multiparameter Water Quality Meter with GPS System with 20 mt cable, 115VDC
HI9828030	Multiparameter Water Quality Meter with GPS System with 30 mt cable, 240VDC
HI9828030-01	Multiparameter Water Quality Meter with GPS System with 30 mt cable, 115VDC
HI982804	Multiparameter Water Quality Meter with GPS System with 4 mt cable, 240VDC
HI9828040	Multiparameter Water Quality Meter with GPS System with 40 mt cable, 240VDC
HI9828040-01	Multiparameter Water Quality Meter with GPS System with 40 mt cable, 115VDC
HI982804-01	Multiparameter Water Quality Meter with GPS System with 4 mt cable, 115VDC
HI9828050	Multiparameter Water Quality Meter with GPS System with 50 mt cable, 240VDC
HI9828050-01	Multiparameter Water Quality Meter with GPS System with 50 mt cable, 115VDC

HI9828060	Multiparameter Water Quality Meter with GPS System with 60 mt cable, 240VDC
HI9828060-01	Multiparameter Water Quality Meter with GPS System with 60 mt cable, 115VDC
HI9828070	Multiparameter Water Quality Meter with GPS System with 70 mt cable, 240VDC
HI9828070-01	Multiparameter Water Quality Meter with GPS System with 70 mt cable, 115VDC
HI9828080	Multiparameter Water Quality Meter with GPS System with 80 mt cable, 240VDC
HI9828080-01	Multiparameter Water Quality Meter with GPS System with 80 mt cable, 115VDC
HI9828090	Multiparameter Water Quality Meter with GPS System with 90 mt cable, 240VDC
HI9828090-01	Multiparameter Water Quality Meter with GPS System with 90 mt cable, 115VDC
HI9828/10	Multiparameter Water Quality meter with 10 mt pH/EC/DO probe and kit
HI9828/100	Multiparameter Water Quality Portable Meter with 100 mt cable, 240VDC
HI9828/100-01	Multiparameter water quality meter with 100m cable, pH/EC/DO, probe and kit
HI9828/10-01	Multiparameter water quality meter with 10m cable, pH/EC/DO, probe and kit
HI9828/20	Multiparameter Water Quality Portable Meter with 20 mt cable, 240VDC
HI9828/20-01	Multiparameter Water Quality meter with 20m cable, pH/EC/DO probe and kit
HI9828/30	Multiparameter Water Quality Portable Meter with 30 mt cable, 240VDC
HI9828/30-01	Multiparameter Water Quality meter with 30m cable, pH/EC/DO probe and kit
HI9828/4	Multiparameter Water Quality Portable Meter with 4 mt cable, 240VDC
HI9828/40	Multiparameter Water Quality Portable Meter with 40 mt cable, 240VDC
HI9828/40-01	Multiparameter Water Quality meter with 40m cable, pH/EC/DO probe and kit
HI9828/4-01	Multiparameter Water Quality meter with 4m cable, pH/EC/DO probe and kit
HI9828/50	Multiparameter Water Quality Portable Meter with 50 mt cable, 240VDC
HI9828/50-01	Multiparameter Water Quality meter with 50m cable, pH/EC/DO probe and kit
HI9828/60	Multiparameter Water Quality Portable Meter with 60 mt cable, 240VDC
HI9828/60-01	Multiparameter Water Quality meter with 60m cable, pH/EC/DO probe and kit
HI9828/70	Multiparameter Water Quality Portable Meter with 70 mt cable, 240VDC
HI9828/70-01	Multiparameter Water Quality meter with 70m cable, pH/EC/DO probe and kit
HI9828/80	Multiparameter Water Quality Portable Meter with 80 mt cable, 240VDC
HI9828/80-01	Multiparameter Water Quality meter with 80m cable, pH/EC/DO probe and kit
HI9828/90	Multiparameter Water Quality Portable Meter with 90 mt cable, 240VDC
HI9828/90-01	Multiparameter Water Quality meter with 90m cable, pH/EC/DO probe and kit
HI9828-25	Quick calibration solution for HI 9828, 500 ml
HI9828-27	Quick calibration solution for HI 9828, 1 gallon
HI98300	DiST®1 TDS tester
HI98301	DiST®1 TDS tester
HI98302	DiST®2 TDS tester
HI98303	DiST®3 conductivity tester
HI98304	DiST®4 conductivity tester
HI98305	CONMET1 stick conductivity tester 0-1999 uS/cm
HI98306	CONMET2 stick conductivity tester 0-19.99 mS/cm
HI98307	CONMET3 stick conductivity tester 0-19.99 ppt
HI98308	PWT EC tester
HI98309	UPW, EC tester
HI98311	DiST®5 Waterproof EC/TDS/°C/°F tester 0-200 units

HI98311	DiST®5 Waterproof EC/TDS/°C/°F tester 200+ units
HI98312	DiST®6 Waterproof EC/TDS/°C/°F tester 0-200 units
HI98312	DiST®6 Waterproof EC/TDS/°C/°F tester 200+
HI983301N	TDS Gro'Chek® with large LCD
HI983301N/5	TDS Gro'Chek® with large LCD
HI983302	EC Gro'Chek® meter with HI7632
HI983302N	EC Gro'Chek® with large LCD
HI983303	EC indicator
HI983304	EC indicator
HI983305	EC indicator
HI983306	TDS indicator
HI983307	EC indicator
HI983308	TDS indicator
HI983309	TDS indicator (0-999ppm) 12VDC power supply
HI98331	Direct Soil tester
HI983310	Wand conductivity tester for hydroponics
HI983311	Stick EC/TDS/Temp Tester, new aquadip (.5 factor)
HI983311/7	Stick EC/TDS/Temp Tester, new aquadip (.7 factor)
HI9835N	EC/TDS/NaCl/°C meter with carrying case
HI98351	Waterproof DiST®1 TDS tester, 1990 ppm
HI98352	Waterproof DiST®2 TDS tester, 1990 ppm
HI98353	Waterproof DiST®3 TDS tester, 1990 ppm
HI98354	Waterproof DiST®4 TDS tester, 1990 ppm
HI98360N	EC/TDS/NaCl/°C meter with auto-end point, RS232 in a hard carrying case
HI98501	Checktemp®C Thermistor thermometer
HI98501-1	Checktemp®C Thermistor thermometer ±1°C accuracy
HI98502	Checktemp®F Thermistor thermometer
HI98503	Checktemp®C Thermistor thermometer with certificate
HI98504	Checktemp®F Thermistor thermometer with certificate
HI98505	Checktemp®C Thermistor thermometer with liquid probe
HI98506	Checktemp®F Thermistor thermometer with liquid probe
HI98507	Checktemp®LC Thermistor thermometer with batteries and cap
HI98508	Checktemp®LF Thermistor thermometer with batteries and cap
HI98509	Checktemp®1C Thermistor thermometer
HI98509-01	Checktemp®Dip C thermometer with weighted probe
HI98509-1	Checktemp®1C Thermistor thermometer ±1°C accuracy
HI98510	Checktemp®1F Thermistor thermometer
HI98510-01	Checktemp®Dip F thermometer with weighted probe
HI98511	Checktemp®1C Thermistor thermometer + NIST Cert.
HI98512	Checktemp®1F Thermistor thermometer + NIST Cert.
HI98513	Checktemp® 2C Temperature tester
HI98514	Checktemp® 2F Temperature tester
HI98515	Checktemp® 2C with NIST certificate

HI98516	Checktemp® 2F with NIST certificate
HI98517	K-Thermometer (°C) with battery
HI98517-11	Interchangeable probe (air/gas)
HI98517-12	Interchangeable probe (surface)
HI98517-13	Interchangeable probe (penetration)
HI98517-15	Interchangeable probe 170mm (liquid/general)
HI98517-30	Interchangeable probe 320mm (liquid/general)
HI98518	K-Thermometer (°F) with battery
HI98527	Checktemp®3C with stainless steel folding probe
HI98529	Checktemp®3F with stainless steel folding probe
HI98553	ELTH CWP Pocket thermometer, waterproof, with probe
HI98554	ELTH FWP Pocket thermometer, waterproof, with probe
HI98601	Hygrocheck® Hygrometer
HI98701	Printing K, J, T-type thermocouple thermometer with carrying case
HI98701/C	Printing K, J, T-type thermocouple thermometer, 1 channel input, paper, batt., cert.
HI98703	EPA Compliant turbidity meter
HI98703-11	Calibration set for HI98703
HI98704	Printing K, J, T-type thermocouple thermometer with carrying case
HI98704/C	Printing K, J, T-type thermocouple thermometer, 4 channel input, paper, batt., cert.
HI98710	Printing thermistor thermometer with carrying case
HI98710/C	Printing K, J, T-type thermocouple thermometer, 1 channel input, probe, paper, batt.& cert.
HI98713-01	ISO standard portable turbidity meter, 115 VAC
HI98713-02	ISO standard portable turbidity meter, 230 VAC
HI98740	Printing thermistor thermometer with carrying case
HI98740/C	Printing K, J, T-type thermocouple thermometer, 4 channel input, paper, batt., cert.
HI98801	Logging K, J, T-type thermocouple thermometer with carrying case
HI98801/C	Logging K, J, T-type thermocouple thermometer, 1 channel input, paper, batt. & cert.
HI98804	Logging K, J, T-type thermocouple thermometer with carrying case
HI98804/C	Logging K, J, T-type thermocouple thermometer, 4 channel input, paper, batt. & cert.
HI98810	Logging/printing thermistor thermometer with carrying case
HI98811	Printing Thermometer with Sample Identification System
HI98840	Logging/printing thermistor thermometer with carrying case
HI991001N	Portable waterproof pH /°C meter with carrying case
HI991002N	Portable waterproof pH /ORP/°C meter
HI991003N	Portable waterproof pH /ORP/pH mV/°C meter
HI9910-1	WM pH controller, 1 set point, 115 VAC
HI9910-2	WM pH controller, 1 set point, 230 VAC
HI9910-3	WM pH controller, 1 set point, 100 VAC
HI99104	New checker/pH _{el}
HI9911-1	WM pH controller, 2 set points, 115 VAC
HI9911-2	WM pH controller, 2 set points, 230 VAC
HI9911-3	WM pH controller, 2 set points, 100 VAC
HI99121N	Soil pH meter and kit

HI9912-1	WM pH /ORP controller, 115 VAC
HI99121K	Special kit with HI99121 and HI993310
HI9912-2	WM pH /ORP controller, 230 VAC
HI9912-3	WM pH /ORP controller, 100 VAC
HI991300N	pH /EC/TDS/°C/°F waterproof meter with carrying case
HI991301N	pH /EC/TDS/°C/°F waterproof meter with carrying case
HI9913-1	WM pH /EC controller, 110 VAC
HI99131	pH meter for plating with HI72911 electrode
HI9913-2	WM pH /EC controller, 230 VAC
HI9913-3	WM pH /EC controller, 100 VAC
HI991401	pH Gro'Chek® with large LCD
HI991404	pH/EC/TDS/Temperature Gro'Chek® combo
HI991405	pH/EC/TDS/Temperature Gro'Chek® combo
HI99141	pH meter with carrying case
HI9914-1	Wall mount pH, EC controller, 115 VAC
HI9914-2	Wall mount pH, EC controller, 230 VAC
HI99161N	Portable pH /temp. meter with FC202 electrode,
HI99163N	Meat pH meter with FC232D and kit
HI99171N	Leather & Paper pH meter with HI1414D and kit
HI99181N	Skin pH meter with HI1414D/50 and kit
HI9920-1	WM ORP controller, 115 VAC
HI9920-2	WM ORP controller, 230 VAC
HI9920-3	WM ORP controller, 100 VAC
HI9923-1	WM pH /EC controller, 115 VAC
HI9923-2	WM pH /EC controller, 230 VAC
HI9923-3	WM pH /EC controller, 100 VAC
HI99300N	Portable EC/C meter 4,000 US/2000 ppm
HI99301N	Portable EC/C meter, 20.00 MS/10.00 ppt
HI9931-1	WM EC controller, 115 VAC
HI9931-2	WM EC controller, 230 VAC
HI9931-3	WM EC controller, 100 VAC
HI993301	EC/TDS/Temperature Gro'Chek® monitor
HI993302	EC/TDS/Temperature Gro'Chek® monitor
HI993310	Soil conductivity/salinity meter with carrying case
HI9934-1	WM TDS controller, 115 VAC
HI9934-2	WM TDS controller, 230 VAC
HI9934-3	WM TDS controller, 100 VAC
HI9935-1	WM pH /TDS controller, 115 VAC
HI9935-2	WM pH /TDS controller, 230 VAC
HI9935-3	WM pH /TDS controller, 100 VAC
HI99550-00	Infrared thermometer (°C)
HI99550-01	Infrared thermometer (°F)
HI99551-00	Infrared thermometer (°C) with IR sensor

HI99551-01	Infrared thermometer (°F) with IR sensor
HI99551-10	Infrared thermometer (°C) with IR sensor, -20 to 199.9°C
HI99556-00	Infrared thermometer (°C) with IR/NTC sensor
HI99556-01	Infrared thermometer (°F) with IR/NTC sensor
HI99556-10	Infrared thermometer (°C) with IR, NTC sensor, -20 to 199.9°C
HIPCA-REG	Regulator for PCA300 and PCA301 series
MV600111-1	ORP Controller with matching pin, 1 set point, ON, OFF, analog out, 115 VAC
MV600111-2	ORP Controller with matching pin, 1 set point, ON, OFF, analog out 230 VAC
MV600112-1	ORP Controller with matching pin, 1 set point, ON, OFF, RS232 out, 115 VAC
MV600112-2	ORP Controller with matching pin, 1 set point, ON, OFF, RS232 out, 230 VAC
MV600121-1	ORP Controller with matching pin, 1 set point, proportional, analog out, 115 VAC
MV600121-2	ORP Controller with matching pin, 1 set point, proportional, analog out, 230 VAC
MV600122-1	ORP Controller with matching pin, 1 set point, proportional, RS232 out, 115 VAC
MV600122-2	ORP Controller with matching pin, 1 set point, proportional, RS232 out, 230 VAC
MV602113-1	ORP Controller with matching pin, 1 set point, ON, OFF, analog and RS485 out, 115 VAC
MV602113-2	ORP Controller with matching pin, 1 set point, ON, OFF, analog and RS485 out, 230 VAC
MV602123-1	ORP Controller with matching pin, 1 set point, ON, OFF and PID, analog and RS485 out, 115 VAC
MV602123-2	ORP Controller with matching pin, 1 set point, ON, OFF and PID, analog and RS485 out, 230 VAC
MV602321-1	ORP Controller with matching pin, 2 set points, ON, OFF and PID, analog out, 115 VAC
MV602321-2	ORP Controller with matching pin, 2 set points, ON, OFF and PID, analog out, 230 VAC
MV602322-1	ORP Controller with matching pin, 2 set points, ON, OFF and PID, RS485 out, 115 VAC
MV602322-2	ORP Controller with matching pin, 2 set points, ON, OFF and PID, RS485 out, 230 VAC
MV602323-1	ORP Controller with matching pin, 2 set points, ON, OFF and PID, analog and RS485 out, 115 VAC
MV602323-2	ORP Controller with matching pin, 2 set points, ON, OFF and PID, analog and RS485 out, 230 VAC
MV602523-1	ORP Controller with matching pin, control through analog out, ON, OFF and PID, analog and RS485 out, 115 VAC
MV602523-2	ORP Controller with matching pin, control through analog out, ON, OFF and PID, analog and RS485 out, 230 VAC
PCA310-1	New PCA 115V
PCA310-2	New PCA 230 V
PCA320-1	Chlorine, pH process analyzer, 115V
PCA320-2	Chlorine, pH process analyzer, 230V
PCA320dual	Chlorine, pH Dual output
PCA330-1	Chlorine, pH, ORP process analyzer, 115V
PCA330-2	Chlorine, pH, ORP process analyzer, 230 V
PCA330dual	Chlorine, pH Dual output
PH209	pH/mV Bench meter
PH500111-1	pH controller with matching pin, 1 setpoint, ON/OFF control, analog out, 115 Vac
PH500111-2	pH controller with matching pin, 1 set point, ON, OFF control, analog out, 230 VAC
PH500112-1	pH controller with matching pin, 1 setpoint, ON/OFF control, RS232 out, 115 Vac
PH500112-2	pH controller with matching pin, 1 set point, ON, OFF control, RS232 out, 230 VAC
PH500121-1	pH controller with matching pin, 1 setpoint, proportional control, analog out, 115 Vac
PH500121-2	pH controller with matching pin, 1 set point, proportional control, analog out, 230 VAC
PH500122-1	pH controller with matching pin, 1 setpoint, proportional control, RS232 out, 115 Vac
PH500122-2	pH controller with matching pin, 1 set point, proportional control, RS232 out, 230 VAC

PH500211-1	pH controller with matching pin, 2 setpoints, ON/OFF control, analog out, 115 Vac
PH500211-2	pH controller with matching pin, 2 set points, ON, OFF control, analog out, 230 VAC
PH500212-1	pH controller with matching pin, 2 setpoints, ON/OFF control, RS232 out, 115 Vac
PH500212-2	pH controller with matching pin, 2 set points, ON, OFF control, RS232 out, 230 VAC
PH500221-1	pH controller with matching pin, 2 setpoints, proportional control, analog out, 115 Vac
PH500221-2	pH controller with matching pin, 2 set points, proportional control, analog out, 230 VAC
PH500222-1	pH controller with matching pin, 2 setpoints, proportional control, RS232 out, 115 Vac
PH500222-2	pH controller with matching pin, 2 set points, proportional control, RS232 out, 230 VAC
PH502113-1	pH controller with matching pin, 1 setpoint, ON/OFF control, analog and RS485 out, 115 Vac
PH502113-2	pH controller with matching pin, 1 set point, ON, OFF control, analog and RS485 out, 230 VAC
PH502123-1	pH controller with matching pin, 1 setpoint, ON/OFF & PID control, analog and RS485 out, 115 Vac
PH502123-2	pH controller with matching pin, 1 set point, ON, OFF & PID control, analog and RS485 out, 230 VAC
PH502213-1	pH controller with matching pin, 2 setpoints, ON/OFF control, analog and RS485 out, 115 Vac
PH502213-2	pH controller with matching pin, 2 set points, ON, OFF control, analog and RS485 out, 230 VAC
PH502223-1	pH controller with matching pin, 2 setpoints, ON/OFF & PID control, analog and RS485 out, 115 Vac
PH502223-2	pH controller with matching pin, 2 set points, ON, OFF & PID control, analog and RS485 out, 230 VAC
PH502321-1	pH controller with matching pin, 1 setpoint with SSR, ON/OFF & PID control, analog out, 115 Vac
PH502321-2	pH controller with matching pin, 1 set point with SSR, ON, OFF & PID control, analog out, 230 VAC
PH502322-1	pH controller with matching pin, 1 setpoint with SSR, ON/OFF & PID control, RS485 out, 115 Vac
PH502322-2	pH controller with matching pin, 1 set point with SSR, ON, OFF & PID control, RS485 out, 230 VAC
PH502323-1	pH controller with matching pin, 1 setpoint with SSR, ON/OFF & PID control, analog and RS485 out, 115 Vac
PH502323-2	pH controller with matching pin, 1 set point with SSR, ON, OFF & PID control, analog and RS485 out, 230 VAC
PH502421-1	pH controller with matching pin, 2 setpoints with SSR, ON/OFF & PID control, analog out, 115 Vac
PH502421-2	pH controller with matching pin, 2 set points with SSR, ON, OFF & PID control, analog out, 230 VAC
PH502422-1	pH controller with matching pin, 2 setpoints with SSR, ON/OFF & PID control, RS485 out, 115 Vac
PH502422-2	pH controller with matching pin, 2 set points with SSR, ON, OFF & PID control, RS485 out, 230 VAC
PH502423-1	pH controller with matching pin, 2 setpoints with SSR, ON/OFF & PID control, analog and RS485 out, 115 Vac
PH502423-2	pH controller with matching pin, 2 set points with SSR, ON, OFF & PID control, analog and RS485 out, 230 VAC
PH502523-1	pH controller with matching pin, control through analog out, ON/OFF & PID control, analog and RS485 out, 115 Vac
PH502523-2	pH controller with matching pin, control through analog out, ON, OFF & PID control, analog and RS485 out, 230 VAC
PRIMO1	TDS Tester
Primo	TDS tester
PRIMO2	TDS/°C tester
PRIMO3	TDS/°C tester
PRIMO4	EC tester
PRIMO5	EC tester
PROBEECW	Interchangeable K-type thermocouple probe (air/gas)
PROBEELW	Interchangeable K-type thermocouple probe (liquid/general)
PROBEEMW	Interchangeable K-type thermocouple probe (surface)
PROBEEPW	Interchangeable K-type thermocouple probe (penetration)
SR7632D/5	Salinity Probe assembly
TDS1	TDS Tester for Water Conditioning
TDS601	New DIST1 for water conditioning market