MODEL NUMBER DESCRIPTION LIST PRICE SHIP WT

İ	WALI	. MOUNTED MODE	LS *		
	1001	P	Barrier-free, stainless steel w/round sculpted bowl w/in-wall mounting plate– <i>Requires items listed below</i>		
	e:	1001	Barrier-free, stainless steel w/round sculpted bowl	1456.00	17
	RDE	6700 (TS	Steel in-wall mounting plate, single bubbler fountains	100.00	6
1			TOTAL	1556.00	
		BP6	OPTION: Back panel, stainless steel, satin, 1001	115.00	2
1001BP	1001	BP 🔑	Same as 1001 w/back panel – <i>Requires items listed below</i>		
	K	1001	Barrier-free, stainless steel w/round sculpted bowl	1456.00	17
	ORDI	6700 (TS)	Steel in-wall mounting plate, single bubbler fountains	100.00	6
		BP6	Back panel, stainless steel, satin, 1001	115.00	2
			TOTAL	1671.00	
	1001	MS P	1001 w/back and access panel, mounting system – <i>Requires items listed below</i>		
	쏦	1001MS	1001 w/back and access panel	1700.00	22
	ORDI	MTGFR.DF1	In-wall mounting frame, 1001MS, 1001HPSMS	196.00	10
0			TOTAL	1896.00	
	1001	HPS P	1001 in high polished stainless steel w/in-wall mounting plate – <i>Requires items listed below</i>		
	#	1001HPS	1001 in high polished stainless steel	1618.00	17
1001MS	ORD	6700 (15)	Steel in-wall mounting plate, single bubbler fountains	100.00	6
			TOTAL	1718.00	
		BP6HPS	OPTION: Back panel, high polished stainless steel, 1001HPS	314.00	2
	1001	HPSBP ₽	Same as 1001HPS w/back panel – <i>Requires items listed below</i>		
	出	1001HPS	1001 in high polished stainless steel	1618.00	17
	ORD	6700	Steel in-wall mounting plate, single bubbler fountains	100.00	6
		BP6HPS	Back panel, high polished stainless steel, 1001HPS	314.00	2
			TOTAL	2032.00	
	1001	HPSMS 🔁	Same as 1001MS in high polished stainless steel w/in-wall mounting system – <i>Requires</i> items listed below		
1001HPSBP	监	1001HPSMS	1001MS in high polished stainless steel	2264.00	22
1001111 351	ORD	MTGFR.DF1	In-wall mounting frame, 1001MS, 1001HPSMS	196.00	10
			TOTAL	2460.00	
	1011	2	Hi-Lo, barrier-free, stainless steel, w/round sculpted bowls w/in-wall mounting plate – Requires items listed below		
	쏦	1011	Hi-Lo, barrier-free, stainless steel, w/round sculpted bowls	2700.00	60
	ORD	6700.4 (TS)	Steel in-wall mounting plate, Hi-Lo dual bubbler fountains	170.00	22
			TOTAL	2870.00	
		SK3	OPTION: Optional cane touch skirt to comply w/ADA protruding objects guidelines, 1011 and H1011.8 series	241.00	4
	1011		1011 w/back and access panel, mounting system – <i>Requires items listed below</i>		
	#	1011MS @	1011 w/back and access panel	3046.00	60
1011MS	ORD	MTGFR.DF2	In-wall mounting frame, 1011MS, 1011HPSMS	365.00	24
			TOTAL	3411.00	
		SK3	OPTION: Cane touch skirt to comply w/ADA protruding objects guidelines, 1011 and H1011.8 series	241.00	4

Order each of these line items to receive the complete model.

Items in stock, guaranteed to ship no later than next business day.

Not all models are stocked. Please call the factory for a delivery schedule.

Premier Selection - go to www.hawsco.com for complete selection.

^{*} Many Haws wall mount models include mounting bracket and additional hardware.

MODEL NUMBER DESCRIPTION LIST PRICE SHIP WT

WAL	L MOUNTED MODE	LS * CONTINUED			
1011	IHPS ₽	1011 in high polished stainless steel w/in-wall mounting plate – <i>Requires items listed below</i>			
<u>«</u>	1011HPS	1011 in high polished stainless steel	3938.00	60	
ORDE	6700.4 (TS)	Steel in-wall mounting plate, Hi-Lo dual bubbler fountains	170.00	22	
		TOTAL	4108.00		_
	SK3HPS	OPTION: Cane touch skirt to comply w/ADA protruding objects guidelines, 1011HPS and H1011.8HPS series	503.00	4	
1011	IHPSMS ₽	Same as 1011MS in high polished stainless steel w/in-wall mounting system – <i>Requires items listed below</i>			1025
쏦	1011HPSMS	1011MS in high polished stainless steel	4500.00	60	1025
ORDER	MTGFR.DF2 @S	In-wall mounting frame, 1011MS, 1011HPSMS	365.00	24	
		TOTAL	4865.00		
	SK3HPS	OPTION: Cane touch skirt to comply w/ADA protruding objects guidelines, 1011HPS and H1011.8HPS series	503.00	4	
1025	2	Barrier-free, 11 gauge steel w/green powder coat, 5725 EnviroGard™ bubbler	1420.00	34	
	6700 (3)	OPTION: Steel in-wall mounting plate, single bubbler fountains	100.00	6	
1025	_	Same as 1025 in galvanized finish	1350.00	34	
	6700 GS	OPTION: Steel in-wall mounting plate, single bubbler fountains	100.00	6	0
1047	7 OPS	Barrier-free, concrete w/exposed aggregate w/in-wall mounting plate – <i>Requires items</i> listed below			1047
E	1047	Barrier-free, concrete w/exposed aggregate	1450.00	98	
ORD	6700 (TS	Steel in-wall mounting plate, single bubbler fountains	100.00	6	
		TOTAL	1550.00		ļ
1075	5	DISCONTINUED - Superseded by 1311			ļ
1085		DISCONTINUED - Superseded by 1501			ļ
1105	\mathcal{P}	18 gauge stainless steel, satin finish, integral bowl	900.00	15	
	1105A	OPTION: Same as 1105 with antimicrobial treatment to protect against the growth of mold & mildew – Order in lieu of 1105	1032.00	15	2
	6700 GTS	OPTION: Steel in-wall mounting plate, single bubbler fountains	100.00	6	9
	BP3	OPTION: Add for BP3 back panel, stainless steel, satin, 1105, 1109, 1109FR	79.00	2	4
1105	BP ₽	Same as 1105 w/back panel – <i>Requires items listed below</i>			1105
<u>"</u>	1105	18 gauge stainless steel, satin finish, integral bowl	900.00	15	
ORD	BP3	Back panel, stainless steel, satin, 1105, 1109, 1109FR	79.00	2	
	1105A	OPTION: Same as 1105 with antimicrobial treatment to protect against the growth of mold & mildew – Order in lieu of 1105	979.00 1032.00	15	
	6700 (3)	OPTION: Steel in-wall mounting plate, single bubbler fountains	100.00	6	
1107		14 gauge satin finish, stainless steel drinking fountain, low profile, integral bowl and trap – Includes antimicrobial treatment to protect against the growth of mold & mildew	1000.00	22	()
	6700 GTS	OPTION: Steel in-wall mounting plate, single bubbler fountains	100.00	6	3
	BP7	OPTION: Back panel, stainless steel, satin finish for 1107L	85.00	2	
1107	7LBP \mathcal{P}	Same as 1107L w/back panel – <i>Requires items listed below</i>			1107L
œ	1107L (1)	14 gauge satin finish, stainless steel drinking fountain, low profile, integral bowl and trap	1000.00	22	
삥	BP7	Back panel, stainless steel, satin finish for 1107L	85.00	2	
교	DI /				
ORI	DI 7	TOTAL	1085.00		

ORDER Order each of these line items to receive the complete model.

Items in stock, guaranteed to ship no later than next business day.

Not all models are stocked. Please call the factory for a delivery schedule.

(PS) These models cannot ship via UPS.

Premier Selection - go to www.hawsco.com for complete selection.

^{*} Many Haws wall mount models include mounting bracket and additional hardware.

MODEL NUMBER DESCRIPTION LIST PRICE SHIP WT

	WAL	L MOUNTED MODE			
	1109	2 (13)	18 gauge, barrier-free, stainless steel, integral bowl	1020.00	17
		1109A	OPTION: Same as 1109 with antimicrobial treatment to protect against the growth of mold & mildew – Order in lieu of 1109	1157.00	17
		6700 GTS	OPTION: Steel in-wall mounting plate, single bubbler fountains	100.00	6
		BP3	OPTION: Back panel, stainless steel, satin, 1105, 1109, 1109FR	79.00	2
4	1109	BP Z	Same as 1109 w/back panel – <i>Requires items listed below</i>		
	4	1109 🐠	18 gauge, barrier-free, stainless steel, integral bowl	1020.00	17
	P. D. B. C.	BP3	Back panel, stainless steel, satin, 1105, 1109, 1109FR	79.00	2
			TOTAL	1099.00	
		1109A	OPTION: Same as 1109 with antimicrobial treatment to protect against the growth of mold & mildew – Order in lieu of 1109	1157.00	17
		6700 (33)	OPTION: Steel in-wall mounting plate, single bubbler fountains	100.00	6
	1109	FR	1109 w/pneumatic freeze-resistant valve system – <i>Requires items listed below</i>		
	RDER	1109FR	1109 freeze-resistant drinking fountain – For use with 6521FR pneumatic freeze-resistant valve system NOT INCLUDED	982.00	17
	9	6521FR	Recessed or surface mount pneumatic freeze-resistant valve system, for above fountain	858.00	22
			TOTAL	1840.00	
		6700 (375)	OPTION: Steel in-wall mounting plate, single bubbler fountains	100.00	6
		BP3	OPTION: Back panel, stainless steel, satin, 1105, 1109, 1109FR	79.00	2
	1109	FRBP	Same as 1109FR w/back panel – <i>Requires items listed below</i>		
	ER	1109FR	1109 freeze-resistant drinking fountain – For use with 6521FR pneumatic freeze-resistant valve system NOT INCLUDED	982.00	17
	ORD	6521FR	Recessed or surface mount pneumatic freeze-resistant valve system, for above fountain	858.00	22
		BP3	Back panel, stainless steel, satin, 1105, 1109, 1109FR	79.00	2
			TOTAL	1919.00	İ
		6700 (35)	TOTAL OPTION: Steel in-wall mounting plate, single bubbler fountains	1919.00 100.00	6
	1109				6 24
	1109		OPTION: Steel in-wall mounting plate, single bubbler fountains	100.00	
	1109	D.14 2 1	OPTION: Steel in-wall mounting plate, single bubbler fountains Same as 1109 in 14 gauge stainless steel OPTION: Same as 1109.14 with antimicrobial treatment to protect product against the growth of mold &	100.00	24
	1109	2.14 2 (15) 1109.14A 6700 (15)	OPTION: Steel in-wall mounting plate, single bubbler fountains Same as 1109 in 14 gauge stainless steel OPTION: Same as 1109.14 with antimicrobial treatment to protect product against the growth of mold & mildew – Order in lieu of 1109.14	100.00 1100.00 1255.00	24 24
	1117	2.14 2 (15) 1109.14A 6700 (15)	OPTION: Steel in-wall mounting plate, single bubbler fountains Same as 1109 in 14 gauge stainless steel OPTION: Same as 1109.14 with antimicrobial treatment to protect product against the growth of mold & mildew – Order in lieu of 1109.14 OPTION: Steel in-wall mounting plate, single bubbler fountains 14 gauge, Hi-Lo, adjustable height, satin finish, stainless steel, low profile, integral bowl and trap with steel in-wall mounting plate. Includes antimicrobial treatment to protect against	100.00 1100.00 1255.00	24 24
		2.14	OPTION: Steel in-wall mounting plate, single bubbler fountains Same as 1109 in 14 gauge stainless steel OPTION: Same as 1109.14 with antimicrobial treatment to protect product against the growth of mold & mildew – Order in lieu of 1109.14 OPTION: Steel in-wall mounting plate, single bubbler fountains 14 gauge, Hi-Lo, adjustable height, satin finish, stainless steel, low profile, integral bowl and trap with steel in-wall mounting plate. Includes antimicrobial treatment to protect against the growth of mold & mildew – <i>Requires items listed below</i> 14 gauge, Hi-Lo, adjustable height, satin finish, stainless steel, low profile,	100.00 1100.00 1255.00 100.00	24 24 6
	RDER 1111	1109.14A 6700 (TS) 7L (ZS)	OPTION: Steel in-wall mounting plate, single bubbler fountains Same as 1109 in 14 gauge stainless steel OPTION: Same as 1109.14 with antimicrobial treatment to protect product against the growth of mold & mildew – Order in lieu of 1109.14 OPTION: Steel in-wall mounting plate, single bubbler fountains 14 gauge, Hi-Lo, adjustable height, satin finish, stainless steel, low profile, integral bowl and trap with steel in-wall mounting plate. Includes antimicrobial treatment to protect against the growth of mold & mildew – <i>Requires items listed below</i> 14 gauge, Hi-Lo, adjustable height, satin finish, stainless steel, low profile, integral bowl and trap	100.00 1100.00 1255.00 100.00	24 24 6
	RDER 1111	1109.14A 6700 11117L 6717 6717	OPTION: Steel in-wall mounting plate, single bubbler fountains Same as 1109 in 14 gauge stainless steel OPTION: Same as 1109.14 with antimicrobial treatment to protect product against the growth of mold & mildew – Order in lieu of 1109.14 OPTION: Steel in-wall mounting plate, single bubbler fountains 14 gauge, Hi-Lo, adjustable height, satin finish, stainless steel, low profile, integral bowl and trap with steel in-wall mounting plate. Includes antimicrobial treatment to protect against the growth of mold & mildew – <i>Requires items listed below</i> 14 gauge, Hi-Lo, adjustable height, satin finish, stainless steel, low profile, integral bowl and trap Steel in-wall mounting plate, 1117L	100.00 1100.00 1255.00 100.00 1900.00	24 24 6
	ORDER 1117	1109.14A 6700 11117L 6717 6717 6719	OPTION: Steel in-wall mounting plate, single bubbler fountains Same as 1109 in 14 gauge stainless steel OPTION: Same as 1109.14 with antimicrobial treatment to protect product against the growth of mold & mildew – Order in lieu of 1109.14 OPTION: Steel in-wall mounting plate, single bubbler fountains 14 gauge, Hi-Lo, adjustable height, satin finish, stainless steel, low profile, integral bowl and trap with steel in-wall mounting plate. Includes antimicrobial treatment to protect against the growth of mold & mildew – <i>Requires items listed below</i> 14 gauge, Hi-Lo, adjustable height, satin finish, stainless steel, low profile, integral bowl and trap Steel in-wall mounting plate, 1117L	100.00 1100.00 1255.00 100.00 1900.00 180.00 2080.00	24 24 6 71 23

OPTION: Steel in-wall mounting plate, Hi-Lo dual bubbler fountains

OPTION: Cane touch skirt to comply w/ADA protruding objects guidelines, 1119 and H1119.8 series

6700.4

SK1

1117L

170.00

224.00

22

4

ORDER Order each of these line items to receive the complete model.

Items in stock, guaranteed to ship no later than next business day.

Not all models are stocked. Please call the factory for a delivery schedule.

Premier Selection - go to www.hawsco.com for complete selection.

^{*} Many Haws wall mount models include mounting bracket and additional hardware.

MODEL NUMBER DESCRIPTION LIST PRICE SHIP WT

WALL	. MOUNTED MODEL	LS * CONTINUED		
11191	-R	1119 w/pneumatic freeze-resistant valve system – <i>Requires items listed below</i>		
ORDER	1119FR	1119 freeze-resistant, barrier-free, stainless steel, integral bowl – For use with two 6521FR pneumatic freeze-resistant valve systems NOT INCLUDED	1814.00	36
ō	6521FR	Recessed or surface mount pneumatic freeze-resistant valve system – <i>Two required</i> for above fountain**	858.00	22
		TOTAL	3530.00	
	6700.4 GTS	OPTION: Steel in-wall mounting plate, Hi-Lo dual bubbler fountains	170.00	22
	SK1	OPTION: Cane touch skirt to comply w/ADA protruding objects guidelines, 1119 and H1119.8 series	224.00	4
1119.	14 🛭 🛈	Same as 1119 in 14 gauge stainless steel	2220.00	49
	1119.14A	OPTION: Same as 1119.14 with antimicrobial treatment to protect against the growth of mold & mildew – Order in lieu of 1119.14	2574.00	49
	6700.4 GTS	OPTION: Steel in-wall mounting plate, Hi-Lo dual bubbler fountains	170.00	22
	SK1	OPTION: Cane touch skirt to comply w/ADA protruding objects guidelines, 1119 and H1119.8 series	224.00	4
1152	@	Polished stainless steel bowl, push button bubbler valve	337.00	6
1201		White vitreous china, integral bowl and back splash	900.00	46
1311	()PS)	Barrier-free, white enameled iron, integral bowl	1250.00	59
1408	(JPS)	White powder-coated aluminum, 3-bubbler	2810.00	65
1409	(JPS)	Barrier-free, white powder-coated aluminum, 3-bubbler	3400.00	87
1430	(JPS)	White enameled iron, 2-bubbler	2000.00	108
1431	(JPS)	Barrier-free, white enameled iron, 2-bubbler	2083.00	125
1435	()PS)	White enameled iron, 3-bubbler	2600.00	174
1441	(JPS)	Barrier-free, white powder-coated aluminum, 2-bubbler	2730.00	76
	6710	OPTION: Steel in-wall mounting plate, 1441	190.00	15
1501	(JPS)	Hi-Lo, white enameled iron with matching back panel and in-wall mounting plate – Requires items listed below		
쏦	1501	Hi-Lo, white enameled iron with matching back panel	2150.00	122
ORDER	6715	Steel in-wall mounting plate, 1501	290.00	24
	ATION STATION	TOTAL	2440.00	
2000	(TS)	HydrationStation™, semi-recessed, filtered, bottle filling station – Includes antimicrobial treatment to protect against the growth of mold & mildew	1995.00	33
	HCR8 (DPS)	OPTION: 8GPH remote chiller	900.00	47
	MTGFR.HSC	OPTION: HydrationStation™ mounting kit for chiller; includes mounting frame and grill – chiller sold separately	300.00	11
2000S	MODEL	HydrationStation™, surface mount, filtered, bottle filling station – Includes antimicrobial treatment to protect against the growth of mold & mildew	1899.00	37
	6470	OPTION: Drain kit for surface mount HydrationStation™	96.00	5
RECE	SSED WALL MOUN	TED MODELS		
2405		Barrier-free, 18 gauge stainless steel, satin finish, front push button	2100.00	61

Barrier-free fountain/cuspidor combo, 18 gauge stainless steel, satin finish











1501



2000

(DPS) These models cannot ship via UPS.

3900.00

122

2406

ORDER Order each of these line items to receive the complete model.

Items in stock, guaranteed to ship no later than next business day.

Not all models are stocked. Please call the factory for a delivery schedule.

^{**} Price list for quantity of 1. Order quantity is 2.

Premier Selection - go to www.hawsco.com for complete selection.

^{*} Many Haws wall mount models include mounting bracket and additional hardware.

CONCRETE PEDESTAL MOUNTED MODELS

MODEL NUMBER DESCRIPTION LIST PRICE SHIP WT



1000	ı
STATE OF THE	L
WETVER!	ı
255	ı
	П
	ı
	ı
	ı
SCHOOL STATE	ı
3000	ı
Children of the Control of the Contr	ı
	ı
	ı







100	3060	(JPS)	Circular, concrete w/exposed aggregate	1650.00	198
	3060I	FR ÛPS	3060 w/pneumatic freeze-resistant valve system – <i>Requires items listed below</i>		
	DER	3060FR	3060 freeze-resistant, concrete w/exposed aggregate. – For use with 6518FR pneumatic operated freeze-resistant valve system NOT INCLUDED	1540.00	198
	ORD	6518FR	Pneumatic operated freeze-resistant valve system, for above fountain	1090.00	57
			TOTAL	2630.00	
		6519FR	OPTION: Freeze-Guard™ patented enclosed freeze-resistant valve system – Order in lieu of 6518FR	3690.00	103
	3121	()PS)	Square, concrete w/exposed aggregate	1981.00	410
		6620	OPTION: Square step, 10" high for 3121 and 3150 series fountains	551.00	115
	31211	FR ÛPS	3121 w/pneumatic freeze-resistant valve system – <i>Requires items listed below</i>		
	ORDER	3121FR	3121 freeze-resistant, concrete w/exposed aggregate – For use with 6518FR pneumatic operated freeze-resistant valve system NOT INCLUDED	1848.00	410
	0	6518FR	Pneumatic operated freeze-resistant valve system, for above fountain	1090.00	57
			TOTAL	2938.00	
		6519FR	OPTION: Freeze-Guard™ patented enclosed freeze-resistant valve system – Order in lieu of 6518FR	3690.00	103
		6620	OPTION: Square step, 10" high for 3121 and 3150 series fountains	551.00	115
	3150	(JPS)	Hi-Lo, square, concrete w/exposed aggregate and low profile adjustable arm	3499.00	490
		6620	OPTION: Square step, 10" high for 3121 and 3150 series fountains	551.00	115
	3150I	FR ÛPS	3150 w/pneumatic freeze-resistant valve system – <i>Requires items listed below</i>		
	ORDER	3150FR	3150 freeze-resistant, concrete w/exposed aggregate and low profile adjustable arm – For use with 6518.2FR pneumatic operated freeze-resistant valve system NOT INCLUDED	3400.00	490
	Ö	6518.2FR	Pneumatic operated freeze-resistant valve system, for above fountain	1530.00	57
١			TOTAL	4930.00	
		6620	OPTION: Square step, 10" high for 3121 and 3150 series fountains	551.00	115
١	3177	$\overline{}$	Square, barrier-free, concrete w/exposed aggregate	2336.00	325
	3177I	FR ÛPS	3177 w/pneumatic freeze-resistant valve system – <i>Requires items listed below</i>		
	ORDER	3177FR	3177 freeze-resistant, concrete w/exposed aggregate – For use with 6518FR pneumatic operated freeze-resistant valve system NOT INCLUDED	2226.00	325
	ō	6518FR	Pneumatic operated freeze-resistant valve system, for above fountain	1090.00	57
			TOTAL	3316.00	
		6519FR	OPTION: Freeze-Guard™ patented enclosed freeze-resistant valve system – Order in lieu of 6518FR	3690.00	103
	OPTIC	ONS FOR ABOVE CON	ICRETE PEDESTAL FOUNTAINS		
		6275	OPTION: Hose bib assembly, compression \int	263.00	3
		COLOR	OPTION: Special color on all above concrete models - visit www.hawsco.com for available colors	560.00	_
		FINISH	OPTION: Special finish (light, medium or heavy sandblast) on all above concrete models	700.00	-
	PEDE	STAL MOUNTED MO	ODELS		
	3202		Barrier-free, 12 gauge galvanized steel, exposed drainage trough, green finish	2095.00	97
	32020		Same as above in a galvanized finish	1973.00	97
	3300	$ \sim$ $-$	Hi-Lo, 11 gauge steel, square, green powder coat finish, 5725 EnviroGard™ bubbler	3600.00	164
	33000	G ()PS)	Same as above in a galvanized finish	3400.00	164

ORDER Order each of these line items to receive the complete model. Not all models are stocked. Please call the factory for a delivery schedule.

Not available on Freeze-Proof (FR) Models.

UPS These models cannot ship via UPS.

Premier Selection - go to www.hawsco.com for complete selection.

MODEL NUMBER DESCRIPTION LIST PRICE SHIP WT

PEDESTAL MOUNTED	MODELS CONTINUED		
3300FR ()PS)	3300 w/pneumatic freeze-resistant valve system (5725 bubbler not avail.) – <i>Requires items listed below</i>		
3300FR G518 2FP	3300 freeze-resistant, 11 gauge steel, square, green powder coat finish – For use with 6518.2FR pneumatic operated freeze-resistant valve system NOT INCLUDED	3270.00	164
6518.2FR	Pneumatic operated freeze-resistant valve system, for above fountain	1530.00	57
	TOTAL	4800.00	
3377 🔁 🕦	Barrier-free, stainless bracket, sculpted bowl, green pedestal	2205.00	74
3377G (PS)	Same as above w/galvanized pedestal	2035.00	74
3377FR ()PS)	3377 w/pneumatic freeze-resistant valve system – <i>Requires items listed below</i>		
3377FR GENERAL STATE OF THE STA	3377 freeze-resistant, barrier-free, stainless steel bracket, sculpted bowl, green pedestal – For use with 6518FR pneumatic operated freeze-resistant valve system NOT INCLUDED	2325.00	76
6518FR	Pneumatic operated freeze-resistant valve system, for above fountain	1090.00	57
	TOTAL	3415.00	
OPTIONS FOR PEDESTAL	MOUNTED FOUNTAINS		
6250LF	OPTION: PCP self-closing, plain end, bib faucet, lead-free on 3200 and 3300 series fountains	319.00	3
6275	OPTION: Hose bib assembly, compression	263.00	3
3380 🎅	Round, barrier-free green pipe pedestal, w/stainless steel bowl	2800.00	101
3380G	Same as above w/galvanized pedestal	2475.00	101
3380FR	3380 w/pneumatic freeze-resistant valve system – <i>Requires items listed below</i>		
3380FR GE 6518FR	3380 freeze-resistant, round, barrier-free green pipe pedestal, w/stainless bowl – For use with 6518FR pneumatic operated freeze-resistant valve system NOT INCLUDED	2790.00	101
6518FR	Pneumatic operated freeze-resistant valve system, for above fountain	1090.00	57
	TOTAL	3880.00	
6519FR	OPTION: Freeze-Guard™ patented enclosed freeze-resistant valve system – Order in lieu of 6518FR	3690.00	103
3380GFR	3380G w/pneumatic freeze-resistant valve system – <i>Requires items listed below</i>		
3380GFR 6518FR	3380G freeze-resistant, round barrier-free galvanized finish, w/stainless bowl – For use with 6518FR pneumatic operated freeze-resistant valve system NOT INCLUDED	2370.00	101
6518FR	Pneumatic operated freeze-resistant valve system, for above fountain	1090.00	57
	TOTAL	3460.00	
6519FR	OPTION: Freeze-Guard™ patented enclosed freeze-resistant valve system – Order in lieu of 6518FR	3690.00	103
COLOR OPTION FOR FRE	EZE-RESISTANT PEDESTAL FOUNTAINS	•	
COLOR	OPTION: Special color on above 3300 series freeze-resistant (FR) fountains	340.00	
3482	Stainless steel bowl, lever handle faucet, galvanized pipe pedestal	550.00	19
STREETSMART™ SERIE	S PEDESTAL MOUNTED MODELS		
3500 (PS)	Hi-Lo StreetSmart™, vandal resistant, square, green powder coat finish – <i>Requires items listed below</i>		
3500	Hi-Lo StreetSmart™, vandal resistant, square, green powder coat finish	3700.00	146
DOORP	Standard door for the 3500 series, other door options available below	360.00	10
	TOTAL	4060.00	
3500D (PS)	Same as above but with pet fountain – <i>Requires items listed below</i>		
≃ 3500D	Hi-Lo StreetSmart™, vandal resistant, square, green powder coat finish with pet fountain	4900.00	177
DOORP	Standard door for the 3500 series, other door options available below	360.00	10
	TOTAL	5260.00	

Not available on Freeze-Proof (FR) Models.

UPS These models cannot ship via UPS.

Premier Selection - go to www.hawsco.com for complete selection.

ORDER Order each of these line items to receive the complete model. Not all models are stocked. Please call the factory for a delivery schedule.

DRINKING FOUNTAINS :: 2010

:: 6 ::

DRINKING FOUNTAINS :: DRINKING FOUNTAIN PARTS :: 2010

MODEL NUMBER DESCRIPTION LIST PRICE SHIP WT



6235

- ,		
3500 w/pneumatic freeze-resistant valve system – <i>Requires items listed below</i>		
3500 freeze-resistant, Hi-Lo StreetSmart™ vandal resistant, square, green powder coat finish – For use with 6518.2FR pneumatic operated freeze-resistant valve system NOT INCLUDED	4200.00	146
Standard door for the 3500 series, other door options available below	360.00	10
Pneumatic operated freeze-resistant valve system, for above fountain	1530.00	57
TOTAL	6090.00	
S OPTIONS		
OPTION: Self-closing lever handle bib faucet w/protective housing	570.00	17
OPTION: Same as above w/locking door	1001.00	21
OPTION: Wheel handle hose bib w/protective housing	407.00	17
OPTION: Same as above with locking door	802.00	21
OPTION: Sand trap for internal installation	603.00	4
OPTION: Stainless steel mounting plate for 3500 StreetSmart™ models	238.00	12
OPTION: 6" galvanized anchors for StreetSmart™ models	72.00	4
OPTION: Your choice of 9 standard colors on all StreetSmart™ models	N/C	
ESTAL MOUNTED MODELS		
Hi-Lo, cast aluminum black powder-coated base, stainless steel bowls	4342.00	168
OPTION: PCP self-closing, plain end, bib faucet, lead-free	319.00	3
OPTION: Hose bib assembly, compression	263.00	3
	3500 freeze-resistant, Hi-Lo StreetSmart™ vandal resistant, square, green powder coat finish – For use with 6518.2FR pneumatic operated freeze-resistant valve system NOT INCLUDED Standard door for the 3500 series, other door options available below Pneumatic operated freeze-resistant valve system, for above fountain TOTAL S OPTIONS OPTION: Self-closing lever handle bib faucet w/protective housing OPTION: Same as above w/locking door OPTION: Wheel handle hose bib w/protective housing OPTION: Same as above with locking door OPTION: Sand trap for internal installation OPTION: Stainless steel mounting plate for 3500 StreetSmart™ models OPTION: 6" galvanized anchors for StreetSmart™ models OPTION: Your choice of 9 standard colors on all StreetSmart™ models OPTION: PCP self-closing, plain end, bib faucet, lead-free	3500 freeze-resistant, Hi-Lo StreetSmart™ vandal resistant, square, green powder coat finish - For use with 6518.2FR pneumatic operated freeze-resistant valve system NOT INCLUDED Standard door for the 3500 series, other door options available below Pneumatic operated freeze-resistant valve system, for above fountain TOTAL 6090.00 SOPTIONS OPTION: Self-closing lever handle bib faucet w/protective housing OPTION: Same as above w/locking door OPTION: Wheel handle hose bib w/protective housing OPTION: Same as above with locking door NOTION: Same as above with locking door OPTION: Same as above with locking door N/C DESTAL MOUNTED MODELS Hi-Lo, cast aluminum black powder-coated base, stainless steel bowls OPTION: PCP self-closing, plain end, bib faucet, lead-free





4210



5703M

:: 7 ::

	MTG.3500	OPTION: Stainless steel mounting plate for 3500 StreetSmart™ models	238.00	12
	MTG.3501	OPTION: 6" galvanized anchors for StreetSmart™ models	72.00	4
	COLOR	OPTION: Your choice of 9 standard colors on all StreetSmart™ models	N/C	
Н	ISTORIC SERIES PEDES	STAL MOUNTED MODELS		
3	511 🔁 🕦	Hi-Lo, cast aluminum black powder-coated base, stainless steel bowls	4342.00	168
	6250LF	OPTION: PCP self-closing, plain end, bib faucet, lead-free	319.00	3
	6275	OPTION: Hose bib assembly, compression	263.00	3
3	511FR (PS)	3511 w/pneumatic freeze-resistant valve system – <i>Requires items listed below</i>		
	3511FR 6518.2FR	3511 freeze-resistant Hi-Lo, cast aluminum black powder coated base, stainless steel bowls – For use with 6518.2FR pneumatic operated freeze-resistant valve system NOT INCLUDED	4260.00	168
	6518.2FR	Pneumatic operated freeze-resistant valve system, for above fountain	1530.00	57
		TOTAL	5790.00	
	COLOR	OPTION: Special color for 3511FR	340.00	
D	ECK MOUNTED MODE	LS		
40	010	Rectangular bowl for deck top, push button bubbler	354.00	6
4	110ADA ~	24"x16"x5" acid resisting, enameled iron sink, meets ADA	494.00	47
4	110ADAR	Same as above but w/bubbler valve on front left	494.00	47
4	130ADA ~	30"x18"x6-1/2" acid resisting, enameled iron sink, meets ADA	589.00	66
4	130ADAR	Same as above but w/bubbler valve on front left	589.00	66
42	210 ~	25"x17"x5" 18 gauge stainless steel sink	411.00	10
42	230 ~	31"x19"x5" 18 gauge stainless steel sink	502.00	14
D	ECK MOUNT OPTIONS			
		OPTION: Add for special drilling for above 4210 and 4230 sink	P.O.A	
		OPTION: ~ Add for gooseneck faucets, bubbler valves and strainer on above deck mounted models – Use prices listed in next section for selected (~) faucets, bubblers and strainer		
F	AUCETS, VALVES, BUB	BLERS, PARTS AND ACCESSORIES		
В	UBBLER HEADS			
5	701	Bubbler head, PCP	69.00	1
5	701SL	Bubbler head, PCP w/lock washer	78.00	1
5	703M	Bubbler head assembly, PCP	176.00	2
5	703MA	Bubbler head assembly, PCP, antimicrobially treated to protect against the growth of mold & mildew	203.00	2

 $^{\, {\}color{gray} \sim}\,$ Faucet or bubbler valves for use with sinks also marked with ${\color{gray} \sim}\,$ ORDER Order each of these line items to receive the complete model.

Not available on Freeze-Proof (FR) Models.

DRINKING FOUNTAINS :: DRINKING FOUNTAIN PARTS :: 2010

UPS These models cannot ship via UPS.

Premier Selection - go to www.hawsco.com for complete selection.

MODEL NUMBER DESCRIPTION LIST PRICE SHIP WT

FAUCETS, VALVES, BUBE	BLERS, PARTS AND ACCESSORIES CONTINUED		
BUBBLER HEADS CONTI	NUED		
5705	Bubbler head, PCP	138.00	2
5720	Bubbler head assembly, PCP	171.00	2
5725	EnviroGard™ bubbler with shielded orifice	237.00	2
VALVES AND VALVE ASS	EMBLIES		
5010	Push button bubbler valve	136.00	2
5010SS	Push button bubbler valve, stainless steel	150.00	2
5010.6427	Push button bubbler valve with flange	225.00	3
5010.6427SS	Push button bubbler valve with flange, stainless steel	250.00	3
5017LF	Lead-free bubbler valve, deck mounted	245.00	3
5051LF	Lead-free bubbler valve, deck mounted	284.00	3
5054EG ~	Lead-free bubbler valve, deck mounted w/EnviroGard™ bubbler	409.00	4
5054LF ~	Lead-free bubbler valve, deck mounted	255.00	3
5057LF	Lead-free bubbler valve, wall mounted	336.00	3
5060LF	Lead-free bubbler valve, deck mounted	265.00	2
5452LF ~	Lead-free gooseneck faucet, self-closing	250.00	4
5510LF ~	Lead-free gooseneck faucet, compression	244.00	4
5530LF ~	Lead-free gooseneck faucet, hot and cold	359.00	4
5551	Glass filler, lever type	110.00	3
5830LF	Lead-free valve, PCP 1/2" x 1/4"	206.00	3
5851LF	Lead-free valve, PCP w/lever handle 3/8" x 3/8"	215.00	2
5871	Valve, 1/4" x 1/4"	140.00	1
5872	Valve, 1/4" x 1/4"	160.00	1
5872HF	Valve, 1/4" x 1/4"	160.00	1
5874	Valve, 1/4" x 1/4"	135.00	2
5874PB	PCP recessed push button w/valve	215.00	3
5874PBF	PCP flanged push button w/valve	215.00	3
5874SS	Valve, 1/4' x 1/4", stainless steel	155.00	2
5881	Air operated valve	298.00	2
6250LF	PCP self-closing, plain end, bib faucet, lead-free	319.00	3
6252EHLF	Lead-free bib faucet, self-closing	235.00	2
6275	Hose bib assembly, compression	263.00	3
PUSH BUTTON ASSEMB	LIES		
5881PBA	Push button assembly for 5881	182.00	1
PBA2	Push button assembly, PCP	96.00	1
PBA4	Push button assembly, PCP	74.00	1
PBA5	Push button assembly, PCP	114.00	1
PBA6	Push button assembly, PCP	85.00	1
PBA6A	Push button assembly, PCP, antimicrobially treated to protect against the growth of mold & mildew	112.00	1
РВА6НРВ	Push button assembly, high polished brass	97.00	1
PBA7	Push button assembly, PCP	84.00	1



shown on sini



5054LF



5874PB



PBA2

:: 8 ::

Not all models are stocked. Please call the factory for a delivery schedule. ~ Faucet or bubbler valves for use with sinks also marked with ~

Items in stock, guaranteed to ship no later than next business day.

FAUCETS, VALVES, BUBBLERS, PARTS AND ACCESSORIES CONTINUED

MODEL NUMBER DESCRIPTION LIST PRICE SHIP WT



6252HST

0	,





PBM1107



REPAIR KITS					
5452HST	Handle stem assembly for 5452LF	211.00	4		
5705LAMIN	Laminar insert	37.00	1		
5800VRKR	Valve repair kit	69.00	1		
5800VRKT	Valve repair kit	69.00	1		
5830HST	Handle and stem assembly	157.00	1		
5851LFHST	Handle and stem assembly for 5851LF	179.00	1		
6252HST	Handle and stem assembly for 6252EHLF	157.00	1		
6518FRDV	Drain valve assembly	44.00	1		
VRK1AV	Valve repair kit for 5881PBA	59.00	1		
VRK2AV	Valve repair kit for 5881	100.00	1		
VRK3AV	Valve repair kit for 5881, gray cover	52.50	1		
VRK5010	Valve repair kit for 5010	50.00	1		
VRK5871	Valve repair kit for 5871	38.00	1		
VRK5872	Valve repair kit for 5872	44.00	1		
VRK5874	Valve repair kit for 5874	56.00	1		
VRKFR1	Valve repair kit	154.00	1		
VRKFR2	Valve repair kit for 6518.2FR	227.00	1		
VRKHO1	Repair kit for HO sensor-3-pin connector	460.00	1		
VRKHO2	Repair kit for HO sensor-universal cable assembly	52.00	1		
VRKHO3	Repair kit for HO sensor-solenoid valve with 2-pin connector				
BOTTOM PLATES					
PBM1000	Bottom plate for 1001 and 1011 series fountains	118.00	1		
PBM1025	Bottom plate for 1025 and 3300 series fountains	125.00	1		
PBM1047	Bottom plate for 1047 and 3150 series fountains	113.00	2		
PBM1105	Bottom plate for 1105 and 1119 series fountains	132.00	2		
PBM1107	Bottom plate for 1107L and 1117L fountains	149.00	2		
PBM1109	Bottom plate for 1109 and 1119 series fountains	149.00	2		
PBM1311	Bottom plate for 1311 and 1501 fountains	85.00	2		
PBM1408	Bottom plate for 1408 fountain	139.00	11		
PBM1431	Bottom plate for 1431 fountain	166.00	11		
PBM1441	Bottom plate for 1441 fountain	175.00	11		
PBM3177	Bottom plate for 3177 fountain	85.00	11		
VP17	Bottom plate for 1430 fountain	156.00	7		
VP18	Bottom plate for 1435 fountain	190.00	10		
FLOW CONTROLS	.OW CONTROLS				
6381	Flow control	61.00	1		
6382	Flow control	60.00	1		
6388	Flow control	57.00	1		
6394	Flow control	45.00	1		
6399	Flow control	56.00	1		
6407	Flow control	88.00	1		
6407.1	Flow control	91.00	1		

Not all models are stocked. Please call the factory for a delivery schedule.

MODEL NUMBER **DESCRIPTION** LIST PRICE SHIP WT

	LERS, PARTS AND ACCESSORIES CONTINUED		
FILTERS AND STRAINERS			
6421	In-line strainer	60.00	1
6422	HydrationStation™ filter replacement cartridge	42.00	2
6425	Water filter	62.00	1
6426	Lead removal filter	149.00	3
6426F	Replacement filter for 6426	103.00	2
6433	Strainer, lead-free celcon	39.00	1
6438	Three hole brass strainer nipple, 1/4" NPT	19.00	1
DRAIN STRAINERS		Y Y	
6450	Waste strainer, stainless steel	14.00	1
6452	PCP brass waste strainer	81.00	1
6454	Waste strainer assembly, PCP brass	60.00	1
6455 ~	Waste strainer assembly, flat type	37.00	1
6458	Waste strainer assembly, flat type	63.00	1
6461	Waste strainer assembly	107.00	2
6462	Waste strainer assembly	74.00	1
6462A	Waste strainer assembly, antimicrobially treated to protect against the growth of mold & mildew		1
6463	Waste strainer assembly, satin chrome-plated	51.00	1
6463PCP	Waste strainer assembly, polished chrome-plated	96.00	1
6466	Waste strainer assembly	147.00	1
VALVE SYSTEMS - FREEZ	E PROTECTION		
6518FR	Pneumatic operated freeze-resistant valve system, single	1090.00	57
6518.2FR	Pneumatic operated freeze-resistant valve system, dual		57
6519FR UPS	Freeze-Guard™ patented enclosed freeze-resistant valve system, single		103
6521FR	Wall mounted pneumatic freeze-resistant valve system, single	858.00	22
BACK AND ACCESS PANI	ELS		
BP3	Back panel, stainless steel, satin, 1105, 1109, 1109FR	79.00	2
BP6	Back panel, stainless steel, satin, 1001 and 1001MS	115.00	2
BP6HPS	Back panel, high polished stainless steel, 1001HPS and 1001HPSMS	314.00	2
BP7	Back panel, stainless steel, satin finish for 1107L	85.00	2
6603	Access panel, stainless steel w/satin finish, 9" x 9"	176.00	3
6603HPS	Same as above in high polish finish	268.00	3
6606	Access panel, stainless steel w/satin finish, 15" x 9"	143.00	2
6606HPS	Access panel, stainless steel w/high polished finish, 15" x 9"	348.00	2
6606HPS 6608	Access panel, stainless steel w/high polished finish, 15" x 9" Access panel, stainless steel w/satin finish, 32" x 9"	348.00 260.00	5
6608	Access panel, stainless steel w/satin finish, 32" x 9"	260.00	5
6608 6608HPS	Access panel, stainless steel w/satin finish, 32" x 9" Access panel, stainless steel w/high polished finish, 32" x 9"	260.00 683.00	5 5
6608 6608HPS PA3177	Access panel, stainless steel w/satin finish, 32" x 9" Access panel, stainless steel w/high polished finish, 32" x 9" Access plate, front, 3177 Access plate, stainless steel used on concrete pedestal fountains	260.00 683.00 78.00	5 5 2
6608 6608HPS PA3177 PAB3000	Access panel, stainless steel w/satin finish, 32" x 9" Access panel, stainless steel w/high polished finish, 32" x 9" Access plate, front, 3177 Access plate, stainless steel used on concrete pedestal fountains	260.00 683.00 78.00	5 5 2
6608 6608HPS PA3177 PAB3000 MOUNTING PLATES/FRA	Access panel, stainless steel w/satin finish, 32" x 9" Access panel, stainless steel w/high polished finish, 32" x 9" Access plate, front, 3177 Access plate, stainless steel used on concrete pedestal fountains MES Steel in-wall mounting plate, single bubbler fountains. 1001 series, 1025, 1105,	260.00 683.00 78.00 61.00	5 5 2 1
6608 6608HPS PA3177 PAB3000 MOUNTING PLATES/FRA 6700 GTS	Access panel, stainless steel w/satin finish, 32" x 9" Access panel, stainless steel w/high polished finish, 32" x 9" Access plate, front, 3177 Access plate, stainless steel used on concrete pedestal fountains MES Steel in-wall mounting plate, single bubbler fountains. 1001 series, 1025, 1105, 1107L and 1109 series	260.00 683.00 78.00 61.00	5 5 2 1

(DPS) These models cannot ship via UPS.









6518FR



[~] Faucet or bubbler valves for use with sinks also marked with ~

FAUCETS, VALVES, BUBBLERS, PARTS AND ACCESSORIES CONTINUED

Steel in-wall mounting plate, 1117L

In-wall mounting frame, 1001MS, 1001HPSMS

In-wall mounting frame, 1011MS, 1011HPSMS

Stainless steel mounting plate for 3500 StreetSmart™ series

6" galvanized anchors for 3500 StreetSmart™ series

Cane touch skirt for 1119 and H1119.8 series

Cane touch skirt for 1011 and H1011.8 series

Same as above in high polish finish

MODEL NUMBER DESCRIPTION LIST PRICE SHIP WT

HydrationStation™ mounting kit for chiller; includes mounting frame and grill – chiller

Universal in-wall support carrier for use with 6700 series mounting plates



MTGFR.DF

	MOUNTING PLATES/FRAMES CONTINUED				
	6717 (1)	Steel in-wall moun			
	6800	Universal in-wall s			
	MTGFR.DF1	In-wall mounting f			
	MTGFR.DF2	In-wall mounting f			
	MTGFR.HSC	HydrationStation™ sold separately			
F1	MTG.3500	Stainless steel mou			
	MTG.3501	6" galvanized anch			
	TOUCH SKIRTS	_			

SK1

SK3

SK3HPS

MISCELLANEOUS PARTS







0006983506

5815	Check valve	41.00	1
5867	Regulator, 1/4" x 1/4"	88.00	2
6427.38	Socket flange with washers and locknut	85.00	2
6430	Socket flange with washers and locknut	105.00	1
6449	Screwdriver stop	47.00	1
6611	In-ground sand trap	690.00	12
6620	Square step, 10" high for 3121 and 3150 series	551.00	115
6625	PolyEthylene ground valve box w/lid for 6518FR and 6518.2FR	130.00	47
6635	Acrylic sand trap for 3500 series	603.00	4
0000086686.2	Aerator with key	36.50	1
0000087770	Aerator with key	23.50	1
0001333699	Button, push for 5010	8.50	1
0001980150	Cover, black, for 5881 valve	48.50	1
0002049640	StreetSmart™ door key	7.50	1
0002689057	Handle with set screw for 5012	16.00	1
0002744201	Lever handle, black, for 5551	13.00	1
0002981127	Key, hex, for pinned hex screw	17.00	1
0003849387	Nut cover, hex, for 5010	12.00	1
0003849394	Retaining nut for 5010	8.50	1
0004607511.1	Cap nut for 5830	28.00	1
0004956308	Strainer screen for 5017LF	1.50	1
0005021530	Screw, handle for 5510LF, 5530LF	4.50	1
0005181110.1	Screw, adjusting for 5830LF, 5051LF	11.00	1
0005212626.1	Seat-renew for 5510LF, 5530LF	32.50	1
0005384011	Spout with O-ring for 5010	17.50	1
0005514039.1	Stem assembly, cold, for 5510LF, 5530LF	31.50	1
0005517974.1	Stem assembly, hot, 5530LF	31.50	1
0005760300.2	Drain waste assembly for 6521FR	145.50	3
0005982900	Trap, 1-1/4" low profile	31.50	2
0005987000	Trap, 1-1/2"	29.00	2
0006863494.3	Washer, cap nut, for 5051LF and 5830LF	1.50	1
0006983506	Wrench, spanner for 5010, 5871 and 5874	12.00	1

180.00

300.00

196.00

365.00

300.00

238.00

72.00

224.00

241.00

503.00

23

26

10

24

11

12

4

4

4

4

ELECTRIC WATER COOLERS :: ELECTRIC DRINKING FOUNTAINS :: 2010

MODE	L NUMBER		LIST PRICE	SHIP WT	GPH*	ŧ	
BAR	RIER-FREE ELEC	RIC WATER COOLERS					
HWU	ACP8	Front and side pushbars	730.00	63	7.8		
HWU	ACP8SS	Front and side pushbars, stainless steel cabinet	807.00	63	7.8		
HWU	ACP8L	Hi-Lo w/upper unit on left, front and side pushbars	1363.00	90	7.8		
	SK9	OPTION: Cane touch skirt if required to comply with ADA protruding objects guidelines	200.00	5		90	
HWU	ACP8LSS	Hi-Lo w/upper unit on left, front and side pushbars, stainless steel cabinets	1515.00	90	7.8		
HWUACP8LSS SK9SS		OPTION: Stainless steel cane touch skirt if required to comply with ADA protruding objects guidelines	265.00	6			
OPTIO	ON FOR BARRIER-	REE ELECTRIC WATER COOLERS ABOVE				HWUACP	
	5551	OPTION: Cold water glassfiller to any of the above models, push lever, factory installed	175.00	3	M		
IWB	FA8.VRC	Vandal resistant 14 gauge stainless steel top and cabinet	3200.00	82	7.7		
HWB	FA8L.VRC	Hi-Lo, vandal resistant 14 gauge stainless steel top and cabinet, upper unit on left	5350.00	136	7.7		
BARI	RIER-FREE ELEC	RIC DRINKING FOUNTAINS					
H100		18 gauge, satin finish stainless steel with chiller and in-wall mounting frame – <i>Requires</i> items listed below				6	
œ	H1001.8	Satin finish stainless steel drinking fountain with grille and back panel	1300.00	32			
ORDER	HCR8	Chiller 8 gallons per hour	900.00	47	8		
Ō	MTGFR.SM	In-wall mounting frame, single	210.00	17		- 111	
		TOTAL	2410.00	İ			
	HCR8.50	OPTION: Chiller 8 gallons per hour. 200 to 240 voltage range, 50 Hz, single phase compressor – Order in lieu of HCR8	1279.00	47	8		
H100	01.8HPS ₽	18 gauge, high polished stainless steel with chiller and in-wall mounting frame – <i>Requires items listed below</i>				H1001.8	
<u>~</u>	H1001.8HPS	High polished stainless steel drinking fountain with grille and back panel	2459.00	32			
ORDER	HCR8	Chiller 8 gallons per hour	900.00	47	8		
0	MTGFR.SM	In-wall mounting frame, single	210.00	17			
		TOTAL	3569.00	İ			
	HCR8.50	OPTION: Chiller 8 gallons per hour. 200 to 240 voltage range, 50 Hz, single phase compressor – Order in lieu of HCR8	1279.00	47	8		
H101	1.8	18 gauge, Hi-Lo w/upper unit left side, satin finish stainless steel with chiller and in-wall mounting frame – <i>Requires items listed below</i>					
监	H1011.8	Hi-Lo w/upper unit left side, satin finish stainless steel drinking fountain with grille and back panel	2400.00	60			
ORD	HCR8	Chiller 8 gallons per hour	900.00	47	8		
	MTGFR.LG	In-wall mounting frame, Hi-Lo	270.00	37		H1011.8	
		TOTAL	3570.00				
	SK3	OPTION: Cane touch skirt if required to comply with ADA protruding objects guidelines	241.00	4			
	HCR8.50	OPTION: Chiller 8 gallons per hour. 200 to 240 voltage range, 50 Hz, single phase compressor – Order in lieu of HCR8	1279.00	47	8		
H101	1.8HO 🔁	18 gauge, Hi-Lo w/upper unit left side, satin finish stainless steel, sensor operated with chiller and in-wall mounting frame – <i>Requires items listed below</i>					
#	H1011.8HO	Hi-Lo w/upper unit left side, satin finish stainless steel drinking fountain, sensor operated with grille and back panel	3286.00	60			
ORDER	HCR8	Chiller 8 gallons per hour	900.00	47	8	El Com	
0	MTGFR.LG		270.00 4456.00	37			
	SK3	OPTION: Cane touch skirt if required to comply with ADA protruding objects guidelines	241.00	4			
	HCR8.50	OPTION: Chiller 8 gallons per hour. 200 to 240 voltage range, 50 Hz, single phase compressor – Order in lieu of HCR8.	1279.00	47	8	H1011.8H	

ORDER Order each of these line items to receive the complete model.

Items in stock, guaranteed to ship no later than next business day.

Not all models are stocked. Please call the factory for a delivery schedule.

Premier Selection - go to www.hawsco.com for complete selection.

^{**} Standard Rating Condition

Electric Water Coolers are not shipped UPS unless they ship via Next Day Air.

ELECTRIC WATER COOLERS :: ELECTRIC DRINKING FOUNTAINS :: 2010

	MODE	L NUMBER		DESCRIPTION	LIST PRICE	SHIP WT	GPH**
	BAR	RIER-FREE EL	ECTRIC	C DRINKING FOUNTAINS CONTINUED			
	H101	11.8HPS 🔑		18 gauge, Hi-Lo w/upper unit left side, high polished stainless steel with chiller and in-wall mounting frame – <i>Requires items listed below</i>			
	JER.	H1011.8HP	5	Hi-Lo w/upper unit left side, high polished stainless steel drinking fountain with grille and back panel	4331.00	60	
	ORD	HCR8	I	Chiller 8 gallons per hour	900.00	47	8
		MTGFR.LG	ব্য	In-wall mounting frame, Hi-Lo	270.00	37	
H1011.8HPS			TOTAL	5501.00			
		SK3HPS		OPTION: Cane touch skirt if required to comply with ADA protruding objects guidelines	503.00	6	
		HCR8.50		OPTION: Chiller 8 gallons per hour. 200 to 240 voltage range, 50 Hz, single phase compressor – Order in lieu of HCR8.	1279.00	47	8
	H110)7.8		Antimicrobially treated to protect against the growth of mold and mildew, 14 gauge satin finish, stainless steel drinking fountain, low profile, integral bowl, and trap with chiller and in-wall mounting frame – <i>Requires items listed below</i>			
	ER	H1107.8	@	14 gauge satin finish, stainless steel drinking fountain, low profile, integral bowl, and trap with grille and back panel	1445.00	32	
	ORDI	HCR8	ব্য	Chiller 8 gallons per hour	900.00	47	8
ull!	-	MTGFR.7	I	In-wall mounting frame, H1107.8	175.00	17	
H1107.8				TOTAL	2520.00		
		HCR8.50		OPTION: Chiller 8 gallons per hour. 200 to 240 voltage range, 50 Hz, single phase compressor – Order in lieu of HCR8	1279.00	47	8
	H110)9.8 <i>P</i>		18 gauge satin finish, stainless steel integral bowl with trap, chiller and in-wall mounting frame – <i>Requires items listed below</i>			
200	£	H1109.8	I	Satin finish stainless steel drinking fountain with grille and back panel	1100.00	32	
3)	ORDER	HCR8	@	Chiller 8 gallons per hour	900.00	47	8
	0	MTGFR.SM	I	In-wall mounting frame, single	210.00	17	
				TOTAL	2210.00		
		H1109.8A		OPTION: Same as H1109.8 with antimicrobial treatment to protect against the growth of mold & mildew – Order in lieu of H1109.8	1408.00	32	
H1109.8		HCR8.50		OPTION: Chiller 8 gallons per hour. 200 to 240 voltage range, 50 Hz, single phase compressor – Order in lieu of HCR8	1279.00	47	8
	H111	17.8 <u>P</u>		Antimicrobially treated to protect against the growth of mold and mildew, 14 gauge, Hi-Lo adjustable height, satin finish, stainless steel, low profile, integral bowl, and trap with chiller and in-wall mounting frame – <i>Requires items listed below</i>			
	出	H1117.8	®	14 gauge, Hi-Lo adjustable height, satin finish, stainless steel, low profile integral bowl, and trap with grille and back panel	2535.00	78	
	ORD	HCR8	I	Chiller 8 gallons per hour	900.00	47	8
		MTGFR.17	I	In-wall mounting frame, H1117.8	265.00	38	
				TOTAL	3700.00		
H1117.8		HCR8.50		OPTION: Chiller 8 gallons per hour. 200 to 240 voltage range, 50 Hz, single phase compressor – Order in lieu of HCR8	1279.00	47	8

ORDER Order each of these line items to receive the complete model.

Items in stock, guaranteed to ship no later than next business day.

Not all models are stocked. Please call the factory for a delivery schedule.

Premier Selection - go to www.hawsco.com for complete selection.

 $[\]ensuremath{^{**}}$ Standard Rating Condition.

Electric Water Coolers are not shipped UPS unless they ship via Next Day Air.

ELECTRIC WATER COOLERS :: ELECTRIC DRINKING FOUNTAINS :: 2010

MODEL NUMBER DESCRIPTION LIST PRICE GPH** **BARRIER-FREE ELECTRIC DRINKING FOUNTAINS CONTINUED** H1119.8 18 gauge, Hi-Lo w/upper unit left side, satin finish, stainless steel integral bowls with traps, chiller and in-wall mounting frame - Requires items listed below H1119.8 Hi-Lo w/upper unit left side, satin finish stainless steel drinking fountain with grille and 2250.00 back panel ങ HCR8 Chiller 8 gallons per hour 900.00 47 8 MTGFR.LG **GI** In-wall mounting frame, Hi-Lo 270.00 37 OPTION: Same as H1119.8 with antimicrobial treatment to protect against the growth of mold and H1119.8A 2488.00 60 mildew - Order in lieu of H1119.8 OPTION: Cane touch skirt if required to comply with ADA protruding objects guidelines SK1 224.00 4 OPTION: Chiller 8 gallons per hour. 200 to 240 voltage range, 50 Hz, single phase compressor – HCR8.50 1279.00 47 8 Order in lieu of HCR8 **HWCT8** 18 gauge satin finish, stainless steel, fully recessed with chiller and in-wall mounting frame - Requires items listed below **HWCT8** 18 gauge satin finish, stainless steel drinking fountain, fully recessed with grille 1900.00 64 HCR8 ങ Chiller 8 gallons per hour 900.00 47 8 MTGFR.HWCT In-wall mounting frame, HWCT8 310.00 20 HCR8.50 OPTION: Chiller 8 gallons per hour. 200 to 240 voltage range, 50 Hz, single phase compressor – Order in 1279.00 47 8 **DELUXE WALL MOUNTED WATER COOLERS** HW₀₈ Lever handle with flexible bubbler guard, stainless steel top 1350.00 70 OPTION: Cold water glassfiller, push lever, factory installed 5551 175.00 3 **DELUXE FLOOR MOUNTED WATER COOLERS** HFO8 Lever handle with flexible bubbler guard, stainless steel top 1410.00 88 OPTION: Cold water glassfiller, push lever, factory installed 5551 175.00 3 **COMPACT FLOOR MOUNTED WATER COOLERS** HCFO₅ Lever handle with flexible bubbler guard, stainless steel top 1230.00 58 5551 OPTION: Cold water glassfiller, push lever, factory installed 175.00 3 **REMOTE CHILLERS** HCR8 Chiller 8 gallons per hour 900.00 HCR8.50 Chiller 8 gallons per hour. 200 to 240 voltage range, 50 Hz, single phase compressor 1279.00 47 8 **CHILLER ACCESSORIES** H7149MS Mounting shelf for remote chiller 305.00 16 6421 In-line strainer 60.00 1 6425 Filter, 3/8" IPS 62.00 1 149.00 3 6426 Lead removal filter (includes tubing & connectors)



HCR8

HWCT8

H1119.8

Models designated with the symbol are part of our Premier Selection, our most elegant fountains that can be custom tailored to fit your individual needs.

The Haws Premier Selection represents the top-of-the-line in drinking fountain styling and quality. With tasteful, attractive designs and stunning finishes, there is a Premier Selection product for almost any application.

Available Premier finishes include: High Polished Rose, Satin Rose, High Polished Gold, Satin Gold, High Polished Stainless and Satin Stainless.

Available Premier colors include: *Green, Yellow, Ebony, Blue, Silver, White, Red, Coffee, Tangerine and Bronze.*

Available Premier polymarble bowls include: Monte Carlo Grey Granite, Aurora Granite, Espresso Onyx and Smoky Pearl Onyx.

For customization details and pricing please visit www.hawsco.com

ORDER Order each of these line items to receive the complete model.

Items in stock, guaranteed to ship no later than next business day.

Not all models are stocked. Please call the factory for a delivery schedule.

Premier Selection - go to www.hawsco.com for complete selection.

** Standard Rating Condition

Electric Water Coolers are not shipped UPS unless they ship via Next Day Air.

TERMS & CONDITIONS

PRICES AND PROJECT QUOTATIONS

PRICES shown in all of our Price Sheets are subject to change without notice. All shipments are subject to invoicing at price in effect at time of order. PROJECT QUOTATIONS: These are for acceptance within a maximum of 90 days from date of quotation and prices are guaranteed only for materials which can be scheduled and shipped within one year from date of quotation, except where this period has been extended in writing by HAWS Corporation. Materials scheduled for shipment following initial guarantee period are subject to invoicing at price in effect at time of shipment. Orders with indefinite shipping date. i.e. hold for approval, will advise, etc., have no production status and product will not be held or produced until order has been approved/released. All orders are subject to acceptance by HAWS in Sparks, Nevada. No agent or representative of the company is authorized to make any exceptions.

TERMS, TAXES & MINIMUM INVOICE

TERMS: 1% Cash Discount from date of invoice, not from date merchandise is received, if payment is received within 15 days of invoice date. Payments made by credit card will not be eligible for a 1% cash discount. No discount allowed on freight charges, accounts with delinquent balances, or cash-in-advance transactions. All invoices are due net within 30 days. Interest at the rate of 1½% per month or the maximum legal rate permitted under the laws of the buyer's state, whichever is less, will be added to the account on all overdue invoices. THESE TERMS AND CONDITIONS APPLY REGARDLESS OF ANY PRINTED TERMS ON YOUR ORDER. ANY UNEARNED DISCOUNTS WILL BE CHARGED BACK. If legal action is necessary to enforce payment, purchaser will pay any court costs and reasonable attorney fees. Any sales or manufacturer's tax imposed under existing or future statutes may be added to the price herewith and shall be paid by the buyer. Minimum Invoice is \$50.00 net. NO SHIPMENTS WILL BE MADE TO ACCOUNTS WHICH ARE IN ARREARS.

FREIGHT, WEIGHTS & SPECIAL DELIVERY

All shipments are F.O.B. factory, except where specifically stated otherwise. All weights shown in HAWS literature, price sheets or quotations are estimates and are not guaranteed. A minimum \$25.00 charge is made for special delivery to airline or bus terminals. **F.O.B. point Sparks, NV.** There will be an additional \$25.00 surcharge for parcel post shipments.

RETURNED GOODS

No material shall be returned without written permission. When granted, no credit will be issued until purchaser supplies correct invoice number and date covering original shipment of material. All credits, when issued, will apply only against future purchases and are subject to the following: 25% restocking charge; any charges necessary to put the material back in saleable condition; any outgoing freight charges paid by HAWS. The foregoing applies only to items regularly stocked by the factory. Value of custom fabrication and non-stock items will be as determined by the factory.

Haws now offers a FULL CREDIT/NO HANDLING CHARGE Return Goods Policy. Certain restrictions apply. Contact HAWS or a Haws Representative for full details.

PRODUCT APPROVALS, FIELD MEASUREMENTS, CHANGE IN SPECIFICATIONS & CANCELLATIONS

PRODUCT APPROVALS: When quoting equivalent materials, every effort is made to quote on materials which are equal or superior to those specified. HAWS will provide, at no cost, certified technical data sheets for submission to architect/engineer/owner for approval. HAWS cannot guarantee this approval. The limit of our responsibility is to provide the material exactly as quoted. When materials are approved as submitted, the limit of HAWS responsibility is to furnish material as approved. Product modifications or alternate products will only be furnished at their current selling prices. Field measurements, when required, are the responsibility of the purchaser and must be transmitted to HAWS in writing. Measurements made by a HAWS employee or representative are acceptable only when verified and approved in writing by the purchaser/contractor. A change in specifications or cancellation can only be honored by written notice **with the understanding that any charges incurred will be chargeable to purchaser**.

LIMITED WARRANTY

HAWS warrants that all of its products are guaranteed against defective material or poor workmanship for a period of **one year from date of shipment**. HAWS liability under this warranty shall be discharged by furnishing without charge F.O.B. HAWS factory any goods, or part thereof, which shall appear to the company upon inspection to be of defective material or not of first class workmanship, provided that claim is made in writing to company within a reasonable period after receipt of the product. Where claims for defects are made, the defective part or parts shall be delivered to the company, prepaid, for inspection. HAWS will not be liable for the cost of repairs, alterations or replacements, or for any expense connected therewith made by the owner or his agents, except upon written authority from HAWS, Sparks, Nevada. HAWS will not be liable for any damages caused by defective materials or poor workmanship, except for replacements, as provided above. Buyer agrees that HAWS has made no other warranties either expressed or implied in addition to those above stated, except that of title with respect to any of the products or equipment sold hereunder and that HAWS shall not be liable for general, special, or consequential damages claimed to arise under the contract of sale.

NO OTHER WARRANTIES EXPRESS OR IMPLIED ARE AUTHORIZED, PROVIDED OR GIVEN BY HAWS.

SHIPPING DATE

Every effort is made to comply with scheduled shipping dates: however, HAWS is not liable for any loss or damage arising out of delay in delivery of any of its products due to causes beyond the control of the Company. When a customer order is scheduled in production, changes in shipping date can only be honored by written notice, with the understanding that any charges incurred will be charged to the purchaser and rescheduling can only be made on the basis of factory convenience.

TRANSPORTATION CLAIMS

The responsibility of HAWS ceases upon delivery of goods in good order to transportation company, and all goods are shipped at consignee's risk.

For your protection, shipment should be inspected immediately upon receipt by consignee. If goods are damaged in shipment it is the responsibility of the consignee to have that damage noted on the freight delivery receipt by the delivering carrier. This includes visible carton damage such as crushed corners, creases etc. If the consignee believes there may be concealed damage, or any damage is visible, (regardless of consignee's opinion as to whether it is damage or defective), shipment must be inspected by the delivering carrier and an inspection report made. The carrier, not the shipper, should be charged with any loss or damage and any claim should be filed with the delivering transportation company. NO CHARGE BACKS WILL BE ALLOWED FOR ARBITRARY CLAIM DEDUCTIONS DUE TO FAILURE OF CARRIERS TO PAY LEGITIMATE CLAIMS IN FULL.

SHORTAGES

All claims for error, shortage or damage must be made within ten days after receipt of goods. No claim for failure to receive shipment will be honored unless HAWS is notified within a reasonable time after receipt of invoice.

CATALOG SPECIFICATION. ILLUSTRATIONS & DESCRIPTIONS

Illustrations, detail drawings and accompanying descriptions describe standard features and sometimes optional variations of each product. They do not necessarily show or describe all the variations available. All designs are subject to change without notice and unless stated in the order, material will be furnished of design in effect at the time the order is filled. As may be necessary, we reserve the right to substitute materials and/or to make changes in design or other specification, as shown and described in any of our printed literature, without liability to purchasers.

Haws Electric Drinking Fountains and Electric Water Coolers meet NSF-61 requirements, complies with A.R.I. Standard 1010 and are CSA certified and/or U.L. Listed. Haws Emergency Equipment is manufactured to meet ANSI Standard Z358.1 for Emergency Eyewash and Shower Equipment.



1455 Kleppe Lane :: Sparks, NV 89431 :: (888) 640-4297 :: www.hawsco.com :: email: info@hawsco.com :: Fax: (775) 359-7424

©2009 Haws Corporation :: All Rights Reserved :: REV. 10/09 .5M