

Model	Description	List Price
Handheld Instruments & Kits (excluding temperature):		
103	Handheld meter. Conductivity	\$85.00
103 KA	103: handheld meter. Conductivity. 104:conductivity cell	\$159.00
103 KB	103: handheld meter. Conductivity. 104:conductivity cell 103F:carrying case	\$179.00
103 KC	103: handheld meter. Conductivity. 104:conductivity cell 008:electrode stand holder 103F:carrying case	\$215.00
110	Conductivity pen (10-1990 μ S)	\$39.00
111	Conductivity pen (0.1-19.9 mS)	\$39.00
112	Conductivity pen (1-199 μ S)	\$39.00
113	TDS pen (10-1990 ppm)	\$39.00
1671	Benchtoper meter. pH, Temp, mV, Cond.	\$459.00
3107	Benchtoper meter with RS-232C interface. Cond., Salinity, Temp	\$495.00
3107 K	3107:benchtoper meter with RS-232C interface. Cond., Salinity, Temp. K= 0.1, 1.0 or 10.0 6007D115: 115VAC adaptor 101: K=1.0 conductivity cel	\$590.00
3250	Handheld meter with RS-232C interface. Cond., Salinity, Temp	\$395.00
3250 K	3250:handheld meter with RS-232C interface. Cond., Salinity, Temp. K= 0.1, 1.0 or 10.0 6007D115: 115V AC adaptor 101: K=1.0 conductivity cell 3250F: carrying case	\$520.00
3251	Handheld meter without RS-232C interface. Cond., Salinity, Temp	\$295.00
3251 K	3251:handheld meter without RS-232C interface. Cond., Salinity, Temp. K= 0.1, 1.0 or 10.0 106:glass conductivity cell 6007D115:115V AC adaptor 3250F:carrying case	\$399.00
5001	Handheld meter. pH	\$139.00
5001 K	5001:handheld meter. pH 600P:pH/Ref. electrode 5000F:carrying case with pH 4.0&7.0 buffer capsule:	\$195.00
5003	Handheld meter. pH, mV (ORP)	\$159.00
5003K	5003:handheld meter. pH, mV (ORP) 600P:pH/Ref. electrode 5000F:carrying case with pH 4.0&7.0 buffer capsule:	\$215.00
5005	Handheld meter. pH, mV (ORP), Temp	\$185.00
5005 KA	5005:handheld meter. pH, mV (ORP), Temp 600P:pH/Ref. electrode 5000F:carrying case with pH 4.0&7.0 buffer capsule:	\$245.00
5005 KB	5005:handheld meter. pH, mV (ORP), Temp 600P:pH/Ref. electrode 600A:temp probe 5000F:carrying case with pH 4.0&7.0 buffer capsule:	\$310.00
60	Handheld meter. pH	\$110.00

Model	Description	List Price
60 K	60:handheld meter. pH 600P:pH/Ref. electrode 600D115:115V AC adaptor 6000F:carrying case with pH 4.0&7.0 buffer capsule:	\$185.00
6007	Handheld meter, pH, Temp	\$180.00
6007 K	6007:handheld meter. pH, Temp 6000P:pH/Ref./Temp electrode 6007F:carrying case with pH 4.0&7.0 buffer capsule:	\$259.00
6007 KA	6007:handheld meter. pH, Temp 6000P:pH/Ref./Temp electrode 6007D115:115VAC adaptor or 6007D230:220 VAC adaptor 6007F:carrying case with pH 4.0&7.0 buffer capsule:	\$274.00
6007 KB	6007:handheld meter. pH, Temp 6000P:pH/Ref./Temp electrode 6001C: electrode cable 6007D115:115VAC adaptor 6007F:carrying case with pH 4.0&7.0 buffer capsule:	\$299.00
601 A	Handheld meter. pH, mV (ORP)	\$180.00
601A KA	601A:handheld meter. pH, mV (ORP) 600P:pH/Ref. electrode 600F:carrying case with pH 4.0&7.0 buffer capsule:	\$240.00
601A KB	601A:handheld meter. pH, mV (ORP) 600P:pH/Ref. electrode 600D115:115VAC adaptor 600F:carrying case with pH 4.0&7.0 buffer capsule:	\$250.00
6027	Handheld meter. pH, mV (ORP), Temp	\$195.00
6027 KA	6027:handheld meter. pH, mV (ORP), Temp 600P:pH/Ref. electrode 6027F:carrying case with pH 4.0&7.0 buffer capsule:	\$255.00
6027 KB	6027:handheld meter. pH, mV (ORP), Temp 600P:pH/Ref. electrode 6000A:Temp. probe 6007D115:115VAC adaptor 6027F:carrying case with pH 4.0&7.0 buffer capsule:	\$309.00
6027 KC	6027:handheld meter. pH, mV (ORP), Temp 6000P:pH/Ref./Temp electrode 6003C:electrode cable 6027F:carrying case with pH 4.0&7.0 buffer capsule:	\$309.00
6072	Bench-portable meter. pH, mV (ORP), Temp	\$240.00
6072 KA	6072:bench-portable meter. pH, mV (ORP), Temp 600P:pH/Ref. electrode 600D115:115VAC adaptor 6072F:carrying case with pH 4.0&7.0 buffer capsule:	\$299.00
6072 KB	6072:bench-portable meter. pH, mV (ORP), Temp 6000P:pH/Ref./Temp. electrode 6001C: electrode cable 600D115:115V AC adaptor 6072F:carrying case with pH 4.0&7.0 buffer capsule:	\$345.00
6072 KC	6072:bench-portable meter. pH, mV (ORP), Temp 600P:pH/Ref. electrode 6000A:Temp probe 600D115: 115V AC adaptor 6072F:carrying case with pH 4.0&7.0 buffer capsule:	\$345.00

Model	Description	List Price
608	Handheld meter with LED display. pH	\$149.00
608K	608:handheld meter with LED display. pH 600P:pH/Ref. electrode 600F:carrying case with pH 4.0&7.0 buffer capsule:	\$205.00
609	Handheld meter with LCD display. pH	\$159.00
609 K	609:handheld meter with LCD display. pH 600P: pH/Ref. electrode 600F:carrying case with pH 4.0&7.0 buffer capsule:	\$215.00
6091 N	Benchtop datalogger (No options). pH, mV (ORP), Temp	\$515.00
6091 NS	Benchtop datalogger with RS-232C. pH, mV (ORP), Temp	\$565.00
6091 NKA	6091N:Benchtop datalogger (No options). pH, mV (ORP), Temp 600P:pH/Ref electrode	\$555.00
6091 NKB	Benchtop datalogger (No options). pH, mV (ORP), Temp 6000P: pH/Ref./Temp. electrode 6001C:electrode cable	\$599.00
6091 NKC	6091N:bench top datalogger (No options). pH, mV (ORP), Temp 600P:pH/Ref electrode 6000A:Temp probe	\$599.00
6091 NR	Benchtop datalogger with compensated voltage output	\$565.00
6091 NSR	Benchtop datalogger with compensated voltage output and RS-232C	\$615.00
610	pH pen	\$33.00
611	Analog handheld meter	\$119.00
611K	611:analog handheld meter. pH 600P:pH/Ref. electrode 600F:carrying case with pH 4.0&7.0 buffer capsule:	\$175.00
612	pH pen	\$99.00
612 K	612:pH pen 612E:pH electrode 612F:carrying case with pH 4.0&7.0 buffer capsule:	\$169.00
6171	Benchtop meter with RS-232C interface. pH, mV (ORP), Temp	\$325.00
6171 KA	6171:benchtop meter with RS-232C interface. pH, mV (ORP), Temp 600P:pH/Ref. electrode 6007D115:115V AC adaptor	\$365.00
6171 KB	6171:bench top meter with RS-232C interface. pH, mV (ORP), Temp 6000P:pH/Ref./Temp electrode 6005C:electrode cable 6007D115:115V AC adaptor	\$409.00
6171 KC	6171:benchtop meter with RS-232C interface. pH, mV (ORP), Temp 600P:pH/Ref. Electrode with BNC connector 6230A:Temp probe 6007D115: 115V AC adaptor	\$409.00
6171L	Benchtop meter without RS-232C interface. pH, mV (ORP), Temp	\$225.00
6171L KA	6171L:benchtop meter without RS-232C interface. pH, mV (ORP), Temp 600P: pH/Ref.electrode with BNC connector 6000B: 4-pin to BNC adaptor	\$285.00
6171L KB	6171L:benchtop meter without RS-232C interface. pH, mV (ORP), Temp 6000P:3-in-1 pH/Ref./Temp electrode 6001C:3 ft. extension cable for 6000P 6007D115:115VAC adaptor	\$314.00

Model	Description	List Price
6171L KC	6171L: benchtop meter without RS-232C interface. pH, mV (ORP), Temp 6230A: ATC probe 600P: pH/Ref. electrode with BNC connector 6000B: 4-pin to BNC adaptor 6007D115:115V AC adaptor	\$334.00
6173R	Large LCD bench meter, with RS-232C interface. pH, mV (ORP), Temp	\$285.00
6173R KA	6173R:large LCD bench meter with RS-232C interface. pH, mV (ORP), Temp 600P: pH/Ref. electrode 6230A-ST: ATC probe 6007D115:115VAC adaptor	\$374.00
6173R KB	6173R: large LCD bench meter with RS-232C interface. pH, mV (ORP), Temp 6000P: pH/Ref./Temp. electrode 6005C: electrode cable 6007D115:115VAC adaptor	\$374.00
6173R KAA	6173R KA 007N: probe holder	\$423.00
6173R KBA	6173R KB 007N: probe holder	\$423.00
6173	Large LCD bench meter without RS-232C. pH, mV (ORP), Temp	\$225.00
6173 KA	6173: large LCD bench meter without RS-232C. pH, mV (ORP), Temp 600P: pH/Ref. electrode 6230A-ST:ATC probe 6007D115:115 VAC adaptor	\$314.00
6173 KB	6173: large LCD bench meter without RS-232C. pH, mV (ORP), Temp 6000P pH/Ref./Temp electrode 6005C: electrode cable 6007D115:115 VAC adaptor	\$314.00
6173 KAA	6173KA 007N: probe holder	\$369.00
6173 KBA	6173KB 007N: probe holder	\$369.00
62	Handheld meter. mV (ORP)	\$110.00
62 K	62: handheld meter. mV (ORP) 600E-ORP:ORP electrode 600D115: 115 V AC adaptor 600F:carrying case with pH 4.0&7.0 buffer capsule:	\$209.00
620	pH pen	\$43.00
6201	Benchtop meter with LED display, AC line cord. pH, mV, Temp, Ion	\$495.00
6201 KA	6201:benchtop meter with LED display, AC line cord. pH, mV, Temp, Ion 600P: pH/Ref. Electrode	\$535.00
6201 KB	6201:bench top meter with LED display, AC line cord. pH, mV, Temp, Ion 600P: pH/Ref. electrode 600A:Temp probe	\$599.00
6209	Benchtop meter with LED display, AC line cord. pH, mV, Temp, Ion	\$695.00
6209 KA	6209: benchtop meter with LED display, AC line cord. pH, mV, Temp, Ion 600P:pH/Ref. Electrode	\$735.00
6209 KB	6209: bench top meter with LED display, AC line cord. pH, mV, Temp, Ion 600P:pH/Ref. electrode 600A:Temp probe	\$799.00
6219	Benchtop meter with RS-232C interface. pH, m V, Temp, Ion	\$495.00

Model	Description	List Price
6219 KA	6219: benchtop meter with RS-232C interface. pH, mV, Temp, Ion 600P: pH/Ref. electrode 6007D115: 115VAC adaptor	\$540.00
6219 KB	6219: benchtop meter with RS-232C interface. pH, mV, Temp, Ion 6000P: pH/Ref. electrode 6005C: electrode cable 6007D115: 115VAC adaptor	\$589.00
6219 KC	6219: benchtop meter with RS-232C interface. pH, mV, Temp, Ion 600P: pH/Ref. electrode 6230A: Temp probe 6007D115: 115VAC adaptor	\$589.00
6230	Handheld meter with RS-232C interface. pH, mV (ORP), Temp	\$240.00
6230 KA	6230: handheld meter with RS-232C interface. pH, mV (ORP), Temp 600P: pH/Ref. electrode 6230F: carrying case with pH 4.0&7.0 buffer capsule:	\$305.00
6230 KB	6230: handheld meter with RS-232C interface. pH, mV (ORP), Temp 600P: pH/Ref. electrode 6230A: Temp probe 6230F: carrying case with pH 4.0&7.0 buffer capsule:	\$364.00
6230 KC	6230: handheld meter with RS-232C interface. pH, mV (ORP), Temp 6000P: pH/Ref./Temp. electrode 6005C: electrode cable 6007D115: 115VAC adaptor 6230F: carrying case with pH 4.0&7.0 buffer capsule:	\$364.00
6231	Handheld meter without RS-232C interface. pH, mV (ORP), Temp	\$180.00
6231 KA	6231: handheld meter without RS-232C interface. pH, mV (ORP), Temp 600P: pH/Ref. electrode with BNC connector 6000B: 4-pin to BNC adaptor 6007D115: 115VAC adaptor 6230F: carrying case with pH 4.0&7.0 buffer capsule:	\$270.00
6231 KB	6231: handheld meter without RS-232C interface. pH, mV (ORP), Temp 6000P: pH/Temp/Ref. electrode 6001C: 3 ft. electrode cable 6007D115: 115VAC adaptor 6230F: carrying case with pH 4.0&7.0 buffer capsule:	\$299.00
6231 KC	6231: handheld meter without RS-232C interface. pH, mV (ORP), Temp 6000P: pH/Ref./Temp. electrode with BNC connector 6000B: 4-pin to BNC adaptor 6230A: ATC probe 6007D115: 115VAC adaptor 6230F: carrying case with pH 4.0&7.0 buffer capsule:	\$319.00
6250	Handheld meter with RS-232C interface. pH, mV, Temp, Ion	\$395.00
6250 KA	6250: handheld meter with RS-232C interface. pH, mV, Temp, Ion 600P: pH/Ref. electrode 6250F: carrying case with pH 4.0&7.0 buffer capsule:	\$460.00
6250 KB	6250: handheld meter with RS-232C interface. pH, mV, Temp, Ion 6000P: pH/Ref./Temp electrode 6005C: electrode cable 6007D115: 115VAC adaptor 6250F: carrying case with pH 4.0&7.0 buffer capsule:	\$519.00
6250 KC	6250: handheld meter with RS-232C interface. pH, mV, Temp, Ion 600P: pH/Ref. electrode 6230A: Temp probe 6007D115: 115VAC adaptor 6250F: carrying case with pH 4.0&7.0 buffer capsule:	\$519.00

Model	Description	List Price
6251	Handheld meter without RS-232C interface. pH, mV, Temp, Ion	\$295.00
6251 KA	Handheld meter without RS-232C interface. pH, mV, Temp, Ion 600P: pH/Ref. electrode with BNC connector 6000B: 4-pin to BNC adaptor 6007D115:115VAC adaptor 6250F:carrying case with pH 4.0&7.0 buffer capsule:	\$385.00
6251 KB	Handheld meter without RS-232Cinterface. pH, mV, Temp, Ion 6000P pH/Temp/Ref. electrode 6001C: electrode cable 6007D115:115VAC adaptor 6250F:carrying case with pH 4.0&7.0 buffer capsule:	\$414.00
6251 KC	Handheld meter without RS-232C interface. pH, mV, Temp, Ion 600P pH/Ref. electrode with BNC connector 6000B: 4-pin to BNC adaptor 6230A: ATC probe 6007D115:115VAC adaptor 6250F:carrying case with pH 4.0&7.0 buffer capsule:	\$434.00
63	Analog benchtop meter with AC adaptor. pH	\$175.00
63K	63:analog benchtop meter with AC adaptor. pH 600P:pH/Ref. electrode	\$215.00
6301N	Benchtop controller with 2 AC outlets. pH, mV, Temp.	\$520.00
6307	Benchtop meter with AC adaptor, RS-232C interface. K= 1.0 or K= 5.0 pH, Cond., Salinity, Temp	\$595.00
6307 K	6307:benchtop meter with AC adaptor, RS-232C interface. K= 1.0 or K= 5.0 pH, Cond., Salinity, Temp 600P: pH/Ref. electrode 6007D115: 115VAC adaptor 101: K=1.0 conductivity cell	\$735.00
6350	Handheld meter with RS-232C interface. Cond. K= 1.0 or K= 5.0	\$495.00
6350 KA	6350:handheld meter with RS-232C interface. Cond. K= 1.0 or K= 5.0 101: K=1.0 conductivity cel	\$590.00
6350 KB	6350:handheld meter with RS-232C interface. Cond. K= 1.0 or K= 5.0 600P: pH/Ref. electrode 6007D115: 115VAC adaptor 6350F:carrying case with pH 4.0&7.0 buffer capsule:	\$570.00
6350 KC	6350:handheld meter with RS-232C interface. Cond. K= 1.0 or K= 5.0 600P:pH/Ref. electrode 101: K=1.0 conductivity cell 6007D115:115VAC adaptor 6350F:carrying case with pH 4.0&7.0 buffer capsule:	\$665.00
640	Pocket size pen. Salinity	\$49.95
650	Pocket size pen. mV, (ORP)	\$49.95
671 P	Benchtop meter. pH, mV (ORP), Temp	\$285.00
671P KA	671P:benchtop meter. pH, mV (ORP), Temp 600P: pH/Ref. electrode 600D115:115VAC adaptor	\$339.00
671P KB	671P:benchtop meter. pH, mV (ORP), Temp 600P: pH/Ref. electrode 600A:Temp probe 600D115:115VAC adaptor	\$389.00

Model	Description	List Price
672P	Bench-portable meter. pH, mV (ORP), Temp	\$240.00
672P KA	672P:bench-portable meter. pH, mV (ORP), Temp 600P:pH/Ref. electrode 600D115: 115VAC adaptor 672F:carrying case with pH 4.0&7.0 buffer capsule:	\$299.00
672P KB	672P:bench-portable meter. pH, mV (ORP), Temp 600P:pH/Ref. electrode 600A:Temp probe 600D115: 115VAC adaptor 672F:carrying case with pH 4.0&7.0 buffer capsule:	\$365.00
6971	Benchtop meter with 2 display. pH, mV (ORP), Temp	\$325.00
9101Y	Benchtop meter with RS-232C interface. D.O., Temp	\$450.00
9101YK	9101Y:benchtop meter with RS-232C interface. D.O., Temp 900YDOF-10: watertight D.O. field probe or 900YDOL-10: D.O. lab probe 6007D115: 115VAC adaptor 9005YDOK-F: field membrane kit or 9005YDOK-L: lab membrane k	\$745.00
9250Y	Portable meter with RS-232C interface. D.O., Temp	\$350.00
9250Y KA	9250Y:portable meter with batteries, RS-232C interface. D.O., Temp 900YDOL-10: D.O. lab probe 9005YDOK-L: lab membrane kit 6007D115:115 VAC adaptor 9250F: carrying case	\$665.00
9250Y KB	9250Y:portable meter with batteries, RS-232C interface. D.O., Temp 900YDOL-10: D.O. lab probe 9005YDOK-L: lab membrane ki	\$635.00
9250Y KC	9250Y:portable meter with batteries, RS-232C interface. D.O., Temp 900YDOF-10: D.O. field probe 9005YDOK-F: field membrane kit 6007D115:115 VAC adaptor 9250F: carrying case	\$665.00
9250Y KD	9250Y:portable meter with batteries, RS-232C interface. D.O., Temp 900YDOF-10: D.O. field probe 9005YDOK-F: field membrane kit	\$635.00
9251	Portable meter without RS-232C interface. DO, Temp	\$250.00
9251 KA	9251:portable meter with batteries, without RS-232C interface. DO, Temp 900Y2DOL-10: D.O. lab probe 9005YDOK-L: lab membrane kit 6007D115:115 VAC adaptor 9250F: carrying case	\$565.00
9251 KB	Portable meter with batteries, without RS-232C interface. D.O., Temp 900Y2DOL-10: D.O. lab probe 9005YDOK-L: lab membrane ki	\$535.00
9251 KC	9251:portable meter with batteries, without RS-232C interface. D.O., Temp 900YDOF-10:D.O. field probe 9005YDOK-F: field membrane kit 6007D115:115 VAC adaptor 9250F: carrying case	\$565.00
9251 KD	9251:portable meter with batteries, without RS-232C interface. D.O., Temp 900YDOF-10: field probe 9005YDOK-F: field membrane kit	\$535.00
Process Instruments (excluding temperature):		
202	Universal current output, pressure transducer meter. DC current, DC voltage	\$210.00

Model	Description	List Price
203	Universal process indicator, transmitter meter. DC current, DC voltage	\$195.00
203 (S)	Strain gauge / pressure gauge meter. DC voltage	\$215.00
207	Universal loop powered indicator. 4-20 mA, 10-50 mA	\$149.00
217	Universal loop powered indicator, NEMA-4. 4-20 mA, 10-50 mA	\$169.00
375-ORP	ORP controller, 1/8 DIN, single set point. mV, (ORP), 1-Relay	\$199.99
392	Conductivity transmitter, uS/mS, Lo/Multi-Range. Cond. with 4-20 mA	\$195.00
392-SBC	Conductivity transmitter, uS/mS, Mid/Hi Range. Cond. with 4-20mA	\$195.00
3101	Controller, adjustable 0-199 mS, 0-99µS. Cond., with LED display	\$249.00
3101S	Controller, adjustable 0-99.9 mS, 0-99.9µS. Cond., with LED display	\$269.00
3201	Universal process controller. DC current or DC voltage	\$229.00
3201 S	Controller, strain gauge/pressure gauge. DC voltage	\$249.00
3601 Controller II	Aquarium benchtop controller with 2 AC outlets. pH/mV/Temp	\$295.00
3671	pH/ORP controller, 1/8 DIN, LED display. pH, mV (ORP)	\$225.00
3671 KA	pH/ORP controller, 1/8 DIN, LED display. pH, mV (ORP) 600P:pH/Ref. electrode	\$270.00
3671 KB	pH/ORP controller, 1/8 DIN, LED display. pH, mV (ORP) 600P:pH/Ref. electrode 3671A:Temp probe	\$339.00
3672	Transmitter, controller, adjust span, LCD display, ¼-DIN. pH, mV (ORP), 4-20mA	\$315.00
3673	Controller, pulse frequency output, LCD, ¼ DIN. pH/ORP, 60-140 ppm	\$385.00
3675	Transmitter, controller LCD display, ¼-DIN. pH, mV (ORP), 4-20mA	\$295.00
3676	Transmitter, controller LED display, ¼-DIN. pH, mV (ORP), 4-20mA	\$295.00
3677	Transmitter, controller LED display, vertical package 1/8 DIN. pH, mV (ORP), 4-20mA	\$295.00
3679N	Transmitter, controller, LCD, NEMA, ¼ DIN. pH, mV (ORP), 4-20mA	\$325.00
676	pH/mV monitor only, 1/8 DIN, voltage output, no relays. pH, mV (ORP), LCD	\$129.00
691 N	Transmitter, 1/8-Din panel mount. pH, 4-20mA, LED	\$225.00
692	Transmitter, 1/8-Din panel mount. pH, 4-20mA, LCD	\$225.00
693 ORP	Transmitter, NEMA-4X, no display. mV, (ORP), 4-20mA	\$295.00
693 PH	Transmitter, NEMA-4X, no display. pH, 4-20mA	\$295.00
695 ORP	Transmitter, NEMA-4X, LCD display. mV, (ORP), 4-20mA	\$395.00
695 PH	Transmitter, NEMA-4X, LCD display. pH, 4-20mA	\$395.00
6301N	Benchtop controller with 2 AC outlets. pH, mV, Temp	\$520.00
6303 C	¼ DIN controller, current output. pH, mV, Temp	\$395.00
6303 P	¼ DIN controller, pulse output. pH, mV, Temp	\$395.00
6503	¼ DIN controller. ORP, pH, Temp	\$395.00
6308PT	¼ DIN analyzer, 5-relays, IP65 enclosure, graphic display, RS-485. pH/Temp, 4-20mA	\$479.00
6308CT	¼ DIN analyzer, 3-relays, IP65 enclosure, graphic display, RS-485. Cond./Temp, 4-20mA	\$479.00
6308DT	¼ DIN analyzer, 5-relays, IP65 enclosure, graphic display, RS-485. D.O./Temp, 40-20mA	\$479.00
6309PDT	Dual parameter, ¼ DIN analyzer, 5 relays, IP65 enclosure, graphic display, RS-485 pH/D.O./Temp. 4-20mA	\$595.00
6309POT	Dual parameter, ¼ DIN analyzer, 5 relays, IP65 enclosure, graphic display, RS-485 pH/mV (ORP)/Temp, 4-20mA	\$595.00

Model	Description	List Price
6311	Single parameter, ¼ DIN analyzer, 4 pH/ORP relays and 1 wash relay, IP65 enclosure, RS-485 pH/ORP/Temp. 4-20mA	\$425.00
6715	Controller for aquariums. pH, mV (ORP), Temp	\$249.00
6715-01	Controller for pools and spas. pH, mV (ORP)	\$249.00
6715-PH	Controller. pH	\$249.00
Temperature Handheld Instruments:		
7001 H	Handheld meter, thermocouple, type J/ K/ T (single probe). Temperature	\$129.00
7001 HRTD	Handheld meter, type RTD (single probe). Temperature	\$159.00
7001 HTH	Handheld meter, type Thermistor (single probe). Temperature	\$159.00
7002 H	Handheld meter, type J/ K/ KB/ T (dual probe). Temperature	\$149.00
7002 HRTD	Handheld meter, type RTD (dual probe). Temperature	\$179.00
7002 HTH	Handheld meter, type Thermistor (dual probe). Temperature	\$179.00
701 JC/JF	Handheld meter, magnetic back, type J. Temperature °C/°F	\$79.00
701 KC/KF	Handheld meter, magnetic back, type K. Temperature °C/°F	\$79.00
701 TC/TF	Handheld meter, magnetic back, type T. Temperature °C/°F	\$79.00
7010	Handheld meter, watertight. Temperature °C/°F	\$99.00
720 C/F	Handheld meter (Specify °C or °F)	\$39.95
720 CK or FK	720:handheld meter (Specify °C or °F) 720-01/02/03/04: 4 probes 720-99:carrying case	\$99.95
Temperature Process Instruments:		
377-2-JC/JF	Controller, panel, type J. Temperature °C or °F	\$199.00
377-2-KC/KF	Controller, panel, type K. Temperature °C or °F	\$199.00
377-2-PTAC	Controller, panel, type RTD. Temperature °C	\$199.00
377-2-PTAF	Controller, panel, type RTD. Temperature °F	\$199.00
377-2-PTBC	Controller, panel, type RTD. Temperature °C	\$199.00
377-2-PTBF	Controller, panel, type RTD. Temperature °F	\$199.00
377-2-TC/TF	Controller, panel, type T. Temperature °C or °F	\$199.00
378 JC/JF	Controller, panel, type J. Temperature °C or °F	\$129.00
378 KC/KF	Controller, panel, type K. Temperature °C or °F	\$129.00
378 TF	Controller, panel, type T. Temperature °F	\$129.00
7000APL	Panel meter, type J, K, T, E, N, R, S, (selectable). Temperature °C or °F	\$179.00
7001APL	Panel meter, type J, K, T, E, N, R, S, (selectable). Temperature °C or °F	\$199.00
7000P(LCD)/ PL (LED)	Panel meter, type J/ K/ KB/ RTD/ T/ TH (specify type). Temperature	\$179.00
7001P / PL	Panel meter, type J/ K/ KB/ RTD/ T/ TH (specify Type). Temperature	\$199.00
7002P / PL	Dual probe panel meter, type J/ K/ KB/ RTD/ T/ TH (specify Type). Temperature	\$210.00
765 EC/EF	Panel meter, type E. Temperature °C/°F	\$110.00
765 JC/JF	Panel meter, type J. Temperature °C/°F	\$110.00
765 KC/KF	Panel meter, type K. Temperature °C/°F	\$110.00
765 TC/TF	Panel meter, type T. Temperature °C/°F	\$110.00
765 PTAC/F	Panel meter, type RTD. Temperature °C/°F	\$110.00
765 PTBF	Panel meter, type RTD. Temperature °F	\$110.00

Model	Description	List Price
768 JC-02	Panel meter, type J. Temperature °C	\$79.00
768 JF-02	Panel meter, type J. Temperature °F	\$79.00
768 KC-02	Panel meter, type K. Temperature °C	\$79.00
768 KF-02	Panel meter, type K. Temperature °F	\$79.00
77A/01/02/03/04	2-wire transmitter, type K, J, E, or T. Temperature	\$69.00
77 A/11	2-wire transmitter, type RTD with 3-wire connector. Temperature	\$79.00
77/01/02/03/04	2-wire transmitter, type K, J, E, or T. Temperature	\$55.00
77/11	2-wire transmitter, type RTD with 3-wire connector. Temperature	\$65.00
791 JC/JF	Panel transmitter, type J. Temperature °C/°F, (LCD)	\$199.00
791 KC/KF	Panel transmitter, type K. Temperature °C/°F, (LCD)	\$199.00
791 PTAC	Panel transmitter, type RTD. Temperature °C, (LCD)	\$199.00
791 PTBC	Panel transmitter, type RTD. Temperature °C, (LCD)	\$199.00
791 LJC/LJF	Panel transmitter, type J. Temperature °C/°F, (LED)	\$199.00
791 LKC/LKF	Panel transmitter, type K. Temperature °C/°F, (LED)	\$199.00
791 LPTAC/F	Panel transmitter, type RTD. Temperature °C/°F, (LED)	\$199.00
791 LPTBC/F	Panel transmitter, type RTD. Temperature °C/°F, (LED)	\$199.00
pH/ORP/Ref. Electrodes:		
600P	pH/Ref. electrode, epoxy with BNC connector, 3 ft. cable. pH measurement (single junction)	\$45.00
600E-10	pH/Ref. electrode with BNC connector, 10 ft. cable. pH measurement (single junction)	\$66.00
600E-15	pH/Ref. electrode with BNC connector, 15 ft. cable. pH measurement (single junction)	\$81.00
600ED	pH/Ref. electrode with BNC connector, 3 ft. cable. pH measurement (double junction)	\$79.00
600E-ORP	ORP electrode, epoxy with BNC connector, 3 ft. cable. ORP (mV) measurement	\$69.00
6000P	pH/Temp/Ref. electrode, epoxy with 4-pin connector. pH/ATC (single junction)	\$69.00
6000ED	pH/Temp/Ref. electrode with 4-pin connector. pH/ATC (double junction)	\$94.00
612E	pH/Ref. electrode with BNC connector. pH (for model 612)	\$60.00
GB-700E	pH/Ref. electrode with BNC connector, 3 ft. cable. pH (refillable)	\$55.00
GB-7000E	pH/Temp/Ref. electrode, glass body refillable with 4-pin connector. pH (refillable)	\$89.00
Conductivity Cells (Note: All electrodes come with 3-ft. cable unless noted):		
CT22100303	Epoxy, carbon, 5-pin, CT221003-03-H180. Conductivity/ Temp (for model 1671)	\$75.00
3101CC-01	Epoxy, carbon, spade lug, CT221003-03-T, K=1.0 Conductivity, Temp (for model 3101)	\$75.00
CT22100310	Epoxy, carbon, 5-pin, CT221003-10-H180, 10 ft. cable. Conductivity, Temp (for model 1671)	\$95.00
3101CC-02	Epoxy, carbon, spade lug, CT221003-10-T, 10 ft. cable, K=1.0 Conductivity, Temp (for model	\$95.00
GAPY10003D	Glass, platinum band, 5-pin, CT121001-03-H180. Conductivity, Temp (for model 1671)	\$99.00
3101CC-04	Glass, platinum band, spade lug, CT121001-03-T, K=1.0 Conductivity, Temp (for model 3101)	\$99.00
	Glass, platinum band, 5-pin, CT121001-10-H180, 10 ft. cable. Conductivity, Temp (for model 167	\$120.00
	Glass, platinum band, spade lug, CT121001-10-T, 10 ft. cable. Conductivity, Temp (for model	\$120.00
PAPY20003B	Glass, platinum band, 5-pin, CT121002-03-H180. Conductivity, Temp (for model 1671)	\$95.00
3101CC-03	Glass, platinum band, spade lug, CT121002-03-T, K=10.0 Conductivity, Temp (for model 3101)	\$95.00
	Glass, platinum band, 5-pin, CT121002-10-H180, 10 ft. cable. Conductivity, Temp (for model 1671)	\$116.00
	Glass, platinum band, spade lug, CT121002-10-T, 10 ft. cable. Conductivity, Temp (for model	\$116.00
101	Glass, platinum band, 8-pin connector, K=1.0 Cond./Temp. (for models 3250, 6350, 6307, 3107)	\$95.00
104	Glass, platinum band, 5-pin connector, K=1.0 Cond./Temp. (for models 103, 1671)	\$79.00
106	Glass, platinum band, 8-pin connector, K=1.0 Cond./Temp. (for models 3250, 6350, 6307, 3107)	\$95.00
107	Glass, platinum band, 8-pin connector, K=10Cond./Temp. (for models 3250, 6350, 6307, 3107)	\$95.00
108	Epoxy, carbon, 8-pin connector, K=0.1 Cond./Temp. (for models 3250, 6350, 6307, 3107)	\$105.00

Model	Description	List Price
109	Epoxy, carbon, 8-pin connector, K=0.1 Cond./Temp. (for models 3250, 6350, 6307,3107)	\$105.00
Conductivity Industrial Cells (Note: Industrial conductivity probes with 10 ft. cables):		
392-120-Oval	Stainless steel, 3/4" NPT, Lo range, K=1.0, 1000uS, Cond./Temp. (for models 3101, 392-SBC, 392)	\$135.00
392-120-Round	Stainless steel, 3/4" NPT, Lo range, K=1.0, 1000uS, Cond./Temp. (for models 3101, 392-SBC, 392)	\$135.00
392-121-Round	Stainless steel, 3/4" NPT, Hi range, K=1.0, 5000uS, Cond./Temp. (for models 3101, 392)	\$135.00
392-124-Round	Stainless steel, 3/4" NPT, graphite, K=1.0, 5.000uS Cond./Temp. (for models 3101, 392)	\$135.00
Dissolved Oxygen probes and accessories:		
900YDOF-10	Watertight D.O. field probe, 10 ft. cable. D.O./Temp. (for models 9101Y, 9250Y, 9251)	\$295.00
900YDOL-10	Watertight D.O. lab probe, 10 ft. cable. D.O./Temp. (for models 9101Y, 9250Y, 9251)	\$295.00
DO-200	Watertight D.O. field probe, 10 ft. cable	\$295.00
900YC-25	25 ft. cable, for field probe. D.O./Temp (Y5739 is special order field probe)	\$225.00
9005YDOK-L	Lab membrane kit with 1 D.O. powder, 1 sandpaper and 6 caps.	\$48.00
9005YDOK-F	Field membrane kit, 2 Packs of 15 each membranes & o-rings.	\$48.00
ATC (Automatic Temperature Compensation) Probes (Note: All cables are 3 ft. unless noted):		
3671A	Glass, PT-100 with phono plug. (for model 3671)	\$69.00
600A	Glass, PT-100 with banana plugs	\$69.00
600A-ST	Stainless steel, PT-100 with banana plugs	\$69.00
6000A	Glass, thermistor 10k Ω , with Jenco screw connector	\$49.00
6000A-15	Glass, thermistor 10k Ω , 15 ft. cable	\$85.00
6000A-25	Glass, thermistor 10k Ω , 25 ft. cable	\$115.00
6000A-ST	Stainless steel, thermistor 10k Ω	\$49.00
6230A	Glass, thermistor 10k Ω , 8-pin connector.	\$49.00
6230A-ST	Stainless steel, thermistor 10k Ω , 8-pin connector.	\$49.00
6301A	Glass, thermistor 10k Ω , banana plugs, 3 ft. cable (for model 6301N)	\$69.00
6303A	Glass, thermistor 10k Ω , spade lugs, 3 ft. cable (for model 6303)	\$49.00
6303A-10	Glass, thermistor 10k Ω , spade lugs, 10 ft. cable (for model 6303)	\$69.00
6303A-ST	Stainless Steel, 10k Ω , spade lugs, 3 ft. cable (for model 6303)	\$49.00
6303A-ST-10	Stainless Steel, 10k Ω spade lugs, 3 ft. cable (for model 6303)	\$69.00
6715A	Glass, 10k Ω , with banana plugs. (for model 6715)	\$49.00
692A	Glass, Pt-100 tinned leads, 5 ft. cable	\$69.00
692A-15	Glass, Pt-100 tinned leads, 15 ft. cable	\$95.00
693-3K	Stainless steel, 3k balco, 6 ft. cable with tinned leads (special order only)	\$89.00
Temperature Probes/Thermocouples:		
720-01	Immersion probe / general purpose (for model 720). Temp (use for liquid/gas)	\$12.00
720-02	Penetration probe. Temp (use for semi solids)	\$13.00
720-03	Air/gas probe. Temp (use for gases)	\$14.00
720-04	Surface probe. Temp (use for solid, plates, molds)	\$15.00
J-7001	Thermocouple general purpose, type J. Temp (use for air and liquid immersion)	\$33.00
J-7002	Thermocouple penetration probe, type J. Temp (use for semi-soft/frozen objects)	\$35.50
J-7003	Thermocouple air/gas probe, type J. Temp (use for air flow)	\$42.25
J-7004	Thermocouple surface probe, type J. Temp (use for surface measurements)	\$50.00
K-7001	Thermocouple general purpose, type K. Temp (use for air and liquid immersion)	\$33.00
K-7002	Thermocouple penetration probe, type K. Temp (use for semi-soft/frozen objects)	\$35.50
K-7003	Thermocouple air/gas probe, type K. Temp (use for semi-soft/frozen objects)	\$42.25
K-7004	Thermocouple surface probe, type K. Temp (use for surface measurements)	\$50.00
6715J	Grounding probe. (for model 6715)	\$25.00
Electrode Cables:		

Model	Description	List Price
6001C	Extension 3 ft. cable with 4-pin to 4-pin. (for model 6000P pH electrode)	\$25.00
6001C-10	Extension 10 ft. cable with 4-pin to 4-pin. (for model 6000P pH electrode)	\$45.00
6003C	Extension 3 ft. cable with 4-pin to BNC & 1-pin ATC. (for model 6000P pH electrode)	\$25.00
6005C	Extension 3 ft. cable with 4-pin to BNC & 8-pin ATC. (for model 6000P pH electrode)	\$25.00
6003C-10	Extension 10 ft. cable with 4-pin to BNC & 1-pin ATC. (for model 6000P pH electrode)	\$45.00
6005C-10	Extension 10 ft. cable with 4-pin to BNC & 8-pin ATC. (for model 6000P pH electrode)	\$45.00
Electrode Holders:		
007N	Plastic holder, spring balanced, swing arm, holds 5 standard size electrodes and 1 ATC probe	\$54.00
007	Metal arm holder, spring balanced, swing arm, holds 4 standard size electrodes and 1 ATC probe.	\$59.00
008	Holder (base, clamp, rod), holds 3 standard size electrodes and 1 ATC probe.	\$29.00
Water Proof Enclosures (note: no discount on cutouts)::		
011-100-00	Enclosure, watertight, 100 mm for panel mounting	\$99.00
011-150-00	Enclosure, watertight, 150 mm for panel mounting(for model 3675)	\$114.00
011-200-00	Enclosure, watertight, 200 mm for panel mounting (for model3671)	\$129.00
012-100-00	Enclosure, watertight, 100 mm for wall mounting	\$114.00
012-150-00	Enclosure, watertight, 150 mm for wall mounting (for model 3675)	\$129.00
012-200-00	Enclosure, watertight, 200 mm for wall mounting (for model 3671)	\$144.00
013-100-00	Enclosure, watertight, 100 mm portable with handle & feet	\$129.00
013-150-00	Enclosure, watertight, 150 mm portable with handle & feet	\$144.00
013-200-00	Enclosure, watertight, 200 mm portable with handle & feet	\$159.00
1/16 DIN-4H	Cutout for NEMA-4X enclosure. 1/16 DIN x 4 cutout	\$16.00
1/4 DIN-1H	Cutout for NEMA-4X enclosure. ¼ DIN x 1 cutout	\$8.00
1/8 DIN-1H	Cutout for NEMA-4X enclosure. 1/8 DIN x 1 cutout	\$8.00
1/8 DIN-2H	Cutout for NEMA-4X enclosure. 1/8 DIN x 2 cutout	\$12.00
AC adaptor & Charger:		
600D115	AC adaptor, 9VDC output, 1/8 phono plug. 115VAC adaptor (UL) (CSA)	\$10.00
600D230	AC adaptor, 9VDC output, 1/8 phono plug. 230VAC adaptor (UL) (CSA)	\$10.00
6007D115	AC adaptor, 9VDC output, charger plug. 115VAC adaptor (UL) (CSA)	\$10.00
6007D230	AC adaptor, 9VDC output, charger plug. 230VAC adaptor (CE approved)	\$10.00
6009D115	AC charger, 7.2VDC, 115VAC adaptor with Jenco connector	\$15.00
6009D230	AC charger, 7.2VDC, 230VAC adaptor with Jenco connector	\$15.00
Other Accessories		
600G	Karl fisher shorting plug. Use with Karl fisher output meters	\$15.00
6000B	4-pin to BNC adaptor, for pH meters	\$30.00
6000G	Thermo printer paper, 3 rolls/pack. (for model 6091)	\$15.00
613	Simulator stick (pH 4, 7, 10), for calibrate pH meters	\$79.00
66	Preamplifier for pH/ORP, for remote electrodes	\$99.00
6B4	Buffer capsules, vial of 10 each. Slopes meter at 4.01 pH	\$10.00
6B7	Buffer capsules, vial of 10 each. Standardize meter at 7.00 pH	\$10.00
6B10	Buffer capsules, vial of 10 each. Slopes meter at 10.01 pH	\$10.00
720-31	adaptor with extension 6 ft. cable (for model 720C/F)	\$25.00
720-99	Vinyl case for model 720C/F and probes	\$10.00
720-31	3 ft. coil cable. Temperature	\$25.00
CS-0001-08 /16	pH/ORP soaking solution, 8 oz / 16 oz. pH/ORP	\$8.50/\$12.50
CS-0002-08 /16	pH/ORP cleaning solution, 8 oz/ 16 oz. pH/ORP	\$5.50/\$9.50
MD0004	Polishing strips for platinum ORP probes, 24 strips	\$40.00
Model # + F	Carrying case with pH 4.0&7.0 buffer capsules, for portable meters	\$20.00
RF-0007-08	pH electrode refill solution, 8 ounce.	\$18.00

Model	Description	List Price
SD-3001-2	Conductivity solution .01 KCL. 16 ounce bottle	\$9.95
SD-3002-2	Conductivity solution 1000 uS. 16 ounce bottle	\$9.95
SD-3003-2	Conductivity Solution 0.1 KCL. 16 ounce bottle	\$25.00
SD-4001-04	ORP Quinhydrone checking kit. ORP (mV)	\$25.00
Thermocouple Simulators:		
TA-1-J	Thermocouple simulator type J for 7001/7002. Temperature	\$79.00
TA-1-K	Thermocouple simulator type K for 7001/7002. Temperature	\$79.00
TA-1-T	Thermocouple simulator type T for 7001/7002. Temperature	\$79.00