

Jenco Instruments, Inc. 2011 List Price

| Model | Description | Application & (Model) | Price |
|---|---|--|----------------|
| Electrode Holders | | | |
| 007N | Plastic Holder, Spring Balanced Swing Arm | Holds electrode & probes ----- | \$54.00 |
| 007 | Metal Holder, Spring Balanced Swing Arm | Holds electrodes & probes ----- | \$59.00 |
| 008 | Simple Holder, Base, Clamp & Rod type | Holds electrodes & probes ----- | \$29.00 |
| Waterproof Aluminum NEMA-4X Enclosures | | | |
| 011-100-00 | Watertight Enclosure | 100mm deep for panel mounting (768) ----- | \$99.00 |
| 011-150-00 | Watertight Enclosure | 150mm deep for panel mounting (3675) ----- | 114.00 |
| 011-200-00 | Watertight Enclosure | 200mm deep for panel mounting (3671N) ----- | 129.00 |
| 012-100-00 | Watertight Enclosure | 100mm deep for wall mounting (768) ----- | 114.00 |
| 012-150-00 | Watertight Enclosure | 150mm deep for wall mounting (3675) ----- | 129.00 |
| 012-200-00 | Watertight Enclosure | 200mm deep for wall mounting (3671N) ----- | 144.00 |
| 013-100-00 | Watertight Enclosure | 100mm deep portable w/ handle & feet (768) ----- | 129.00 |
| 013-150-00 | Watertight Enclosure | 150mm deep portable w/ handle & feet (3675) ----- | 144.00 |
| 013-200-00 | Watertight Enclosure | 200mm deep portable w/handle & feet (3671N) ----- | 159.00 |
| ¼ DIN-1H | Cutout for Enclosure | ¼ DIN x 1 Cutout (No Discount on cutouts) ----- | \$8.00 |
| 1/8 DIN-1H | Cutout for Enclosure | 1/8 DIN x 1 Cutout (No Discount on cutouts) ----- | \$8.00 |
| 1/8 DIN-2H | Cutout for Enclosure | 1/8 DIN x 2 Cutouts (No Discount on cutouts) ----- | \$12.00 |
| pH/ORP electrodes | | | |
| 600P | pH electrode BNC & 3-ft cable 80, Max Temp. 60° C | pH measurement, single junction ----- | \$45.00 |
| 600P-10 | pH electrode BNC & 10-ft cable, Max Temp. 60° C | pH measurement, single junction ----- | \$66.00 |
| 600P-15 | pH electrode BNC & 15-ft cable, Max Temp. 60° C | pH measurement, single junction ----- | \$81.00 |
| 600P-20 | pH electrode BNC & 20-ft cable, Max Temp. 60° C | pH measurement, single junction ----- | \$89.00 |
| 600P-30 | pH electrode BNC & 30-ft cable, Max Temp. 60° C | pH measurement, single junction ----- | \$99.00 |
| 600ED | pH electrode BNC & 3 foot cable, Max Temp. 60° C | pH measurement, double junction ----- | \$79.00 |
| 600E-ORP | ORP electrode BNC & 3-ft cable, Max Temp. 60° C | ORP measurement, single junction ----- | \$69.00 |
| 600E-ORP-10 | ORP electrode BNC & 10-ft cable, Max Temp. 60° C | ORP measurement, single junction ----- | \$89.00 |
| 6000P | 3-in-1 pH/ ATC Probe, 4-pin connector, Temp. 60° C | pH/Temperature measurement, single junction ----- | \$69.00 |
| 6000ED | 3-in-1 pH/ ATC electrode w/ 4-pin connector, 60° C | pH/Temperature measurement, double junction ----- | \$94.00 |
| 612E | Stick pH electrode BNR to BNC, Max Temp. 60° C | pH measurement, single junction (612) ----- | \$70.00 |
| 618DJ | 3-in-1 pH/ATC electrode, Laboratory Style, 60° C | pH/Temperature measurement, double junction (618) -- | \$89.00 |
| 618P | 3-in-1 pH/ATC electrode, Original Compact Style, 60° | pH/Temperature measurement, single junction(618) --- | \$39.00 |
| 618W | 3-in-1 pH/ATC electrode, Lab Style w/ 3-ft cable, 60° | pH/Temperature measurement, single junction (618) --- | \$59.00 |
| 6810P | 3-in-1 pH/ATC, BNC & 6810 ATC, Temp. 60° C | pH/Temperature measurement, single junction ----- | \$98.00 |
| 628P | 3-in-1 ORP/ATC Probe, Original Compact Style, 60° | ORP/Temperature measurement, single junction (628) - | \$99.00 |
| GB-700E | pH Glass Refillable Probe, BNC & 3-ft cable, to 80° | pH measurement, single junction ----- | \$55.00 |
| GB-7000E | 3-in-1 pH/ATC Epoxy/Refillable, 4-Pin Connector, 80° | pH/Temperature measurement, single junction ----- | \$89.00 |
| 577V794-003B | Dome Bulb, Glass, Gel Filled, BNC, 3-ft cable, 100° | pH/Reference, double junction, Lab, No Guard ----- | \$121.00 |
| JE-175P | Spear Tip pH Probe, BNC & 3-ft cable, Temp to 60° | pH measurement, single junction, (Food & Soil, etc.) -- | \$99.00 |
| JE-350P | Flat Tip pH Probe, BNC & 3-ft cable, Temp to 60° | pH measurement, single junction, (Food & Soil, etc.) -- | \$99.00 |
| JE-500C-ORP-BNC | ORP Tuff Tip, Platinum w/BNC & 3-ft cable, 60° | ORP measurement, single junction, (Food & Soil, etc.) | \$99.00 |
| Industrial pH & ORP (Flat Tip or Cartridge Type.) | | | |
| pHF-020B | Flat Tip, ¾" NPT Front & Rear, 20-ft Cable & BNC | pH / No ATC ----- | 124.00 |
| pHF-020BS/PT | pH is BNC, Pt-100 ATC is Spade Lugs | pH / with Pt-100 ATC, (3675, etc)----- | 179.00 |
| pHF-020ST/PT | pH is Spade Lug, Pt-100 & all other leads are Tinned | pH / with Pt-100 ATC, (3679) ----- | 179.00 |
| pHF-020BP/PT | pH is BNC, Pt-100ATC is 3.5mm Phono Plug | pH / with Pt-100 ATC, (3671N) ----- | 179.00 |
| pHF-020ST/TH | pH is Spade Lug, ATC & all other leads are Tinned | pH / with 10K Thermistor ATC, (6308, 6311, 6309) --- | 179.00 |
| pHF-020ST/1K | pH is Spade Lug, Pt-1000 & all other leads are Tinned | pH / with Pt-1000 ATC, (2TX, 6311) ----- | 179.00 |
| pHF-020ST/3K | pH is Spade Lug, 3K Balco & all other leads Tinned | pH / with 3K Balco ATC, (2TX, 6311) ----- | 179.00 |
| pHF-020BT/3K | pH is Spade Lug, 3K Balco & all other leads Tinned | pH / with 3K Balco ATC, (693-pH, 695-pH) ----- | 179.00 |
| ORP-020B | ORP Flat Tip with BNC connector | ORP / No ATC, (3671N, 3675, 3676, etc) ----- | 179.00 |
| ORP-020BT | ORP Flat Tip with Tinned Lead connectors | ORP / No ATC, (6311, 6308-OT, 6309-POT) ----- | 179.00 |
| ORP-020S | ORP Flat Tip with Spade Lug and Tinned Lead | ORP / No ATC, (3679N) ----- | 179.00 |
| JE-650-pH | Jenco Flat Tip pH Cartridge | pH / No ATC ----- | 129.00 |
| JE-650-ORP | Jenco Flat Tip ORP Cartridge | ORP / No ATC ----- | 155.00 |
| JE653/10/BNC | Cable / Plain no ATC 10-Foot Cable for JE650 Series | pH or ORP ----- | 49.00 |
| JE653/25/BNC | Cable / Plain no ATC 25-Foot Cable for JE650 Series | pH or ORP ----- | 55.00 |
| JE653TC/Pt100/10/BNC/TL | 10-ft Cable, BNC/ Tinned Lead for JE650 Series | pH or ORP ----- | 128.00 |
| JE653TC/Pt100/25/BNC/TL | 25-ft Cable, BNC/Tinned Leads for JE650 Series | pH or ORP ----- | 155.00 |

Laboratory Conductivity Cells w/ 10K ATC: (All electrodes come with 3-ft cables unless noted.)

| | | | |
|------|---|---|---------|
| 101 | Epoxy/Carbon, w/ 8-pin connector, K=1.0 | Conductivity & Temperature (3107, 3173, 3250, 6307) | \$95.00 |
| 104 | Glass/Platinum, w/ 5-pin connector, K=1.0 | Conductivity & Temperature (103, 1671) | \$95.00 |
| 105 | Epoxy/Carbon, w/ 8-pin connector, K=5.0 | Conductivity & Temperature (6307, 6350) | 125.00 |
| 106 | Glass/Platinum, w/ 8-pin connector, K=1.0 | Conductivity & Temperature (3107, 3250, 6307, 6350) | \$95.00 |
| 106A | Glass/Platinum, w/ 4-pin connector, K=1.0 | Conductivity & Temperature (3010) | \$95.00 |
| 107 | Glass/Platinum, w/ 8-pin connector, K=10 | Conductivity & Temperature (3107, 3173, 6307, 6350) | \$95.00 |
| 107A | Glass/Platinum, w/ 4-pin connector, K=10 | Conductivity & Temperature (3010) | 125.00 |
| 107N | Epoxy /Carbon, w/ 4-pin connector, K=10 | Conductivity & Temperature (3010) | 125.00 |
| 108 | Epoxy/Carbon, w/ 8-pin connector, K=0.1 | Conductivity & Temperature (3107, 3173, 3250, 6307) | 105.00 |
| 109 | Glass/Platinum, w/ 8-pin connector, K=0.1 | Conductivity & Temperature (3107, 3173, 3250, 6307) | 155.00 |
| 109A | Glass/Platinum, w/ 4-pin connector, K=0.1 | Conductivity & Temperature (3010) | 155.00 |

General Purpose, Non-Rated, Industrial Conductivity Cells w/ 10K ATC: (All electrodes come with 10-ft cables unless noted.)

| | | | |
|---------|--|---|--------|
| 392-120 | SS, Platinum, 3/4" NPT Front, K=1.0, 0 uS to 2,000 uS | Conductivity & Temperature (392, 392-SBC, 3101) | 135.00 |
| 392-121 | SS, Platinum, 3/4" NPT Front, K=1.0, 0 uS to 5,000 uS | Conductivity & Temperature (392-SBC, 3101) | 135.00 |
| 392-122 | SS, Pure H ₂ O 3/4" NPT Front, K= .01 0 uS to 2,000 uS | Conductivity & Temperature (6308-Ct Tinned Leads) | 150.00 |
| 392-123 | Epoxy/Platinum, 3/4" F/R, K= 10, 0 mS to 300 mS | Conductivity & Temperature (6308-Ct Tinned Leads) | 150.00 |
| 392-124 | Kynar Platinum, Pure H ₂ O 3/4" NPT Front, K= 1.0, 0 uS to 2,000 uS | Conductivity & Temperature (392, 392-SBC, 3101) | 135.00 |
| 392-125 | SS, Pure H ₂ O 3/4" NPT Front, K= 1.0, 0 uS to 2,000 uS | Conductivity & Temperature (392-SBC, 3101) | 160.00 |
| 392-134 | ABS, Platinum 3/4" NPT F / R, K=1.0, 0 uS to 5,000 uS | Conductivity & Temperature (1962737-34-010T) | 160.00 |

Pressure and Temperature Rated Industrial Conductivity Cells w/ 10K ATC: (All electrodes come with 20-ft cables unless noted.)

| | | | |
|----------------|---|---|--------|
| C621-1-2-4-20T | K=0.01, SS, 3/4" Front, 150PSI @ 135C, 0.055 to 20 uS | Conductivity & Temperature (6308CT, 392 & 3101) | 178.00 |
| C621-2-4-2-20T | K= 1, SS, 3/4" Front, 150PSI @ 135C, 10 to 2,000 uS | Conductivity & Temperature (6308CT, 392 & 3101) | 178.00 |
| C621-3-4-2-20T | K=0.1, SS, 3/4" Front, 150PSI @ 135C, 0.5 to 200 uS | Conductivity & Temperature | 178.00 |

6312 Series Dissolved Oxygen Probes & Accessories:

| | | | |
|---------------------|--|---------|----------|
| OxyFerm 120 | (237100) Sterilizable for Fermentation, No Cable | 6312DTF | 1,000.00 |
| OxyFerm Cable | (355088) 3-meter cable for OxyFerm 120 | 6312DTF | 140.00 |
| OxyGold G-120 | (237395), No Attached Cable | 6312DTF | 1,250.00 |
| OxyGold Cable | (355110), Sensor Cable VP 6.0, 5-meter cable | 6312DTF | 144.00 |
| OxySense 120 | (237150), Wastewater with 5-meter cable | 6312DTB | 320.00 |
| Polilyte PRO VP 120 | (238417) Polilyte PRO VP 120, Electrolyte Solution | 6312DTB | 160.00 |
| Membranes | (237135), Membrane Kit for 6312 Series D.O. probes | | 245.00 |

J Type Dissolved Oxygen Probes & Accessories: (Most electrodes come with 10-ft cables unless noted.)

| | | | |
|----------------|---|---|---------|
| LD-900-3A | Membrane Kit 6-Caps, DO KCL Powder, Sandpaper | Jenco Membrane Kit (Fits Jenco & All Y Probes | \$48.00 |
| ID-900-5-DO/10 | Industrial Epoxy 3/4" NPT F & R w/ 10-ft Cable | (6308DT, 6309-PDT) | 295.00 |
| ID-900-5-DO/30 | Industrial Epoxy 3/4" NPT F & R w/ 30-ft Cable | (6308DT, 6309-PDT) | 335.00 |
| LD-900-6-DO/10 | Field SS Waterproof, 3/4" NPT Front w/ 10-ft Cable | (Tinned Leads 6308DT, 6309-PDT) | 295.00 |
| LD-900-7-DO | Lab Epoxy Probe, 8-Pin w/ 1-Meter Cable | (9173, 9250N, 9251N, 9250M, 9251M) | 295.00 |
| LD-900-8-DO | Field SS Waterproof, 8-Pin, 3/4" NPT Front, 10-ft Cable | (9173, 9250N, 9251N, 9250M, 9251M) | 295.00 |
| LD-900-10-DO | Field SS Waterproof, 8-Pin, 3/4" NPT Front, 10-ft Cable | (9173, 9250N, 9251N, 9250M, 9251M) | 295.00 |
| ID-900-8-DO | Industrial Epoxy, 8-Pin, 3/4" NPT F & R, 10-ft Cable | (9173, 9250N, 9251N, 9250M, 9251M) | 295.00 |

ATC Probes: Automatic Temperature Compensation: All Probes 30 Inch Cables unless noted.)

| | | | |
|--------------------|--|--------------------------|-------------------|
| 3671A | Glass, Pt-100 with Phono Plug | ATC (3671N) | \$69.00 |
| 600A / 600A-15 | Glass, Pt-100 with Banana Plugs | ATC | \$69.00 / \$87.00 |
| 600A-ST | Stainless Steel, Pt-100 with Banana Plugs | ATC | \$69.00 |
| 6000A | Glass, 10K Ω Thermistor w/ Jenco Screw Connector | ATC | \$49.00 |
| 6000A-15 | Glass, 10K Ω Thermistor w/ Jenco Screw Connector | ATC (15-ft Cable) | \$67.00 |
| 6000A-25 | Glass, 10K Ω Thermistor w/ Jenco Screw Connector | ATC (25-ft Cable) | \$82.00 |
| 6000A-ST | Stainless Steel, 10K Ω ATC w/ Screw Connector | ATC | \$65.00 |
| 6230A | Glass, 10K Ω Thermistor, 8-Pin DIN Connector | ATC | \$49.00 |
| 6230A-ST | Stainless Steel, 10K Ω ATC, 8-Pin DIN Connector | ATC | \$49.00 |
| 6230AS | Piercing Tip S.S. 10K Ω ATC, 8-Pin DIN Connector | ATC (6230 Series) | \$60.00 |
| 6303A | Glass, 10K Ω Thermistor, Spade Lugs | ATC (6303) | \$49.00 |
| 6303A-10 | Glass, 10K Ω Thermistor, Spade Lugs w/ 10-ft cable | ATC (6303) | \$60.00 |
| 6303A-ST | Stainless Steel, 10K Ω Thermistor, Spade Lugs | ATC (6303) | \$65.00 |
| 6303A-ST-10 or -20 | Stainless Steel, 10K Ω Thermistor, Spade Lugs, 10-ft | ATC (6303) | \$75.00 / \$90.00 |
| 6810A | Glass, 10K Ω ATC, 6-Pin DIN Connector | ATC (6810) | \$49.00 |
| 6810AS | Piercing Tip Stainless Steel, 10K Ω ATC, 6-Pin | ATC (6810) | \$60.00 |
| 6810AST | Blunt Tip Stainless Steel, 10K Ω ATC, 6-Pin | ATC (6810) | \$49.00 |
| 692A / 692A-15 | Glass, Pt-100 with Tinned Leads, 5-ft Coil Cable | ATC (692) | \$69.00 / \$87.00 |
| 693-3K | Stainless Steel, 3K Balco Thermistor, 3-ft, tinned leads | ATC (692/693) | \$105.00 |

Electrode Extension Cables:

| | | | |
|------------|--|--------------------|---------|
| 6001C | Extension Cable, 4-Pin to 4-Pin, 3-ft | pH (6000P 6000ED) | \$25.00 |
| 6001C-10 | Extension Cable, 4-Pin to 4-Pin, 10-ft | pH (6000P 6000ED) | \$45.00 |
| 6003C | Extension Cable, 4-Pin to BNC & 1-Pin ATC, 3-ft | pH (6000P 6000ED) | \$25.00 |
| 6005C | Extension Cable, 4-Pin to BNC & 8-Pin DIN, 3-ft | pH (6000P 6000ED) | \$25.00 |
| 6005C-10 | Extension Cable, 4-Pin to BNC & 8-Pin DIN, 10-ft | pH (6000P 6000ED) | \$45.00 |
| BNR-BNC-6 | Extension Cable, BNR to BNC, 6-foot long | All BNC Electrodes | \$25.00 |
| BNR-BNC-10 | Extension Cable, BNR to BNC, 10-foot long | All BNC Electrodes | \$30.00 |

Temperature Probes / Thermocouple Probes:

| | | | | |
|--------|--|--|-------|---------|
| 720-01 | Immersion Probe / General Purpose / Liquid & Air | Temperature (720) | ----- | \$12.00 |
| 720-02 | Penetration Probe / Semi-Solids | Temperature (720) | ----- | \$13.00 |
| 720-03 | Air & Gases Probe | Temperature (720) | ----- | \$14.00 |
| 720-04 | Surface Probe | Temperature (720) | ----- | \$15.00 |
| J-7001 | J-Type Thermocouple / General Purpose Probe | Temperature (701, 7000H, 7001H, 7002H) | ----- | \$33.00 |
| J-7002 | J-Type Thermocouple / Penetration Probe | Temperature (701, 7000H, 7001H, 7002H) | ----- | \$35.50 |
| J-7003 | J-Type Thermocouple / Air Gases Probe | Temperature (701, 7000H, 7001H, 7002H) | ----- | \$42.25 |
| J-7004 | J-Type Thermocouple / Surface Probe | Temperature (701, 7000H, 7001H, 7002H) | ----- | \$50.00 |
| K-7001 | K-Type Thermocouple / General Purpose Probe | Temperature (701, 7000H, 7001H, 7002H) | ----- | \$33.00 |
| K-7002 | K-Type Thermocouple / Penetration Probe | Temperature (701, 7000H, 7001H, 7002H) | ----- | \$35.50 |
| K-7003 | K-Type Thermocouple / Air Gases Probe | Temperature (701, 7000H, 7001H, 7002H) | ----- | \$42.25 |
| K-7004 | K-Type Thermocouple / Surface Probe | Temperature (701, 7000H, 7001H, 7002H) | ----- | \$50.00 |

AC Adapters:

| | | | | |
|----------|--|-----------------------|-------|---------|
| 600D115 | AC Adapter, 9 VDC, 1/8" Phono Plug | 115-VAC (UL & CSA) | ----- | \$10.00 |
| 600D230 | AC Adapter, 9 VDC, 1/8" Phono Plug | 230-VAC (UL & CSA) | ----- | \$10.00 |
| 6007D115 | AC Adapter, 9 VDC, Center Negative | 115-VAC (UL & CSA) | ----- | \$10.00 |
| 6230D115 | AC Adapter, 9 VDC, Center Negative | 115-VAC (CE Approved) | ----- | \$10.00 |
| 6230D230 | AC Adapter, 9 VDC, Center Negative | 230-VAC (CE Approved) | ----- | \$10.00 |
| 6009D115 | AC Adapter, 7.2 VDC, Coaxial Center Negative | 115-VAC (UL & CSA) | ----- | \$10.00 |
| 6009D230 | AC Adapter, 7.2 VDC, Coaxial Center Negative | 230-VAC (UL & CSA) | ----- | \$10.00 |

Other Accessories:

| | | | | |
|----------------|--|---|-------|---------|
| 600B-P | BNC to Tinned Pins Adapter / Converter | 3679, 3679N & 6308 / 6309 Series | ----- | \$18.00 |
| 600B-Y | BNC to 4mm spade Lug & Tinned Pins Adapter / Converter | 3679, 3679N & 6308 / 6309 Series | ----- | \$18.00 |
| 600G | Karl Fisher Shorting Plug | 603A, 671P, 6071, 6171 Original Version | -- | \$15.00 |
| 6000B | 4-Pin to BNC Adapter / Converter | 4-Pin only meters 6007, 6171L & 6231 | ---- | \$30.00 |
| 613 | pH Simulator Stick pH 4.01, pH 7.00 & pH 10.01) | Calibrates pH meters | ----- | \$79.00 |
| 66 | Pre-Amplifier for pH / ORP | For remote electrodes > 40-ft away | ----- | \$99.00 |
| 6B4 | Buffer Capsules 4.01 / 10 per pack | Slopes at 4.01 | ----- | \$10.00 |
| 6B7 | Buffer Capsules 7.00 / 10 per pack | Slopes at 7.00 | ----- | \$10.00 |
| 6B10 | Buffer Capsules 10.01 / 10 per pack | Slopes at 10.01 | ----- | \$10.00 |
| DB9 | RS-232 Cable, 6-ft, DB9 to DB9 | (No Discount) | ----- | \$29.00 |
| DB25 | RS-232 Cable, 6-ft, DB25 to DB9 | (No Discount) | ----- | \$29.00 |
| 720-31 | Coiled Adapter Extension Cable / 6-ft | (720 Temperature Meter) | ----- | \$25.00 |
| 720-99 | Vinyl Pouch for 720 | (720 Temperature Meter) | ----- | \$10.00 |
| CS-0001-08 | pH / ORP Soaking Solution, 8 Ounce Bottle | pH / ORP | ----- | \$ 8.50 |
| CS-0001-16 | pH / ORP Soaking Solution, 16 Ounce Bottle | pH / ORP | ----- | \$12.50 |
| CS-0002-08 | pH / ORP Cleaning Solution, 8 Ounce Bottle | pH / ORP | ----- | \$ 5.50 |
| CS-0002-16 | pH / ORP Cleaning Solution, 16 Ounce Bottle | pH / ORP | ----- | \$10.00 |
| MD0004 | 24 Polishing Strips for Platinum ORP Probes | ORP | ----- | \$40.00 |
| "Model # F" | Carrying Cases for Handheld Meters, For Example "6230F" | Handheld Cases | ----- | \$20.00 |
| PMBSS | Pipe Mount Bracket Stainless Steel | ¼ DIN Controllers / Analyzers | ----- | \$59.00 |
| RF-0007-08 | pH Electrode Refill Solution, 8 Ounces | pH Electrode Refill Solution | ----- | \$18.00 |
| SD-3001-16 | K= 0.1 & K= 1 Cond. Solution 0.01 N KCL / 1413 uS/cm, 500 ml | Conductivity | ----- | \$25.00 |
| SD-3002-16 | K=0.1 & K =1 Conductivity Solution 1000 uS/cm KCL, 500 ml | Conductivity | ----- | \$25.00 |
| SD-3003-16 | K=1 Conductivity Solution 0.1 N KCL / 12880 uS/cm, 500 ml | Conductivity | ----- | \$25.00 |
| SD-3004-16 | K= 10 Conductivity Solution 1.0 N KCL / 111800 uS/cm, 500 ml | Conductivity | ----- | \$30.00 |
| SD-3005-16 | K= 1 Conductivity Solution 58670 uS/cm, 500 ml / 16 Ounces | Conductivity | ----- | \$30.00 |
| SD-4001-04 | ORP Quinhydrone Checking Kit / Good for 4 Tests | ORP | ----- | \$25.00 |
| UT-207 Adapter | RS-485 Adapter, DB25 Male-DB9 Female Cable, 120-240VAC | RS-485 Interface, AC Adapter , Cable | ----- | \$60.00 |

Handheld & Benchtop Meters & Meter Kits:

| Model | Description | Parameters | Price |
|------------|--|---|--------------------|
| 103 | Handheld Conductivity Meter | Conductivity / Temperature, K=1 | ----- \$85.00 |
| 103KA | Kit A, 103 Meter & K=1 Conductivity Cell | | ----- 164.00 |
| 103KB | Kit B, 103 Meter, K=1 Conductivity Cell & Case | | ----- 184.00 |
| 103KC | Kit B, 103 Meter, K=1 Cell, Case & 008 Probe Holder | | ----- 213.00 |
| 110 | Conductivity Pen, (10 to 1990 uS/cm) | Conductivity | ----- \$39.00 |
| 111 | Conductivity Pen, (0.1 to 19.9 mS/cm) | Conductivity | ----- \$39.00 |
| 112 | Conductivity Pen, (1 to 199 uS/cm) | Conductivity | ----- \$39.00 |
| 113 | TDS Pen, (10 to 1990 ppm) | TDS | ----- \$39.00 |
| 330 | VisionPlus Conductivity Meter, (Case \$20.00) | Conductivity / Temperature, K= 1 | ----- 79.00 |
| 331 | VisionPlus Resistivity/Conductivity Meter | Conductivity / Temperature, K= 1 | ----- 84.00 |
| 3010K | Handheld Conductivity Meter Kit Meter & 107A Conductivity Probe / K=1 | Conductivity / Temperature, K=0.1, 1 & 10 | ----- 235.00 |
| 3107 | Benchtop Meter with RS-232 Interface | Cond. / Salinity / Temperature, K=0.1, 1 & 10 | ----- 495.00 |
| 3107K | Meter, K=1 Cond. Probe, 6007D115 AC Adapter | | ----- 600.00 |

| | | | |
|------------------------|---|---|-----------------|
| 3173 | Large LCD Benchtop Conductivity Meter | Conductivity / TDS / Temperature, K=0.1, 1 & 10 ---- | 239.00 |
| 3173K | Meter, K=1 Cond. Probe, 6230D115 AC Adapter | ----- | 344.00 |
| 3173KA | Meter, K=1 Cond. Probe, 6230D115 AC Adapter, 007N | ----- | 398.00 |
| 3173R | Large LCD Benchtop Conductivity Meter w/RS-232 | Conductivity / TDS / Temperature, K=0.1, 1 & 10 ---- | 299.00 |
| 3173RK | Meter, K=1 Cond. Probe, 6230D115 AC Adapter | ----- | 404.00 |
| 3173RKA | Meter, K=1 Cond. Probe, 6230D115 AC Adapter, 007N | ----- | 458.00 |
| 3175 | NEW Large LCD, Conductivity Benchtop Meter (Only) | Conductivity, TDS Salinity, Temperature | 259.00 |
| 3175K | Meter, Model 106 K=1.0 Glass/Platinum Cell, AC Adapter 6230D115 or 6230D230 | | 364.00 |
| 3250 | Handheld Conductivity Meter w/RS-232 | Conductivity / Salinity / Temperature, K=0.1, 1 & 10 | 395.00 |
| 3250K | Meter, K=1 Cond. Probe, 6230D115 AC Adapter, Case | ----- | 520.00 |
| 3250M | Handheld Conductivity Meter w/RS-232 & Memory | Conductivity / Salinity / Temperature, K=0.1, 1 & 10 | 419.00 |
| 3250MK | Meter, K=1 Cond. Probe, 6230D115 AC Adapter, Case | ----- | 544.00 |
| 3251 | Handheld Conductivity Meter | Conductivity / Salinity / Temperature, K=0.1, 1 & 10 | 295.00 |
| 3251K | Meter, K=1 Cond. Probe, 6230D115 AC Adapter, Case | ----- | 399.00 |
| 3251M | Handheld Conductivity Meter w/ Memory | Conductivity / Salinity / Temperature, K=0.1, 1 & 10 | 359.00 |
| 3251MK | Meter, K=1 Cond. Probe, 6230D115 AC Adapter, Case | ----- | 484.00 |
| 3840 | NEW VisionPlus 4-Wire Conductivity Meter | Conductivity / TDS / Temperature, K=0.5 ----- | 240.00 |
| 3840P | 4-Wire Conductivity Electrode, K=0.5 | Conductivity / TDS / Temperature, K=0.5 ----- | 200.00 |
| 3840F | Pouch with Bottles for Conductivity Standards | Conductivity Accessory Pouch ----- | 20.00 |
| 5001 | Handheld & Benchtop pH Meter | pH ----- | 139.00 |
| 5001K | Meter, 600P pH Probe & Case 600D115 AC Adapter, (Optional Accessory) | ----- | 204.00 |
| 5005 | Handheld & Benchtop pH, ORP, Temperature Meter | pH, mV, ORP, Temperature ----- | 185.00 |
| 5005KA | Meter, 600P pH Probe & Case | ----- | 250.00 |
| 5005KB | Meter, 600P pH Probe, 600A Temp. Probe & Case 600D115 AC Adapter, (Optional Accessory) | ----- | 319.00 |
| 60 | Handheld pH Meter | pH ----- | 110.00 |
| 60K | Meter, 600P pH Probe, 600D115 AC Adapter & Case | ----- | 185.00 |
| 62 | ORP Handheld Meter w/ Offset Adjustment | ORP, mV ----- | 110.00 |
| 62K | Meter, 600E-ORP Probe, 600D115 AC Adapter & Case | ----- | 209.00 |
| 63 | Benchtop Analog Dial pH Meter w/ AC Adapter | pH ----- | 175.00 |
| 63K | Meter, 600P pH Electrode, 600D115 AC Adapter | ----- | 220.00 |
| 601A | Handheld pH, mV, ORP Meter | pH, mV, ORP ----- | 180.00 |
| 601A-KA | Meter, 600P pH Probe & Case | ----- | 245.00 |
| 601A-KB | Meter, 600P pH Probe, 600D115 AC Adapter & Case | ----- | 255.00 |
| 603A | Benchtop Analog pH Meter, Karl Fisher, AC Adapter | pH ----- | 265.00 |
| 603AKA | Meter, 600P pH Electrode & 600D115 AC Adapter | ----- | 305.00 |
| 603AKB | Meter, 600P Probe, 600A Temp. Probe & AC Adapter | ----- | 369.00 |
| 608 | Handheld Meter with Red LED Display | pH ----- | 149.00 |
| 608K | Meter, 600P pH Electrode, Case, Buffers & Bottles | ----- | 214.00 |
| 008 & AC Adapter | Electrode Clamp & AC Adapter 600D115 or /600D230 | Accessories for 608/609 Meter or Kits | Add 38.00 |
| 609 | Handheld Meter with Grey LCD Display | pH ----- | 159.00 |
| 609K | Meter, 600P pH Electrode, Case, Buffers & Bottles | ----- | 224.00 |
| 610 or 620 | pH Pen / pH Pen Dual Point & Temp. | pH ----- | 33.00/43.00 |
| 611 | Handheld Analog Dial pH Meter | pH ----- | 119.00 |
| 611K | Meter & 600P pH/Reference Electrode & Case | ----- | 184.00 |
| 612 | Handheld Stick Type pH Meter | pH ----- | \$99.00 |
| 612K | Meter & 612E pH/Reference Stick Electrode & Case | ----- | 179.00 |
| 618NC / 618NF | VisionPlus with Memory, Date & Time Stamp | pH/Temp. Specify Celsius or Fahrenheit ----- | 119.00 |
| 619C / 619F | VisionPlus with Graphical Display & EFF | pH/Temp. Specify Celsius or Fahrenheit ----- | 99.00 |
| 630C / 630F | VisionPlus, Economy Model w/ Large LCD | pH/Temp. Specify Celsius or Fahrenheit ----- | 69.00 |
| 618 Series Case | Soft Pouch, Buffers & Bottles | Accessory Pouch ----- | 25.00 |
| 628NC or 628NF | ORP VisionPlus Pen, Date Time Stamp | ORP, Temperature & Memory, Specify C or F----- | 144.00 |

| | | | |
|-------------------|---|---|---------------|
| 640 | Salinity Pocket Pen | Salinity ----- | \$49.95 |
| 650 | ORP / mV Pocket Pen | ORP, mV ----- | \$49.95 |
| 6173 | Large LCD Benchtop pH/mV/Temperature Meter | pH, mV, ORP, Temperature ----- | 225.00 |
| 6173KA | Meter, 600P, 6230A-ST Probe, 6230D115 AC Adapter | ----- | 329.00 |
| 6173KA-A | Meter, 600P, 6230A-ST, 6230D115, Probe Holder Arm | ----- | 383.00 |
| 6173KB | Meter, 6000P, 6005C Cable, 6230D115 AC Adapter | ----- | 329.00 |
| 6173KB-A | Meter, 6000P, 6005C, 6230D115, Electrode Holder Arm | ----- | 383.00 |
| 6173R | Large LCD Benchtop Meter w/ RS-232 Interface | pH, mV, ORP, Temperature ----- | 285.00 |
| 6173RKA | Meter, 600P, 6230A-ST Probe, 6230D115 AC Adapter | ----- | 389.00 |
| 6173RKA-A | Meter, 600P, 6230A-ST, 6230D115, Probe Holder Arm | ----- | 443.00 |
| 6173RKB | Meter, 6000P, 6005C Cable, 6230D115 AC Adapter | ----- | 389.00 |
| 6173RKB-A | Meter, 6000P, 6005C, 6230D115, Electrode Holder Arm | ----- | 443.00 |
| 6175 | NEW Large LCD, High Resolution Benchtop pH/mV/Ion | pH, mV, ORP, Ion Temperature Meter (Only) | 245.00 |
| 6175KA | Meter, 600P, 6230A-ST Probe, 6230D115 AC Adapter (Kit A) | | 349.00 |
| 6175KB | Meter, 6000P, 6005C Cable, 6230D115 AC Adapter (Kit B) | | 349.00 |
| 007N | Electrode Arm Holder is Ordered Separately | | 54.00 |
| 6219 | Ion Benchtop Meter w/ RS-232 Interface | pH, mV, Temp. & Ion ----- | 495.00 |
| 6219KA | Meter, 600P pH Probe, 6230D115 AC Adapter | ----- | 550.00 |
| 6219KB | Meter, 6000P, 6005C Cable, 6230D115 AC Adapter | ----- | 599.00 |
| 6219KC | Meter, 600P, 6230A-ST Temp. Probe & 6230D115 | ----- | 599.00 |
| 6230M | Handheld Meter, 3-Point Calibration, Memory, RS-232 | pH, mV, ORP, Temperature ----- | 225.75 |
| 6230MKA | Meter & 6230A-ST Stainless Steel Temperature Probe | ----- | 274.75 |
| 6230MKB | Meter, 6000P pH/Ref./Temp. Probe & 6005C Cable | ----- | 319.75 |
| 6230MKC | Meter, 600P, & 6230A-ST Temperature Probe | ----- | 319.75 |
| 6230MKD | Case, 6230D115 AC Adapter, Buffers & Bottles | ----- | \$30.00 |
| 6230N | Handheld Meter with 3-Point Calibration & RS-232 | pH, mV, ORP, Temperature ----- | 163.55 |
| 6230NKA | Meter & 6230A-ST Stainless Steel Temperature Probe | ----- | 212.55 |
| 6230NKB | Meter, 6000P pH/Ref./Temp. Probe & 6005C Cable | ----- | 257.55 |
| 6230NKC | Meter, 600P, & 6230A-ST Temperature Probe | ----- | 257.55 |
| 6230NKD | Case, 6230D115 AC Adapter, Buffers & Bottles | ----- | \$30.00 |
| 6231M | Handheld w/ 3-Point Calibration, Memory, No RS-232 | pH, mV, ORP, Temperature ----- | 204.25 |
| 6231MKA | Meter & 6230A-ST Stainless Steel Temperature Probe | ----- | 253.25 |
| 6231MKB | Meter, 6000P pH/Ref./Temp. Probe & 6005C Cable | ----- | 298.25 |
| 6231MKC | Meter, 600P, & 6230A-ST Temperature Probe | ----- | 298.25 |
| 6231MKD | Case, 6230D115 AC Adapter, Buffers & Bottles | ----- | \$30.00 |
| 6231N | Handheld, 3-Point Calibration, No Memory or RS-232 | pH, mV, ORP, Temperature ----- | 153.55 |
| 6231NKA | Meter & 6230A-ST Stainless Steel Temperature Probe | ----- | 202.55 |
| 6231NKB | Meter, 6000P pH/Ref./Temp. Probe & 6005C Cable | ----- | 247.55 |
| 6231NKC | Meter, 600P, & 6230A-ST Temperature Probe | ----- | 247.55 |
| 6231NKD | Case, 6230D115 AC Adapter, Buffers & Bottles | ----- | \$30.00 |
| 6250 | Handheld pH/mV/Ion Meter w/ RS-232 Interface | pH, mV, Temp. & Ion ----- | 395.00 |
| 6250KA | Meter, 600P pH Electrode, & Case | ----- | 460.00 |
| 6250KB | Meter, 6000P, 6005C, 6230D115 AC Adapter & Case | ----- | 519.00 |
| 6250KC | Meter, 600P, 6230A-ST Probe, 6230D115 & Case | ----- | 519.00 |
| 6251 | Handheld pH/mV/Ion Meter, 4-Pin Connector. | pH, mV, Temp. & Ion ----- | 295.00 |
| 6251KA | Meter, 600P pH Electrode w/ BNC, & Case | ----- | 400.00 |
| 6251KB | Meter, 6000P, 6001C, 6230D115 AC Adapter & Case | ----- | 419.00 |
| 6251KC | Meter, 600P, 6000B, 6230A-S, 6230D115 & Case | ----- | 449.00 |
| 6307 (2 in Stock) | Benchtop pH/Conductivity Meter w/ RS-232, Adapter | pH, Salinity, Conductivity, Temperature ----- | 595.00 |
| 6307K | Meter, 600P, K=1.0 Cell, 6230D115 AC Adapter | ----- | 745.00 |
| 6350N | Handheld pH/Conductivity Meter w/ RS-232 | pH, mV, Salinity, Conductivity, Temperature ----- | 495.00 |
| 6350NKA | Meter and K=1.0 Conductivity Cell | ----- | 590.00 |
| 6350NKB | Meter, 600P, 6230D115 AC Adapter & Case | ----- | 570.00 |
| 6350NKC | Meter, 600P, K=1.0 Cell, 6230D115 Adapter & Case | ----- | 665.00 |
| 6350M | Handheld pH/Cond. Meter w/ RS-232 & Memory | pH, mV, Salinity, Conductivity, Temperature ----- | 545.00 |
| 6350MKA | Meter and K=1.0 Conductivity Cell | ----- | 640.00 |
| 6350MKB | Meter, 600P, 6230D115 AC Adapter & Case | ----- | 620.00 |
| 6350MKC | Meter, 600P, K=1.0 Cell, 6230D115 Adapter & Case | ----- | 715.00 |
| 671P | Benchtop Meter w/ Karl Fisher & Voltage Output | pH, mV, ORP, Temperature ----- | 285.00 |
| 671PKA | Meter, 600P pH Probe & 600D115 AC Adapter | ----- | 340.00 |
| 671PKB | Meter, 600P, 600A Temp. Probe & 600D115 Adapter | ----- | 409.00 |

| | | | | |
|-----------------|-----|---|--|--------|
| 6810 | NEW | VisionPlus pH/mV/Temp. Meter Only, (Case \$25.00) | pH/ORP/mV/Temperature Meter----- | 180.00 |
| 6810K | | Complete Kit, Meter, 6810P Probe & Rubber Boot | pH/ORP/mV/Temperature, Complete Kit----- | 303.00 |
| 6810P | | 3-in-1 pH/Ref./Temperature Electrode with Cable | pH/Ref./Temperature Electrode----- | 98.00 |
| 6810A / 6810AST | | Blunt Tip Temperature Probe Glass / Stainless Steel | Temperature Probe Glass or Stainless Steel ----- | 49.00 |
| 6810AS | | Piercing Tip Stainless Steel, 10K Ω ATC, 6-Pin | ATC S.S. Piercing Tip (6810) ----- | 60.00 |
| 6810F | | Carrying Case Pouch with Buffers & Bottles | Accessory Pouch with Buffers & Bottles----- | 25.00 |

Y-Type Dissolved Oxygen Meters:

| | | | |
|---------|--|-------------------------|--------|
| 9101Y | Benchtop Polarographic Meter w/ RS-232 Interface | D.O. & Temperature----- | 450.00 |
| 9101YK | Meter, 900YDOL-10 Stainless Steel D.O. Probe, Membrane Kit LD-900-03A with 6-Membrane Caps & KCL Solution, 6230D115 AC Adapter | ----- | 745.00 |
| 9250Y | Handheld Polarographic Meter w/ RS-232 Interface | D.O. & Temperature----- | 350.00 |
| 9250YKA | Meter, 900YDOL-10 Stainless Steel D.O. Field Probe, Membrane Kit LD-900-03A with 6-Membrane Caps & KCL Solution, 6230D115 AC Adapter & Carrying Case | ----- | 725.00 |
| 9251Y | Handheld Polarographic Meter | D.O. & Temperature----- | 250.00 |
| 9251YKA | Meter, 900YDOL-10 Stainless Steel D.O. Field Probe Membrane Kit LD-900-03A with 6-Membrane Caps & KCL Solution, 6230D115 AC Adapter & Carrying Case | ----- | 623.00 |

J-Type Dissolved Oxygen Meters:

| | | | |
|---------|---|-------------------------|---------|
| 9173 | Large LCD Polarographic D.O. Benchtop Meter | D.O. & Temperature----- | 299.00 |
| 9173K | Meter, LD-900-7-DO Laboratory D.O. Probe w/8-Pin Connector, LD-900-03A Membrane Kit w/ 6 Caps & KCL Solution, & 6230D115 AC Adapter | ----- | 652.00 |
| 9173R | Large LCD Polarographic Bench Meter, w/ RS-232 | D.O. & Temperature----- | 359.00 |
| 9173RK | Meter, LD-900-7-DO Laboratory D.O. Probe w/8-Pin Connector, LD-900-03A Membrane Kit w/ 6 Caps & KCL Solution, & 6230D115 AC Adapter Handheld Meters come with Field Stainless Steel, 10-ft Probe or Specify Laboratory Probe with 1 Meter Cable. | ----- | 712.00 |
| 9250M | Handheld Polarographic Meter w/ Memory & RS-232 | D.O. & Temperature----- | 385.00 |
| 9250MKA | Meter, LD-900-8-DO Stainless Steel Field Probe with 8-Pin Connector & 10-ft Cable, LD-900-03A Membrane Kit w/ 6 Caps & KCL Solution | ----- | 728.00 |
| 9250MKD | Accessories: 6230D115 AC Adapter & Carrying Case | ----- | \$30.00 |
| 9250N | Handheld Polarographic Meter w/ Memory & RS-232 | D.O. & Temperature----- | 305.00 |
| 9250NKA | Meter, LD-900-8-DO Stainless Steel Field Probe with 8-Pin Connector & 10-ft Cable, LD-900-03A Membrane Kit w/ 6 Caps & KCL Solution | ----- | 648.00 |
| 9250NKD | Accessories: 6230D115 AC Adapter & Carrying Case | ----- | \$30.00 |
| 9251M | Handheld Polarographic Meter w/ Memory | D.O. & Temperature----- | 325.00 |
| 9251MKA | Meter, LD-900-8-DO Stainless Steel Field Probe with 8-Pin Connector & 10-ft Cable, LD-900-03A Membrane Kit w/ 6 Caps & KCL Solution | ----- | 668.00 |
| 9251MKD | Accessories: 6230D115 AC Adapter & Carrying Case | ----- | \$30.00 |
| 9251N | Handheld Polarographic Meter | D.O. & Temperature----- | 245.00 |
| 9251NKA | Meter, LD-900-8-DO Stainless Steel Field Probe with 8-Pin Connector & 10-ft Cable, LD-900-03A Membrane Kit w/ 6 Caps & KCL Solution | ----- | 588.00 |
| 9251NKC | Same as 9251NKA but with 9251NKD accessory kit | ----- | 623.00 |
| 9251NKD | Accessories: 6230D115 AC Adapter & Carrying Case | ----- | \$30.00 |

Process Control Meters, Monitors, Controllers, Transmitter & Analyzers:

| | | | |
|-------------------|---|--|--------|
| 202 | Universal Current Output or Pressure Transducer | DC Current, DC Voltage ----- | 210.00 |
| 203 | Universal Process Indicator/Transmitter Panel Meter | DC Current, DC Voltage ----- | 195.00 |
| 203(S) | Strain Gauge / Pressure Gauge Panel Meter | DC Voltage ----- | 215.00 |
| 207 | Universal Loop Powered Indicator | 4-20 mA , 10-50 mA ----- | 149.00 |
| 217 | Universal Loop Powered Indicator, NEMA 4X | 4-20 mA , 10-50 mA ----- | 169.00 |
| 375-ORP | ORP Controller 1/8 DIN, Single Set Point | ORP, mV, 1- Relay ----- | 199.00 |
| 376 | Conductivity Transmitter, K=1, LCD, Tinned Leads | 4-20 mA, 20/200/2000 us/mS Check ----- | 129.00 |
| 392 | Conductivity Transmitter, K=1, uS/mS Lo Multi-Range | 4-20 mA Output ----- | 195.00 |
| 392-SBC | Conductivity Transmitter, K=1, uS/mS Mid/Hi Range | 4-20 mA Output ----- | 195.00 |
| 3101 | Cond. Controller, Adjustable 0-199 mS to 0-99 uS | Conductivity with LCD display----- | 249.00 |
| 3101S | Cond. Controller, Adjustable 0-99.9 mS to 0-99.9 uS | Conductivity with LCD display----- | 269.00 |
| 3201 | Universal Process Controller/Indicator | DC Current or DC Voltage Inputs ----- | 229.00 |
| 3201S | Controller / Indicator, Strain/Pressure Gauge | DC Voltage Input ----- | 249.00 |
| 3601-Controler II | Aquarium Benchtop Controller, Dual AC Outlets | pH, mV, ORP, Temperature ----- | 295.00 |
| 3671N | Controller, Voltage Output, 1/8 DIN, Pt-100, LED | pH, mV, ORP, Analog Voltage Recorder Output----- | 225.00 |
| 3671KA | Controller and 600P pH Electrode, Red LED Display | ----- | 270.00 |
| 3671KB | Controller, 600P, & 3671A Temperature Probe | ----- | 339.00 |
| 3672 | Transmitter/Controller, Adjustable Span, LCD, ¼ DIN | pH, mV, ORP , 4-20 mA Output ----- | 315.00 |
| 3673 | Trans./Ctrl, Pulse Frequency Output, LCD. ¼ DIN | pH, mV, ORP , 4-20 mA Output ----- | 385.00 |
| 3675 | Transmitter/Controller, LCD Display, ¼ DIN | pH, mV, ORP , 4-20 mA Output ----- | 305.00 |
| 3676 | Transmitter/Controller, Red LED Display, ¼ DIN | pH, mV, ORP , 4-20 mA Output ----- | 305.00 |
| 3677 | Trans./Ctrl, 1/8 DIN Vertical, Spade Lugs, No BNC | pH, mV, ORP , 4-20 mA Output ----- | 295.00 |
| 3679N | Trans./Ctrl, ORP Adjust, LCD, ¼ DIN IP-65 Case, | pH, mV, ORP , 4-20 mA Output ----- | 315.00 |
| 676 | Monitor, No Relays, LCD, BNC, 1/8 DIN | pH, mV, ORP, Analog Voltage Output ----- | 129.00 |
| 691N | Transmitter, Manual ATC, 1/8 DIN, Red LED Display | pH, 4-20 mA Output ----- | 225.00 |
| 692 | Transmitter, Pt-100 ATC, 1/8 DIN, LCD Display | pH, 4-20 mA Output ----- | 225.00 |
| 693ORP | 2-Wire DC Blind Transmitter, NEMA-4 Case | ORP, 4-20 mA Output ----- | 295.00 |
| 693PH | 2-Wire DC Blind Transmitter, 3K Balco, NEMA-4 | pH, 4-20 mA Output ----- | 295.00 |
| 695ORP | 2-Wire DC LCD Transmitter, DC, NEMA-4 Case | ORP, 4-20 mA Output ----- | 395.00 |
| 695PH | 2-Wire DC LCD Transmitter, DC, NEMA-4 Case | pH, 4-20 mA Output ----- | 395.00 |
| 6TX | 2-Wire DC LCD Transmitter/Controller, IP-65 Case | pH, 4-20 mA Output ----- | 499.00 |
| 6303C | Programmable Trans./Ctrl, LCD Display, ¼ DIN | pH, mV, ORP , Reversible 4-20 mA Output ----- | 395.00 |
| 6303P | Programmable Pulse Frequency Trans./Ctrl, ¼ DIN | pH, mV, ORP, Reversible Pulse Frequency Output----- | 395.00 |
| 6503 | ORP Trans./Ctrl w/ 1 ORP & 1 pH Inputs, ¼ DIN | ORP Control, Monitor pH, Reversible 4-20 mA ----- | 395.00 |
| 6308CT | Analyzer Graphic Display, 3-Relays, IP-65, RS-485 | Conductivity, Temperature, 4-20 mA, RS-485 ----- | 529.00 |
| 6308DT | Analyzer Graphic Display, 5-Relays, IP-65, RS-485 | Dissolved Oxygen, Temperature, 4-20 mA, RS-485 ---- | 569.00 |
| 6308OT | Analyzer Graphic Display, 5-Relays, IP-65, RS-485 | ORP, Temperature, 4-20 mA, RS-485 ----- | 499.00 |
| 6308PT | Analyzer Graphic Display, 5-Relays, IP-65, RS-485 | pH, Temperature, 4-20 mA, RS-485 ----- | 499.00 |
| 6309PDT | Dual Parameter Analyzer, Graphic Display, 5-Relays | pH, D.O., Temperature, 4-20 mA, RS-485 ----- | 649.00 |
| 6309POT | Dual Parameter Analyzer, Graphic Display, 5-Relays | pH, ORP, Temperature, 4-20 mA, RS-485 ----- | 719.00 |
| 6311 | Single Parameter pH or ORP, 4-Relay & 1 Wash Relay | pH, ORP, Temperature, 4-20 mA, RS-485 ----- | 389.00 |
| 6312DTB | Analyzer Graphic Display, 5-Relays, IP-65, RS-485 | Reference Calibration, D.O. / Temp. w/ 4-20 mA ----- | 689.00 |
| 6312DTF | Fermentable/Sterilizable D.O. Analyzer, 5-Relays | Dissolved Oxygen, Temperature, 4-20 mA, RS-485 ---- | 789.00 |
| 6715, (1 Left) | Aquarium Controller, Wall Mount with Potentiometers | pH, ORP, Temperature ----- | 295.00 |
| 6715-01, (1 Left) | Pool & Spa Controller, Wall Mount w/Potentiometers | pH, ORP ----- | 295.00 |

Temperature Monitors, Transmitters, Controllers & Handheld Meters:

| | | | |
|-------------------|--|--|---------|
| 377-1- JF | Single Relay Controller, ¼ DIN, Type J | Temperature ° F, Analog Voltage Output ----- | 220.00 |
| 377-1- KF | Single Relay Controller, ¼ DIN, Type K | Temperature ° F, Analog Voltage Output ----- | 220.00 |
| 377-1-PTAF | Single Relay Controller, ¼ DIN, Type RTD | Temperature ° F, Analog Voltage Output ----- | 220.00 |
| 377-1-PTBC or BF | Single Relay Controller, ¼ DIN, Type RTD | Temperature ° C or ° F, Analog Voltage Output ----- | 220.00 |
| 377-1-TC or TF | Single Relay Controller, ¼ DIN, Type T | Temperature ° C or ° F, Analog Voltage Output ----- | 220.00 |
| 377-2-JC or JF | Dual Relay Controller, ¼ DIN, Type J | Temperature ° C or ° F, Analog Voltage Output ----- | 199.00 |
| 377-2-KC or KF | Dual Relay Controller, ¼ DIN, Type K | Temperature ° C or ° F, Analog Voltage Output ----- | 199.00 |
| 377-2-PTAC or AF | Dual Relay Controller, ¼ DIN, Type RTD | Temperature ° C or ° F, Analog Voltage Output ----- | 199.00 |
| 377-2-PTBC or BF | Dual Relay Controller, ¼ DIN, Type RTD | Temperature ° C or ° F, Analog Voltage Output ----- | 199.00 |
| 377-2-TC or TF | Dual Relay Controller, ¼ DIN, Type T | Temperature ° C or ° F, Analog Voltage Output ----- | 199.00 |
| 378 JC or JF | Single Relay Controller, 1/8 DIN, Type J | Temperature ° C or ° F, Analog Voltage Output ----- | 129.00 |
| 378 KC or KF | Single Relay Controller, 1/8 DIN, Type K | Temperature ° C or ° F, Analog Voltage Output ----- | 129.00 |
| 378 TF | Single Relay Controller, 1/8 DIN, Type T | Temperature ° C or ° F, Analog Voltage Output ----- | 129.00 |
| 7000APL | Microprocessor Panel Meter, 1/8 DIN, Selectable | Temperature Type J, K, T, E, N, R, S, ° C or ° F ----- | 179.00 |
| 7001APL | Microprocessor Panel Meter, 1/8 DIN, Selectable | Temperature Type J, K, T, E, N, R, S, ° C or ° F ----- | 199.00 |
| 7000P | Panel Meter J, K, KB, RTD, T TH, Specify Type | Single Probe, Temperature, P = LCD ----- | 179.00 |
| 7000PL | Panel Meter J, K, KB, RTD, T TH, Specify Type | Single Probe, Temperature, PL = LED ----- | 179.00 |
| 7001P | Panel Meter J, K, KB, RTD, T TH, Specify Type | Single Probe, Temperature, P = LCD ----- | 199.00 |
| 7001PL | Panel Meter J, K, KB, RTD, T TH, Specify Type | Single Probe, Temperature, PL = LED ----- | 199.00 |
| 7002P | Panel Meter J, K, KB, RTD, T TH, Specify Type | Dual Probe, Temperature, P = LCD ----- | 210.00 |
| 7002PL | Panel Meter J, K, KB, RTD, T TH, Specify Type | Dual Probe, Temperature, PL = LED ----- | 210.00 |
| 700IH | Single Probe Handheld Meter, Type J, K, T | Temperature ° C or ° F ----- | 129.00 |
| 7001HRTD | Single Probe Handheld Meter, RTD Type | Temperature ° C or ° F ----- | 159.00 |
| 7001HTH | Single Probe Handheld Meter, 2.252K Thermistor Type | Temperature ° C or ° F ----- | 159.00 |
| 7002H | Dual Probe Handheld Meter, Type J, K, KB, T | Temperature ° C or ° F ----- | 149.00 |
| 7002HRTD | Dual Probe Handheld Meter, RTD Type | Temperature ° C or ° F ----- | 179.00 |
| 7002HTH | Dual Probe Handheld Meter, 2.252K Thermistor Type | Temperature ° C or ° F ----- | 179.00 |
| TA-1-J | Thermocouple Simulator Type J for 7001/7002 | Temperature Handheld Simulator ----- | \$79.00 |
| TA-1-K | Thermocouple Simulator Type K for 7001/7002 | Temperature Handheld Simulator ----- | \$79.00 |
| TA-1-T | Thermocouple Simulator Type T for 7001/7002 | Temperature Handheld Simulator ----- | \$79.00 |
| 701JC/JF | Magnetic Back Meter, Type J | Temperature, Specify ° C or ° F ----- | \$79.00 |
| 701KC/KF | Magnetic Back Meter, Type K | Temperature, Specify ° C or ° F ----- | \$79.00 |
| 701TC/TF | Magnetic Back Meter, Type T | Temperature, Specify ° C or ° F ----- | \$79.00 |
| 701KJ | Magnetic Back Meter, Dual Type J & K | Dual Type, Dual Temperature ° C & ° F ----- | \$89.00 |
| 720C or 720F | Handheld Pocket Thermometer, Type J | Temperature ° C or ° F ----- | \$39.95 |
| 720CK or 720FK | Handheld Pocket Thermometer, Type K | Temperature ° C or ° F ----- | \$99.95 |
| 720-31 | Coiled Cable for 720C or 720F | Accessory ----- | \$25.00 |
| 765EC or EF | Panel Meter, Type E, Specify ° C or ° F | Temperature ° C or ° F ----- | 110.00 |
| 765JC or JF | Panel Meter, Type J, Specify ° C or ° F | Temperature ° C or ° F ----- | 110.00 |
| 765KC or KF | Panel Meter, Type K, Specify ° C or ° F | Temperature ° C or ° F ----- | 110.00 |
| 765TC or TF | Panel Meter, Type T, Specify ° C or ° F | Temperature ° C or ° F ----- | 110.00 |
| 765PTAC | Panel Meter, Type PTA, ° C | Temperature ° C ----- | 110.00 |
| 765PTAF | Panel Meter, Type PTA, ° F | Temperature ° F ----- | 110.00 |
| 765PTBF | Panel Meter, Type PTB, ° F | Temperature ° F ----- | 110.00 |
| 768JC02 / 768JF02 | Panel Meter, Type J, Specify ° C or ° F | Temperature ° C or ° F ----- | \$79.00 |
| 768KC02 / 768KF02 | Panel Meter, Type K, Specify ° C or ° F | Temperature ° C or ° F ----- | \$79.00 |
| 77A/01/02/03/04 | 2-Wire Transmitter, Type J, K, E or T | Ambient Temperature Range -40 to 85 ° C ----- | \$69.00 |
| 77A/11 | 2-Wire Transmitter, RTD Type | Ambient Temperature Range -40 to 85 ° C ----- | \$79.00 |
| 77/01/02/03/04 | 2-Wire Transmitter, Type J, K, E or T | Ambient Temperature Range -10 to 70 ° C ----- | \$55.00 |
| 77/11 | 2-Wire Transmitter, RTD Type | Ambient Temperature Range -10 to 70 ° C ----- | \$65.00 |
| 791JC / 791JF | Panel Meter, Type J, Specify ° C or ° F, LCD Display | Temperature ° C or ° F ----- | 199.00 |
| 791KC / 791KF | Panel Meter, Type K, Specify ° C or ° F, LCD Display | Temperature ° C or ° F ----- | 199.00 |
| 791PTAC | Panel Meter, Type PTA, ° C, LCD Display | Temperature ° C ----- | 199.00 |
| 791PTBC | Panel Meter, Type PTB, ° C, LCD Display | Temperature ° C ----- | 199.00 |
| 791L-JC / 791L-JF | Panel Meter, Type J, Specify ° C or ° F, Red LED | Temperature ° C or ° F ----- | 199.00 |
| 791L-KC / 791L-KF | Panel Meter, Type K, Specify ° C or ° F, Red LED | Temperature ° C or ° F ----- | 199.00 |
| 791L-PTAC | Panel Meter, Type PTA, ° C, Red LED | Temperature ° C or ° F ----- | 199.00 |
| 791L-PTAF | Panel Meter, Type PTA, ° F, Red LED | Temperature ° C or ° F ----- | 199.00 |
| 791L-PTBC | Panel Meter, Type PTB, ° C, Red LED | Temperature ° C or ° F ----- | 199.00 |
| 791L-PTBF | Panel Meter, Type PTB, ° F, Red LED | Temperature ° C or ° F ----- | 199.00 |