

<b>UNICO® 2012</b>	
<b>Item #</b>	<b>Description</b>
<b>PowerSpin™ Centrifuges, Rockers, Mixers and Lab Equipment</b>	
C806	PowerSpin™ FX centrifuge, fixed speed 3,400 RPM, 6 place, 30 min. timer, 6x10ml or 3x15ml capacity
C806H	<b>Tube Holdster™ Rack</b>
C808	PowerSpin™ FX centrifuge, fixed speed 3,400 RPM, 8 place, 30 min. timer, 8x10ml capacity
C808H	PowerSpin™ FX centrifuge, fixed speed 3,400 RPM, 8 place, 30 min. timer, 6x10ml capacity, <b>with 18 Place Tube Holdster™ Rack</b>
C816	PowerSpin VX Centrifuge, non-linear variable speed up to 3,400 RPM, 6 place, 30 min. timer 6x10ml or 3x15ml capacity
C818	PowerSpin VX Centrifuge, non-linear variable speed up to 3,400 RPM, 8 place, 30 min 6x10ml capacity
C856	PowerSpin LX Centrifuge, variable speed 300-4,000 RPM, 6 place, 30 min. timer, 6x10ml or 3x15ml capacity
C856H	PowerSpin LX Centrifuge, variable speed 300-4,000 RPM, 6 place, 30 min. timer, 6x10ml or 3x15ml capacity <b>with 18 PlaceTube Holdster™ Rack</b>
C858	PowerSpin LX with 8 Place Rotor, variable speed 300 - 4,000 RPM, 30 min timer, 8x10ml capacity, <b>110 V</b>
C858H	<b>Tube Holdster™ Rack</b>
C856E	PowerSpin LX with 6 Place Rotor, variable speed 300 - 4,000 RPM, 30 min timer, 6x10ml or 3x15ml capacity, <b>220 V</b>
C858E	PowerSpin LX with 8 Place Rotor, variable speed 300 - 4,000 RPM, 30 min timer, 8x10ml capacity, <b>220 V</b>
C8624	PowerSpin MX, Model C8624 Centrifuge, 24 Places with 60 min digital timer, variable speed 1000□3400 rpm with 0-rpm safety lid latch, capacity 24x10 ml tubes, 16x15 ml tubes. <b>110V</b>
C8624E	PowerSpin MX, Model C8624 Centrifuge, 24 Places with 60 min digital timer, variable speed 1000□3000 rpm with 0-rpm safety lid latch, capacity 24x10 ml tubes, 16x15 ml tubes. <b>220V</b>
C8624H	PowerSpin MX, Model C8624 Centrifuge, 24 Places with 60 min digital timer, variable speed 1000□3400 rpm with 0-rpm safety lid latch, capacity 24x10 ml tubes, 16x15 ml tubes <b>with 24 place Tube Holdster™ Rack</b>
C8604	PowerSpin MX, Model C8604 Centrifuge, <b>4 Places 50 ml</b> with 60 min digital timer, variable speed 1000□3400 rpm with 0-rpm safety lid latch, capacity 4x50 ml tubes. <b>110V</b>
C8604E	PowerSpin MX, Model C8604 Centrifuge, <b>4 Places 50 ml</b> with 60 min digital timer, variable speed 1000□3000 rpm with 0-rpm safety lid latch, capacity 4x50 ml tubes. <b>220V</b>
C8604P	PowerSpin MX, Model C8604 Centrifuge, <b>4 Places 50 ml</b> with 60 min digital timer, variable speed 1000□3400 rpm with 0-rpm safety lid latch, capacity 4x50 ml tubes with 4 pieces C8604-02 5-10ml adapters, 4 pieces C8604-04 microtube adapters and 2 pieces C8604-05 microhematocrit tube adapters
C8606	PowerSpin MX, Model C8606 Centrifuge, <b>6 Place Horizontal spin</b> with 60 min digital timer, 1000□3400 rpm with 0-rpm safety lid latch, capacity 6x15 ml tubes. <b>110V</b>
C8606E	PowerSpin MX, Model C8606 Centrifuge, <b>6 Place Horizontal spin</b> with 60 min digital timer, 1000□3000 rpm with 0-rpm safety lid latch, capacity 6x15 ml tubes. <b>220V</b>
C8606H	PowerSpin MX, Model C8606 Centrifuge, 6 Place Horizontal spin with 60 min digital timer, 1000□3400 rpm with 0-rpm safety lid latch, capacity 6x15 ml tubes <b>with 24 place Tube Holdster™ Rack</b>
<b>C8660</b>	<b>PowerSpin MX, Model C8660 Centrifuge, 4 Place Fixed Angle rotor with 60 min digital timer, 1000□3400 rpm with 0-rpm safety lid latch, capacity 4x60 ml syringes</b>
C822	PowerSpin HX, Centrifuge, fixed speed 3400 RPM, 6 place Horizontal rotor, 30 min. digital timer, 6 x10ml capacity
C826	PowerSpin Porta-Spin™ Portable 12 VDC Centrifuge fixed speed 3700 RPM, 6 Place rotor, 30 min. timer, 6x10ml capacity
C826H	<b>with 18 Place Tube Holdster™ Rack</b>
C828	PowerSpin Porta-Spin™ Portable 12 VDC Centrifuge fixed speed 3700 RPM, 8 Place rotor, 30 min. timer, 8x10ml capacity
C828H	capacity <b>with 18 Place Tube Holdster™ Rack</b>
C-MH30	Micro-Hematocrit, featuring 24 Places, 12,000 rpm, 5 min. timer with bell signal, electric motor braking and safety latch. Reader included. 110V
C-MH30E	Micro-Hematocrit, featuring 24 Places, 12,000 rpm, 5 min. timer with bell signal, electric motor braking and safety latch. Reader included. 110V
C881	PowerSpin BX Centrifuge, variable speed 1,000-6,000 rpm, 6 place rotor, 0-99 min digital timer, 6x10ml or 12ml capacity <b>110 V</b>
C881E	PowerSpin BX Centrifuge, variable speed 1,000-6,000 rpm, 6 place rotor, 0-99 min digital timer, 6x10ml or 12ml capacity, <b>220 V</b>
C882	PowerSpin BX Centrifuge, variable speed 1,000-11,000 rpm, 24 place rotor, 0-99 min digital timer, 24 x Microhematocrit tube capacity, <b>110 V</b>
C882E	PowerSpin BX Centrifuge, variable speed 1,000-11,000 rpm, 24 place rotor, 0-99 min digital timer, 24 x Microhematocrit tube capacity, <b>220 V</b>
C883	PowerSpin BX Centrifuge, variable speed 1,000-13,000 rpm, 24 place rotor, 0-99 min digital timer, 24 x Micro tube capacity, <b>110 V</b>

C883E	PowerSpin BX Centrifuge, variable speed 1,000-13,000 rpm, 24 place rotor, 0-99 min digital timer, 24 x Micro tube capacity,, <b>220 V</b>
C884	PowerSpin BX Centrifuge, variable speed 1,000-11,000 rpm, 6 place and 24place Microhematocrit rotor, 0-99 min digital timer, 110V
C884E	PowerSpin BX Centrifuge, variable speed 1,000-11,000 rpm, 6 place and 24place Microhematocrit rotor, 0-99 min digital timer, 110V, <b>220 V</b>
C885	24 Place MicroCentrifuge Rotor, <b>110 V</b>
C885E	24 Place MicroCentrifuge Rotor, <b>220 V</b>
C886	PowerSpin BX Centrifuge, variable speed 1,000-13,000 rpm with 24 Place Microhematocrit Rotor and 24 Place MicroCentrifuge Rotor, <b>110 V</b>
C886E	PowerSpin BX Centrifuge, variable speed 1,000-13,000 rpm with 24 Place Microhematocrit Rotor and 24 Place MicroCentrifuge Rotor, <b>220 V</b>
C887	PowerSpin BX Centrifuge, variable speed 1,000-13,000 rpm with 6 Place Tube Rotor and 24 Place MicroCentrifuge Rotor, <b>110 V</b>
C887E	PowerSpin BX Centrifuge, variable speed 1,000-13,000 rpm with 6 Place Tube Rotor and 24 Place MicroCentrifuge Rotor, <b>220 V</b>
<b>Parts and Accessories</b>	
C800-00	6 Place rotor (for FX/VX/LX only)
C800-01	8 Place rotor (for FX/VX/LX only)
C800-02	Regular tube shield, Pack of 2
C800-03	25mm Adapter for short tubes, pack of 10 (for FX/VX/LX /MX and PortaSpin)
C800-03-6	Adapter for short tubes, pack of 6 (for FX/VX/LX /MX and PortaSpin)
C800-04	Adapter for pediatric tubes(38-45mm) tube length, pack of 2 (for FX/VX/LX /MX /HX/BX and PortaSpin)
C800-05	10mm Tube Lift Adapters for Greiner Tubes, Pk/12
C800-10	Fuse for PowerSpin Centrifuges, 250 V, 4 AMP
C800-18	Tube Holdster™ Rack, 18 Place, for tapped PowerSpin FX and LX centrifuges
C800-75	Tachometer, Laser Digital with relective tape, batteries, in a storage case
C8600-01	6 Place Horizontal Rotor for MX Centrifuge
C8600-02	4 Place swing out rotor with 50ml capacity for MX Centrifuge
C8600-03	24 Place Fixed Angle Rotor For MX
C8600-05	4 Place Fixed Angle Metal Rotor for IRAP 60ml syringe for MX Centrifuge
C8600-18	Tube Holdster™ Rack, 24 Place for tapped MX Series Centrifuges
C8604-02	Tube adapter for 5-15ml tubes for use with C8604 only, set of 2
C8604-03	Tube adapter for 3.5-4.5ml short tubes for use with C8604 only, set of 2
C8604-04	Tube adapter for 0.5-3ml micro tubes for use with C8604 only, set of 2
C8604-05	6 place Microhematocrit Tube Adapter for use with C8600-04 rotor ( model C8604) , set of 2
CMH30-Reader	Microhematocrit Reader
CMH30-03	Gasket Replacement for CMH30 Centrifuge
C822-01	6 Place Horizontal Rotor for HX C822 Centrifuge
C822-02	Tube Shield for HX C822 horizontal centrifuge only , Pk/2
C822-03	20mm Short Tube Adaptor, set of 10 for C822 Only
C826-06	Porta-Spin 12 VDC Adapter, plugs into Cigarette Lighter, Repalcement
C826-12	Porta-Spin AC Adapter, 110 Volt, USA Power Cord
C826-12E	Porta-Spin AC Adapter, 220 Volt, European Power Cord
C880-01	6 Place rotor for BX centrifuge
C880-02	Microhematocrit rotor, 24 place for BX centrifuge
C880-03	Microtube rotor, 24 place for BX centrifuge
C880-10	BX Rotor Rack, holds all three BX rotors and accessories, Acrylic
C880-10H	BX Rotor Rack, holds all three BX rotors and accessories, Acrylic with Tube Holdster (C800-18)
C881-02	BX centrifuge Tube Shields, Pk/2
C881-03	20mm Adapter for short tubes, Pack of 10 (for BX series only)
C881-04	Micro/Pediatric tube adapter for 0.5 -2.0mm tubes, set of 2
C800-512	12 ml Conical Urine Tubes, graduated, Pk/12
C800-550	12 ml Conical Urine Tubes, graduated, Pk/50
C800-500	12 ml Conical Urine Tubes, graduated, Pk/500
C800-500-2K	12 ml Conical Urine Tubes, graduated, Package of 2,000 tubes
<b>MIXERS, ROCKERS AND OTHER LAB EQUIPMENT</b>	
L-RT30C	Digital Rotator featuring 11" x 11" mixing plate, variable speed of 25 to 250 rpm, digital display, 120V, with Humidity Cover (Replaces L-RT28)
L-RT30C-E	Digital Rotator featuring 11" x 11" mixing plate, variable speed of 25 to 250 rpm, digital display, 220V, with Humidity Cover (Replaces L-RT28)

L-TTR100	Tube Rocker/Mixer, 8 tubes/vials, with <b>PAUSE button</b> 25 rocking cycles per minute, <b>110 V</b>
L-TTR100E	Tube Rocker/Mixer, 8 tubes/vials, with <b>PAUSE button</b> 25 rocking cycles per minute, <b>220 V</b>
L-TTR200	Tube Rocker/Mixer, 15 tubes/vials, with <b>PAUSE button</b> 25 rocking cycles per minute, <b>110 V</b>
L-TTR200E	Tube Rocker/Mixer, 15 tubes/vials, with <b>PAUSE button</b> 25 rocking cycles per minute, <b>220 V</b>
L-TTR200D	<b>"30 Rocker" Tube Rocker/Mixer</b> , 30 tubes with <b>PAUSE button</b> 25 rocking cycles per min, <b>110 V</b>
L-TTR200DE	<b>"30 Rocker" Tube Rocker/Mixer</b> , 30 tubes with <b>PAUSE button</b> 25 rocking cycles per min, <b>220 V</b>
MTR22	Multi-Purpose Mixer, with 2 platforms, 90 - 240 Volt Universal Power Supply
L-VM1000	Vortex Mixer for single tube mixing, 3-position switch for constant or "Touch-on" with variable speed, 120V
L-VM2000	Vortex Mixer with 3.75 inches vibration pad, 3-position switch for constant, off or "Touch-on" with variable speed, 120V
L-P600T	Pipette Shaker, 2500 RPM, for 6 pipettes, 15 min. timer, 110 V
L-BC3	Differential Counter, featuring 2-key and reset knob
L-BC6	Differential Counter, <b>metal housing</b> , 5-key w/ totalizer window, signal bell, dual reset knobs
L-BC9	Differential Counter, <b>metal housing</b> , 8-key w/ totalizer window, signal bell, dual reset knobs
L-CU100	Incubator, 10L Capacity, Ambient to 70° C, Double Door
L-CU200	Incubator, 20L Capacity, Ambient to 70° C, Double Door
<b>Parts and Accessories</b>	
L-TTR100-1	Tube Rocker 8 place replacement pad, reversible
L-TTR200-1	Tube Rocker 15 place replacement pad, reversible
L-TTR100-6	LTTR100 motor, 110V 60Hz
L-TTR200-6	LTTR200 motor, 110V 60Hz
L-TTR200-6E	LTTR200 motor, 220V 50Hz
MTR22-1	22 Place Tube Platform for MTR22 Multi-Mixer
MTR22-2	8 Place for 50 ml Tube Platform for MTR22 Multi-Mixer
MTR22-3	Universal Power Supply for MTR22, 90-240 VAC / 12 VDC
<b>Dermatoscope - DermaScout™</b>	
DS-6	DermaScout™ Dermatoscope with LED array and Measuring Reticule (inches/mm)
DS-6-01	Replacement Battery: Type CR2, 3 Volt, Duracell
<b>Basic Laboratory Microscopes M220 series</b>	
M220FL	Monocular Microscope, Fluorescent illuminator
M220FLM	Monocular Microscope with Mechanical Stage & Fluorescent illuminator
M220FLD	Dual Head Microscope, Fluorescent illuminator
M220FLDM	Dual Head Microscope with Mechanical Stage & Fluorescent illuminator
M220LED	Monocular Microscope, with LED illumination
M220LED-M	Monocular Microscope, with LED illumination & Mechanical Stage
<b>Parts and Accessories</b>	
M220-7007	AC Adapter for Freedom Jr. Series (replaces B2-7007)
M220-7003	Bulb, Fluorescent, 5 Watt (replaces B2-7003)
M220-5101	Graduated Mechanical Stage, Attachable
B6-8910	OPTICAL CLEANING KIT
<b>M250 Series Microscopes</b>	
M250	BINOCULAR, WF10X,4X,10X,40XR,100XR DIN, MECH., Abbe NA1.25&iris, 6V20W Halogen
M250LED	BINOCULAR, WF10X, 4X, 10X, 40XR, 100XR DIN, MECH., Abbe NA 1.25 & iris, LED
M251	MONOCULAR, WF10X,4X,10X,40XR,100XR DIN, MECH., Abbe NA1.25&iris, 6V20W Halogen
M251LED	MONOCULAR, WF10X, 4X, 10X, 40XR, 100XR DIN, MECH., Abbe NA 1.25 & iris, LED
M252	DUAL HEAD, WF10X(2),4X,10X,40XR,100XR DIN,MECH.,Abbe NA 1.25&iris, 6V20W Halogen
M252LED	DUAL HEAD, WF10X(2),4X,10X,40XR,100XR DIN,MECH.,Abbe NA 1.25&iris, 6V20W LED
<b>Parts and Accessories</b>	
M250-1401	10X WIDEFIELD EYEPIECE, SINGLE
M250-1411	10X WIDEFIELD EYEPIECE WITH POINTER, SINGLE
M250-1499	5X EYEPIECE, SINGLE
M250-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10
M250-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25
M250-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
M250-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, OIL, RETRACTABLE FRONT LENS
M250-3001	MONOCULAR TUBE WITHOUT EYEPIECE
M250-3002	DUAL VIEWING TUBE WITH DIOPTRER WITHOUT EYEPIECES
M250-3004	SEIDENTOPF BINOCULAR FOR M250 AND M250LED SERIES
M250-5003	MECHANICAL STAGE WITH ABBE N.A. 1.25 CONDENSER AND IRIS DIAPHRAGM
M250-7001	6V20W HALOGEN BULB, 4mm PIN FOR M250 SERIES
M250-7003	FUSE 250V 1.5A

M250-8001	DUST COVER FOR M250 SERIES
M250-8902	EYEPIECE POINTER FOR M250 SERIES
B6-8903	STAGE MICROMETER SLIDE
B6-8904	CARRYING CASE, NYLON, PADDED
B6-8905	IMMERSION OIL TYPE A, 7 ml
B6-8910	OPTICAL CLEANING KIT
<b>M280 Series Microscopes</b>	
M280	BINOCULAR, WF10X, 4X, 10X, 40XR, 100XR DIN, MECH., Abbe NA 1.25 & iris, LED
M280PL	BINOCULAR, WF10X, PLAN 4X, 10X, 40XR, 100XR DIN, MECH., Abbe NA 1.25 & iris, LED
<b>Parts and Accessories</b>	
M280-1401	10X WIDEFIELD EYEPIECE, SINGLE
M280-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10
M280-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25
M280-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
M280-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, OIL, RETRACTABLE FRONT LENS
M280-3004	SEIDENTOPF BINOCULAR FOR M280 SERIES
M280-5003	MECHANICAL STAGE WITH ABBE N.A. 1.25 CONDENSER AND IRIS DIAPHRAGM
M280-7003	FUSE 250V 1.5A
M280-8001	DUST COVER FOR M280 SERIES
M280-8902	EYEPIECE POINTER FOR M280 SERIES
B6-8903	STAGE MICROMETER SLIDE
B6-8904	CARRYING CASE, NYLON, PADDED
B6-8905	IMMERSION OIL TYPE A, 7 ml
B6-8910	OPTICAL CLEANING KIT
<b>G300 Series Microscopes</b>	
G301	Monocular WF10x, 4x, 10x, 40xr, 100xr Achromat Mech. Abbe N.A.1.25 6v/20w halogen illumination
G301PL	Monocular WF10x, 4x, 10x, 40xr, 100xr Plan Achromat Mech. Abbe N.A.1.25 6v/20w halogen illumination
G304	Binocular WF10x, 4x, 10x, 40xr, 100xr Achromat Mech. Abbe N.A.1.25 6v/20w halogen illumination
G304PH	Binocular WF10x, 4x, 10x, 100xr achromtic and 40X Semi-plan Phase Contrast, 6v/ 20w halogen illumination
G304SP	Binocular WF10x, 4x, 10x, 40xr, 100xr Semi-plan Mech. Abbe N.A.1.25 6v/20w halogen illumination
G304PL	Binocular WF10x, 4x, 10x, 40xr, 100xr Plan Objectives, Mech. Abbe N.A.1.25 6v/20w halogen illumination
G305	Trinocular WF10x, 4x, 10x, 40xr, 100xr Achromat Mech. Abbe N.A.1.25 6v/20w halogen illumination
G305SP	Trinocular WF10x, 4x, 10x, 40xr, 100xr Semi-plan Mech. Abbe N.A.1.25 6v/20w halogen illumination
G305PL	Trinocular WF10x, 4x, 10x, 40xr, 100xr Plan Objectives, Mech. Abbe N.A.1.25 6v/20w halogen illumination
<b>G380 Series Microscopes: LED Illuminated</b>	
G380-LED	Binocular WF10X, 4X, 10X, 40XR, 100XR Achromat MECH. Abbe N.A. LED Illumination
G380PH-LED	Binocular WF10X, 4X, 10X, 100XR Ach & 40XR Semi-Plan Phase with LED Illumination
G380SP-LED	Binocular WF10X, 4X, 10X, 40XR, 100XR Semi-Plan MECH. Abbe N.A. 1.25 LED Illumination
G380PL-LED	Binocular WF10X, 4X, 10X, 40XR, 100XR Plan MECH. Abbe N.A. 1.25 LED Illumination
G381-LED	Monocular WF10X, 4X, 10X, 40XR, 100XR Achromat MECH. Abbe N.A. 1.25 LED Illumination
G381SP-LED	Monocular WF10X, 4X, 10X, 40XR, 100XR Semi-Plan MECH. Abbe N.A. 1.25 LED Illumination
G381PL-LED	Monocular WF10X, 4X, 10X, 40XR, 100XR Plan Achr. MECH. Abbe N.A. 1.25 LED Illumination
G382-LED	Dual View WF10X(2) 4X, 10X, 40XR, 100XR Achromat MECH. Abbe N.A. 1.25 <b>LED Illumination</b>
G382SP-LED	Dual View WF10X(2) 4X, 10X, 40XR, 100XR Semi-Plan MECH. Abbe N.A. 1.25 <b>LED Illumination</b>
G382PL-LED	Dual View WF10X(2) 4X, 10X, 40XR, 100XR Plan Achromat MECH. Abbe N.A. 1.25 <b>LED Illumination</b>
G383-LED	Trinocular WF10X, 4X, 10X, 40XR, 100XR Achromat MECH. Abbe N.A. 1.25 LED Illumination
G383SP-LED	Trinocular WF10X, 4X, 10X, 40XR, 100XR Semi-Plan MECH. Abbe N.A. 1.25 LED Illumination
G383PL-LED	Trinocular WF10X, 4X, 10X, 40XR, 100XR Plan MECH. Abbe N.A. 1.25 LED Illumination
G386-LED	Binocular Infinity 4X, 10X, 40x100XR, Achromat, MECH., Abbe NA 1.25, <b>LED Illumination</b>
G386PL-LED	Binocular Infinity 4X, 10X, 40x100XR, Plan Achromat, MECH., Abbe NA 1.25, <b>LED Illumination</b>
G388-LED	<b>Dual-Binocular</b> Infinity 4X, 10X, 40x100XR, Achromat, MECH., Abbe NA 1.25, <b>LED Illumination</b>
G388PL-LED	<b>Dual-Binocular</b> Infinity 4X, 10X, 40x100XR, Plan Ach., MECH., Abbe NA 1.25, <b>LED Illumination</b>
<b>G390 Series Heated Stage Microscopes: LED Illuminated</b>	
G390	Binocular WF10X, 4, 10, 40, 100X Achr. Heated Stage Abbe N.A. 1.25 LED Illuminated
G390SP	Binocular WF10X, 4, 10, 40, 100X Semi-Plan Heated Stage Abbe N.A. 1.25 LED Illuminated
G390PL	Binocular WF10X, 4, 10, 40, 100X Plan Heated Stage Abbe N.A. 1.25 LED Illuminated
G393	Trinocular WF10X 4, 10, 40, 100X Achr. Heated Stage Abbe N.A. 1.25 LED Illuminated
G393SP	Trinocular WF10X 4, 10, 40, 100X Semi-Plan Heated Stage Abbe N.A. 1.25 LED Illuminated
G393PL	Trinocular WF10X 4, 10, 40, 100X Plan Heated Stage Abbe N.A. 1.25 LED Illuminated
G395	Binocular WF10X 4, 10PI-Ph, 40PI-Ph, 100PI-Ph Plan Phase Heated Stage LED Illuminated

G395T	Trinocular WF10X 4, 10PI-Ph, 40PI-Ph, 100PI-Ph Plan Phase Heated Stage LED Illuminated
G397	Binocular WF10X, 10X Achr, 20xPI-Ph, 40xPI-Ph, 100xPI Ach. Heated Stage, LED Illuminated
G397T	Trinocular WF10X, 10X Achr, 20xPI-Ph, 40xPI-Ph, 100xPI Ach. Heated Stage, LED Illuminated
<b>Parts and Accessories</b>	
G380-1402	High Eyepoint 10x Widefield Eyepiece, F.N. 18, Each
G380-1805	4X PHOTO EYEPIECE, SINGLE, for G380 Series
G380-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10 FOR G380 SERIES
G380-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25 FOR G380 SERIES
G380-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS FOR G380 SERIES
G380-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, OIL, RETRACTABLE FRONT LENS FOR G380 SERIES
B6-2107	60X DIN ACHROMAT OBJECTIVE, N.A. 0.85, RETRACTABLE FRONT LENS
B6-2108	20X DIN ACHROMAT OBJECTIVE N.A 0.40
B6-2201	4X SEMI-PLAN DIN OBJECTIVE, N.A. 0.10
B6-2202	10X SEMI-PLAN DIN OBJECTIVE, N.A. 0.25, RETRACTABLE FRONT LENS
B6-2203	40X SEMI-PLAN DIN OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
B6-2204	100X OIL SEMI-PLAN DIN OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
B6-2301	4X DIN PLAN OBJECTIVE, N.A. 0.10
B6-2302	10X DIN PLAN OBJECTIVE, N.A. 0.25
B6-2305	25X DIN PLAN OBJECTIVE N.A. 0.40
B6-2303	40X DIN PLAN OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
B6-2304	100X DIN PLAN OBJECTIVE N.A. 1.25, RETRACTABLE FRONT LENS
B6-2308	50X DIN PLAN OBJECTIVE N.A. 0.95, RETRACTABLE FRONT LENS
G380-2601	4X INFINITY ACHROMAT OBJECTIVE, NA 0.10
G380-2602	10X INFINITY ACHROMAT OBJECTIVE, NA 0.25
G380-2603	40X INFINITY ACHROMAT OBJECTIVE, NA 0.65
G380-2604	100X Oil Immersion INFINITY ACHROMAT OBJECTIVE, NA 1.25
G380-2301	4X INFINITY PLAN ACHROMAT OBJECTIVE, NA 0.10
G380-2302	10X INFINITY PLAN ACHROMAT OBJECTIVE, NA 0.25
G380-2303	40X INFINITY PLAN ACHROMAT OBJECTIVE, NA 0.65
G380-2304	100X Oil Immersion INFINITY PLAN ACHROMAT OBJECTIVE, NA 1.25
G380-3001	MONOCULAR HEAD, 45° INCLINED FOR G380
G380-3002	DUAL VIEWING HEAD WITHOUT EYEPIECE FOR G380 SERIES
G380-3004	SEIDENTOPF BINOCULAR HEAD FOR G380 SERIES
G380-3005	SEIDENTOPF TRINOCULAR HEAD FOR G380 SERIES
G380-5111	GRADUATED MECHANICAL STAGE (COAXIAL LOW POSITION CONTROLS) FOR G380 SERIES
G380-6001	ABBE CONDENSER, N.A. 1.25, W/ IRIS DIAPHRAGM, SWING-OUT FILTER HOLDER FOR G300 SERIES
G380-7001	LED Illuminator Pack, Snap-In, included 3 AA Batteries, for G380 Series only
G380-7002	Mirror Assembly, Snap-in for G380 Series only
G380-7010	Field Diagram Koehler Set for G380, G390 and G490 series microscopes
G380-8010	Photo lens and photo adapter with universal thread for G380 series (req. camera and T-mount)
G380-8011	Vertical viewing adapter (to be installed on trinocular head. Requires eyepiece)
G380-8021	0.65x Video adapter with external C-Mount for G380 series
G380-8031	PHASE KIT: includes 40XR semi-plan phase objective and slide-in annulus ring for G380 series
G380-8032	SLIDE-IN 40X PHASE ANNULUS RING FOR G380 SERIES
G380-8907	METAL CARRYING CASE, PADDED WITH LOCK & KEY (2)
G380-8001	DUST COVER FOR G380 SERIES
G380-8906	DARKFIELD STOP FOR G380 SERIES
G380-9008	BackPack™ For G380, G390 and G490 Series Microscopes, Acrylic Accesory Attachment
B6-6011	GREEN FILTER, 31.5mm
B6-6010	BLUE FILTER, 31.5mm
B6-6012	YELLOW FILTER, 31.5mm
B6-7006	6 VOLT, 20 WATT HALOGEN BULB, 4mm PIN
B6-8903	STAGE MICROMETER SLIDE
B6-8904	CARRYING CASE, NYLON, PADDED
B6-8905	IMMERSION OIL TYPE A, 7ML
B6-8910	OPTICAL CLEANING KIT
B6-9005	FUSE 250V 1.5AMP
<b>G500 Series</b>	
G502	G502 Binocular microscope with Seidentopf head, paired 10x eyepiece, set of achromatic objectives 4x-10x-40x-100x, mech. stage, Kohler illumination (LED) with intensity adjustment, power input 90V-240V

G502T	G502T Trinocular microscope with Seidentpf trinocular head, paired 10x eyepiece, set of achromatic objectives 4x-10x-40x-100x, mech. stage, Kohler illumination (LED) with intensity adjustment, power input 90V-240V
G503	G502 Binocular microscope with Seidentpf head, paired 10x eyepiece, set of Semi-Plan objectives 4x-10x-40x-100x, mech. stage, Kohler illumination (LED) with intensity adjustment, power input 90V-240V
G503T	G502T Trinocular microscope with Seidentpf trinocular head, paired 10x eyepiece, set of Semi-Plan objectives 4x-10x-40x-100x, mech. stage, Kohler illumination (LED) with intensity adjustment, power input 90V-240V
G504	G504 Binocular microscope with Seidentpf binocular head, paired 10x eyepiece, set of plan objectives 4x-10x-40x-100x, mech. stage, Kohler illumination (LED) with intensity adjustment, power input 90V-240V
G504T	G504T Trinocular microscope with Seidentpf trinocular head, paired 10x eyepiece, set of plan objectives 4x-10x-40x-100x, mech. stage, Kohler illumination (LED) with intensity adjustment, power input 90V-240V
G505	G505 Phase Contrast binocular microscope with 10x-20x-40x-100x plan phase objectives and 10x/40x phase annulus and 20x/100x phase annulus
G505T	G505 Phase Contrast trinocular microscope with 10x-20x-40x-100x plan phase objectives and 10x/40x phase annulus and 20x/100x phase annulus
G506	G506 Epi-fluorecence Binocular microscope with Seidentpf head, paired 10x eyepiece, set of infinity plan objective 10x-20x-40x-100x, EPI-fluorescent attachment including Blue(B3), Green(G3),UV3 filters, incident 100W mercury illuminator and power sup...
G506T	G506T Epi-fluorecence Trinocular microscope with Seidentpf head, paired 10x eyepiece, set of infinity plan objective 10x-20x-40x-100x, EPI-fluorescent attachment including Blue(B3), Green(G3),UV3 filters, incident 100W mercury illuminator and power s...
G508	G508 Polarizing binocular microscope with paired 10x eyepiece, set of plan polarizing objectives 10x 20x 40x, revolving stage Kohler illumination with intensity adjustment, power input 90V-240V

**Parts and Accessories**

G500-1402	10X high eyepoint widefield eyepiece FN18
G500-1403	10X high eyepoint widefield eyepiece FN18 with pointer
G500-1404	10X high eyepoint widefield eyepiece FN18 with reticule
G500-1405	15X widefield eyepiece, FN13
G500-1407	20X eyepiece FN10
G500-1501	10X widefield eyepiece, FN20
G500-2101	4X achromatic objective, NA0.10
G500-2102	10X achromatic objective, NA0.25
G500-2103	40X achromatic objective, NA0.65
G500-2104	100X achromatic objective, NA1.25
G500-2301	4X plan achromatic objective DIN, NA0.10
G500-2302	10X plan achromatic objective DIN, NA0.25
G500-2303	40X plan achromatic objective DIN, NA0.65
G500-2304	100X plan achromatic objective DIN, NA1.25
G500-2305	20X plan achromatic objective DIN, NA0.40
G500-2432	10X plan phase DIN objective, NA: 0.25
G500-2433	40X plan phase DIN objective, NA: 0.65
G500-2434	100X plan phase DIN objective, NA: 1.25
G500-2435	20X plan phase DIN objective, NA: 0.50
G500-3004	Seidentopf binocular body without eyepieces for G500 series microscope
G500-3005	Seidentopf trinocular body, 30 degree inclined without eyepieces for G500 series microscope
G500-5001	Mechanical stage without Abbe condenser for G500(Stage size 150x140mm, movement range 76x50mm)
G500-6001	Abbe condenser N.A. 1.25 w/ iris diaphragm for G500 series
G500-6010	Blue filter, diameter 32mm (REF: XS-FCB)
G500-6011	Green filter, diameter 32mm
G500-6012	Yellow filter, diameter 32mm (REF: XS-FCY)
G500-6013	Nuetral filter, diameter 32mm (REF: XS-FCF)
G500-8001	Dust cover for G500 microscope
G500-8020	C-mount adapter with 0.35X reducing lens for G500 series
G500-8031-1	Phase annulus slider for use with 10X and 40X plan phase set
G500-8032-1	Phase annulus slider for 20X and 100X plan phase
G500-8033	Phase contrast centering telescope
G500-8041	Darkfield slider for use with 4X to 40x power objectives
G500-8050	Epi-fluorecence attachment for G500 including 10x-20x-40X-100x plan objectives, blue(B3) and green(G3) and UV3 filters, incident 100W mercury illuminator and power supply unit
G500-8051	100W Mercury lamp for Epi fluorecent microscope G506
G500-8052	UV3 Filter cube for G506 Epi fluorecent microscope (365EX/400DLP/430EMLP)
G500-8053	B3 Blue Filter cube for G506 Epi fluorecent microscope (475EX/505DLP/520EMLP)

G500-8054	G3 Green Filter cube for G506 Epi fluorescent microscope (525EX/560DLP/595EMLP)
G500-9005	Fuse 250V/1A for G500 microscope
<b>H600 Series Microscopes</b>	
H602	BINOCULAR WF10x, 4x, 10X, 40XR, 100XR Achromat MECH. Abbe N.A. 1.25 6V/20W HALOGEN illumination
H602T	TRINOCULAR WF10x, 4x, 10X, 40XR, 100XR Achromat MECH. Abbe N.A. 1.25 6V/20W HALOGEN illumination
H603	BINOCULAR WF10x, 4x, 10X, 40XR, 100XR Semi-Plan MECH. Abbe N.A. 1.25 6V/20W HALOGEN illumination
H603T	TRINOCULAR WF10x, 4x, 10X, 40XR, 100XR Semi-Plan MECH. Abbe N.A. 1.25 6V/20W HALOGEN illumination
H604	BINOCULAR WF10x, 4x, 10X, 40XR, 100XR Plan MECH. Abbe N.A. 1.25 6V/20W HALOGEN illumination
H604T	TRINOCULAR WF10x, 4x, 10X, 40XR, 100XR Plan MECH. Abbe N.A. 1.25 6V/20W HALOGEN illumination
H605	BINOCULAR WF10X SP4X, SPH10X, SPH40XR,SPH100XR, PHASE CONTRAST, MECH. TURRET PHASE w/ "0" position for Brightfield, 6V/20W HALOGEN illumination
H605T	TRINOCULAR WF10X SP4X, SPH10X, SPH40XR,SPH100XR, PHASE CONTRAST, MECH. TURRET PHASE w/ "0" position for Brightfield, 6V/20W HALOGEN illumination
H606	BINOCULAR, WF10X, PL4X, 25X-fl, 40XR-fl,100XR-fl fluorescence objectives, MECH. Blue & Green Filter for Epi-fluor. & Abbe, Incident 100W Mercury vapor & 6v20w halogen illumination
H607	BINOCULAR WF10X 4X, 10X, 40XR, 50X Oil, 100X Oil Plan MECH. Abbe N.A. 1.25 6V/20W HALOGEN illumination
H607T	TRINOCULAR WF10X 4X, 10X, 40XR, 50X Oil, 100X Oil Plan MECH. Abbe N.A. 1.25 6V/20W HALOGEN illumination
H608	BINOCULAR WF10X 4X, 10X, 40XR, 100XR Plan, 3-pc Polarizing MECH. Abbe N.A. 1.25 6V/20W HALOGEN illumination
H608T	TRINOCULAR WF10X 4X, 10X, 40XR, 100XR Plan, 3-pc Polarizing MECH. Abbe N.A. 1.25 6V/20W HALOGEN illumination
<b>Parts and Accessories</b>	
B6-3004	SEIDENTOPF BINOCULAR HEAD FOR H600 SERIES
B6-3005	SEIDENTOPF TRINOCULAR HEAD FOR H600 SERIES
B6-6001	ABBE CONDENSER, N.A. 1.25, W/ IRIS DIAPHRAGM, SWING-OUT BLUE FILTER HOLDER
B6-6002	PHASE TURRET CONDENSER, N.A. 1.25 FOR 10X, 40X, AND 100X OIL, PLUS "0" POSITION
B6-6003	DARKFIELD CONDENSER, N.A. 0.83-0.91
B6-1401	10X WIDEFIELD EYEPIECE, F.N. 18, SINGLE
B6-1402	WF10X HIGH EYEPOINT EYEPIECE, SINGLE
B6-1409	15X WIDEFIELD EYEPIECE, F.N. 10, SINGLE
B6-1501	10X WIDEFIELD EYEPIECE, F.N. 20, SINGLE
B6-1805	4X PHOTO EYEPIECE, SINGLE
B6-1902	8X CENTERING TELESCOPE FOR PHASE
B6-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10
B6-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25
B6-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
B6-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
B6-2107	60X DIN ACHROMAT OBJECTIVE, N.A. 0.85, RETRACTABLE FRONT LENS
B6-2108	20X DIN ACHROMAT OBJECTIVE, N.A. 0.40
B6-2201	4X DIN SEMI-PLAN OBJECTIVE, N.A. 0.10
B6-2202	10X DIN SEMI-PLAN OBJECTIVE, N.A. 0.25
B6-2203	40X DIN SEMI-PLAN OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
B6-2204	100X OIL SEMI-PLAN OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
B6-2301	4X DIN PLAN OBJECTIVE, N.A. 0.10
B6-2302	10X DIN PLAN OBJECTIVE, N.A. 0.25
B6-2305	25X DIN PLAN OBJECTIVE N.A. 0.40
B6-2303	40X DIN PLAN OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
B6-2304	100X DIN PLAN OBJECTIVE N.A. 1.25, RETRACTABLE FRONT LENS
B6-2308	50X DIN PLAN OBJECTIVE N.A. 0.95, RETRACTABLE FRONT LENS
B6-2422	10X SEMI-PLAN PHASE CONTRAST OBJECTIVE N.A. 0.25
B6-2423	40X SEMI-PLAN PHASE CONTRAST OBJECTIVE N.A. 0.65
B6-2424	100X OIL SEMI-PLAN PHASE CONTRAST OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
B6-6010	BLUE FILTER, 31.5mm
B6-6011	GREEN FILTER, 31.5mm
B6-6012	YELLOW FILTER, 31.5mm
B6-7006	6V / 20W HALOGEN BULB, 4mm PIN
B6-7007	6V / 30W HALOGEN BULB, 4mm PIN
B6-8002	DUST COVER FOR H600 SERIES
B6-8010	Photo lens and photo adapter (requires camera "T"-mount and SLR camera)
B6-8011	Vertical viewing adapter (to be installed on trinocular head. Requires eyepiece)

B6-8020	1X Video adapter with external C-mount
B6-8024	0.52X video adapter with external C-mount
B6-8027	Eyepiece C-Mount Adapter, mounts in 23.2 mm (DIN standard) eyepiece tubes
B6-8022-S630	S-Video Color Camera, 1/3" CCD, 480 TVL, incl. S-Video Cable, power supply & C-Mount
B6-8182	Digital Eyepiece Camera, 2.0 MP, CMOS, w/USB Cable & Win.XP / 7 Software
B6-8183	Digital Video C-Mount Camera, 3.0 MP, CMOS, w/USB Cable & Win. XP / 7 Software
B6-8185	Digital Video C-Mount Camera, 5.6 MP, CCD, w/USB Cable & Win. XP / 7 Software
B6-8030	SEMI-PLAN PHASE SET: turret condenser, 10X, 40X, 100X oil phase objectives
B6-8031	40X SEMI-PLAN KIT: 40X semi-plan phase objective and slide in annulus for 40X
B6-8032	PHASE ANNULUS RING FOR USE WITH 40X SEMI-PLAN PHASE OBJECTIVE
B6-8040	BASIC POLARIZER SYSTEM, two filter set, tan/gray
B6-8041	Advanced Polarizer System with Red Compensator, 3 Filter set with Uric Acid Crystal Control Slide
97100	Urate / Uric Acid Crystal Control Slide, in Plastic Slide Case
B6-8050	EPI-Fluorescence attachment including PL4X, 25X-fl, 40X-fl, 100XR-fl fluorescence objectives, Blue & Green Filter, Incident 100W Mercury vapor & power supply
B6-8901	EYEPIECE RETICULE WITH 0.1mm DIVISIONS
B6-8902	EYEPIECE POINTER
B6-8903	STAGE MICROMETER SLIDE
B6-8904	CARRYING CASE, NYLON, PADDED
B6-8905	IMMERSION OIL TYPE A, 7 ml
B6-8910	OPTICAL CLEANING KIT
B6-9005	FUSE 250V, 1.5AMP

**IP730 Series Microscopes**

IP730	Binocular WF10x 4x, 10x, 40xr, 100xr Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP730SP	Binocular WF10x 4x, 10x, 40xr, 100xr Semi-plan Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP730PL	Binocular WF10x 4x, 10x, 40xr, 100xr Plan Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP733	Trinocular WF10x 4x, 10x, 40xr, 100xr Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP733SP	Trinocular WF10x 4x, 10x, 40xr, 100xr Semi-plan Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP733PL	Trinocular WF10x 4x, 10x, 40xr, 100xr Plan Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP735	Binocular WF10x eyepiece, plan 4x, Plan Phase Contrast 10x-40xr-100xr Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP735T	Trinocular WF10x eyepiece, plan 4x, Plan Phase Contrast 10x-40xr-100xr Objectives, Mechanical Stage, 6V/20V Halogen Illumination

**Parts and Accessories**

IP730-2101	4x DIN Achromat Objective, N.A. 0.10
IP730-2102	10x DIN Achromat Objective, N.A. 0.25
IP730-2103	40x DIN Achromat Objective, N.A. 0.65, Retractable Front Lens
IP730-2104	100x DIN Achromat Objective, N.A. 1.25, Retractable Front Lens
IP730-8030	Phase set w/ plan phase 10x-40x-100x objectives, turret condenser with "0" position

**IP750 Series Microscopes**

IP750	Binocular WF10x 4x, 10x, 40xr, 100xr Infinity Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP750PL	Binocular WF10x 4x, 10x, 40xr, 100xr Infinity Plan Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP753	Trinocular WF10x 4x, 10x, 40xr, 100xr Infinity Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP753PL	Trinocular WF10x 4x, 10x, 40xr, 100xr Infinity Plan Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP755	Binocular WF10x 4x Infinity Plan And 10x, 40x, 100x Infinity Plan Phase Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP755T	Trinocular WF10x 4x Infinity Plan And 10x, 40x, 100x Infinity Plan Phase Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP758	Dual Binocular WF10x 4x, 10x, 40xr, 100xr Infinity Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination
IP758PL	Dual Binocular WF10x 4x, 10x, 40xr, 100xr Infinity Plan Achromat Objectives, Mechanical Stage, 6V/20V Halogen Illumination

**Parts and Accessories**

IP750-2101	4x Infinity achromatic objective for IP750 Infinity microscope
IP750-2102	10x Infinity achromatic objective for IP750 Infinity microscope
IP750-2103	40x Infinity achromatic objective for IP750 Infinity microscope
IP750-2104	100x Infinity achromatic objective for IP750 Infinity microscope
IP750-2301	4x Infinity Plan achromatic objective for IP750 Infinity microscope
IP750-2302	10x Infinity Plan achromatic objective for IP750 Infinity microscope

IP750-2303	40x Infinity Plan achromatic objective for IP750 Infinity microscope
IP750-2304	100x Infinity Plan achromatic objective for IP750 Infinity microscope
IP750-2422	Infinity plan phase objective 10x for IP750 series
IP750-2423	Infinity plan phase objective 40x for IP750 series
IP750-2424	Infinity plan phase objective 100x for IP750 series
IP750-6002	Phase contrast condenser, turret, NA1.25 with 10x-40x-100x phase ring and "0" bright field position
IP750-6003	Darkfield condenser for IP730 and IP750 series
IP750-8020	Video adapter (1x) for IP730 and IP750 microscope
IP750-8030	Phase set w/ Infinity plan phase 10x-40x-100x objectives, turret condenser with "0" position
IP750-8901	Metal carrying case for IP730 and IP750 microscope
<b>IV950 Series Inverted Microscopes</b>	
IV951	INVERTED BINOCULAR WF10x Plan 4x -10x -20x-40x bright field
IV951T	INVERTED TRINOCULAR WF10x Plan 4x -10x -20x-40x bright field
IV952	INVERTED BINOCULAR WF10x EP, Object. Plan 4X-10X bright field and Plan Phase 20x-40x
IV952T	INVERTED TRINOCULAR WF10x EP, Object. Plan 4X-10X bright field and Plan Phase 20x-40x
IV953	INVERTED BINOCULAR WF10x EP, Object. Plan 4X bright field & Plan Phase 10X -20X -40X
IV953T	INVERTED TRINOCULAR WF10x EP, Object. Plan 4X bright field & Plan Phase 10X -20X -40X
IV954	INVERTED BINOCULAR WF10x EP, Object. Plan 4X-40X bright field and Plan Phase 10x-20x
IV954T	INVERTED TRINOCULAR WF10x EP, Object. Plan 4X-40X bright field and Plan Phase 10x-20x
<b>Parts and Accessories</b>	
IV950-1501	10x Widefield Eyepiece, FN 20 mm, Single
IV950-1502	10x Widefield Eyepiece, FN 23 mm, Single
IV950-1903	Centering Telescope for IV950 Inverted
IV950-2301	4x Plan Objective 4/0.1
IV950-2302	10x Plan Long Working Distance Objective 10/0.25
IV950-2305	20x Plan Long Working Distance Objective 20/0.50
IV950-2303	40x Plan Long Working Distance Objective 40/0.60
IV950-2432	10x Plan Phase Long Working Distance 10/0.25
IV950-2435	20x Plan Phase Long Working Distance 20/0.50
IV950-2433	40x Plan Phase Long Working Distance 40/0.60
IV950-7001	Bulb, 12 Volt / 30 Watt Halogen, G4 Pin
IV950-8020	C-Mount Camera Adapter for IV950 Trinocular Models
IV950-8900	Dust Cover For IV950 Inverted
IV950-8901	Cross-Hair Reticle with 0.1 mm scale
<b>ZM180 Series Stereo Microscopes</b>	
ZM181	BINOCULAR WF10X 0.7X-4.5X PE Stand with ext. pillar
ZM181T	TRINOCULAR WF10X 0.7X-4.5X PE Stand with ext. pillar
ZM181HF	BINOCULAR WF10X 0.7X-4.5X PE-HF Stand top halogen & bottom fluor.
ZM181HFT	TRINOCULAR WF10X 0.7X-4.5X PE-HF stand with ext. pillar top halogen & bottom fluor.
ZM182P	BINOCULAR WF10X 0.7X-4.5X DPT stand w/top illum. Port
ZM183FF	BINOCULAR WF10X 0.7X-4.5X DFF stand top & bottom fluorescent
ZM184HF	BINOCULAR WF10X 0.7X-4.5X DE-HF stand top halogen & bottom fluor.
ZM184HFT	TRINOCULAR WF10X 0.7X-4.5X DE-HF STAND top halogen & bottom fluor.
ZM186	BINOCULAR WF10X 0.7X-4.5X Boom stand w/ universal arm
ZM186T	TRINOCULAR WF10X 0.7X-4.5X Boom stand w/ universal arm
ZM187	BINOCULAR WF10X 0.7X-4.5X Boom stand w/ focusing mount
ZM187T	TRINOCULAR WF10X 0.7X-4.5X Boom stand w/ focusing mount
ZM188	BINOCULAR WF15X 0.7X-4.5X DPT stand w/top illum. Port and Diascopic Base
ZM188T	TRINOCULAR WF15X 0.7X-4.5X DPT stand w/top illum. Port and Diascopic Base
<b>Parts and Accessories</b>	
D4-1002	15x eyepiece, F.N. 14.5mm, single FOR ZM180 SERIES
D4-1003	20x Widefield eyepiece, F.N. 11mm, single FOR ZM180 SERIES
D4-1004	25x Widefield eyepiece, F.N. 9mm, single FOR ZM180 SERIES
D4-1005	10x extra Widefield, F.N. 23mm, single FOR ZM180 SERIES
D4-2001	2x auxiliary objective FOR ZM180 SERIES
D4-2003	0.75x auxiliary objective FOR ZM180 SERIES
D4-2004	0.5x auxiliary objective FOR ZM180 SERIES
D4-2005	0.3x auxiliary objective FOR ZM180 SERIES
D4-8023	0.5X video coupler FOR ZM180 SERIES
D4-8020	1x Video adapter with external C-mount, adjustable for ZM180 series
D4-8022	0.3X video coupler FOR ZM180 SERIES
D4-3001	0.7x - 4.5x ZM180 zoom body, binocular

D4-3002	0.7x - 4.5x ZM180 zoom body, trinocular
D4-4001	PE STAND, pole-type with 25mm pole and extension pillar
D4-4001HF	PE-HF, pole-type stand w/adjustable incident 6V/20W halogen and fluorescent transmitted illumination
D4-4001HF-E	Same as D4-4001HF but with 220V
D4-4002	DPT STAND, diascopic pole-type stand with incident illuminator port
D4-4004HF	DE-HF STAND, diascopic column-type stand with top halogen and bottom fluorescent illumination
D4-4006	Boom stand with universal arm package (universal boulder arm item # D4-4101, included)
D4-4007	Boom stand with focus mount package (25mm post # D4-4106 and focusing mount # D4102 included)
D4-4101	Universal boulder arm with 5/8" knuckle pin
D4-4102	Focusing mount with 25mm diameter through hole
D4-4103	Probe arm
D4-4104	Boom stand ONLY with 5/8" knuckle hole
D4-4105	Boom stand with 25mm post (item # D4-4106, included)
D4-4106	25mm post
D4-4201	Diascopic base (only use with DPT stand, item # D4-4002)
D4-7002	Fiber optics dual-chrome gooseneck (requires fiber optics light source #D4-7004, not included)
D4-7003	Fiber optics ring light (requires fiber optics light source #D4-7004, not included)
D4-7004	Fiber optics light power supply unit, 115V/100W
D4-7010	15W halogen lamp with reflector for ZM180 illumination stands
D4-7011	Ring lamp (fluorescent)
D4-7012	2A fuse for ZM180 stand
D4-7013	12V/150W halogen lamp for fiber optics power source
D4-7014	5W fluorescent lamp FOR ZM180 illumination stands
D4-7030	Fluorescent ring light with adapter to fit ZM180 body
D4-8901	Objective protection ring with glass for ZM180
D4-8904	Adapter for fluorescent ring light and fiber optics ring light for ZM180
D4-8907	Reticule and retainer, 1/10mm division for 10x/23mm eyepiece (item # D4-1005)
D4-8909	Eye guard for 10 x 23mm eyepiece (item # D4-1005)
D4-8911	Black and white plate for ZM180 stands
D4-8913	Frosted glass plate for ZM180 stands
D4-8914	Reticule and retainer, 1/10mm for 20x eyepiece (item # D4-1003)
D4-8917	Vertical eyepiece port for third viewing eyepiece
B6-8910	OPTICAL CLEANING KIT

**Colpo-Master™ I, II and III Colposcopes and Accessories**

CS-103	Colpo-Master™ I Swing Arm Colposcope includes 45° Binocular zoom head with 0.3x lens, 20x widefield High-Eyepoint eyepieces, articulating arm, three legged base, extra bright fiber optics, stainless handle bars, dust cover, spare bulb. Halogen Illumination. Power Input 110V
CS-103LED	Colpo-Master™ I Swing Arm Colposcope includes 45° Binocular zoom head with 0.3x lens, 20x widefield High-Eyepoint eyepieces, articulating arm, three legged base, extra bright fiber optics, stainless handle bars, dust cover. LED Illumination. Power Input 110V
CS-103T	Colpo-Master™ I Swing Arm Colposcope includes 45° Camera Ready Trinocular zoom head with 0.3x lens, 20x widefield High-Eyepoint eyepieces, articulating arm, three legged base, extra bright fiber optics, stainless handle bars, dust cover, spare bulb. Halogen Illumination. Power Input 110V
CS-103T-LED	Colpo-Master™ I Swing Arm Colposcope includes 45° Camera Ready Trinocular zoom head with 0.3x lens, 20x widefield High-Eyepoint eyepieces, articulating arm, three legged base, extra bright fiber optics, stainless handle bars, dust cover. LED Illumination. Power Input 110V
CS-105	Colpo-Master™ I Swing Arm Colposcope includes 45° Binocular zoom head with 0.3x lens, 20x widefield High-Eyepoint eyepieces, articulating arm, five legged base, extra bright fiber optics, stainless handle bars, dust cover, spare bulb. Halogen Illumination. Power Input 110V
CS-105LED	Colpo-Master™ I Swing Arm Colposcope includes 45° Binocular zoom head with 0.3x lens, 20x widefield High-Eyepoint eyepieces, articulating arm, five legged base, extra bright fiber optics, stainless handle bars, dust cover. LED Illumination. Power Input 110V
CS-105T	Colpo-Master™ I Swing Arm Colposcope includes 45° Camera Ready Trinocular zoom head with 0.3x lens, 20x widefield High-Eyepoint eyepieces, articulating arm, five legged base, extra bright fiber optics, stainless handle bars, dust cover, spare bulb. Halogen Illumination. Power Input 110V
CS-105T-LED	Colpo-Master™ I Swing Arm Colposcope includes 45° Camera Ready Trinocular zoom head with 0.3x lens, 20x widefield High-Eyepoint eyepieces, articulating arm, five legged base, extra bright fiber optics, stainless handle bars, dust cover. LED Illumination. Power Input 110V
CS-205	Colpo-Master II Colposcope Model CS-205 includes 45° Binocular zoom head with 0.3x lens, 20x widefield

	eyepieces, center-post with five legged base, extra bright fiber optics, handle bar and dust cover. spare bulb. Halogen Illumination. Power Input 110V
CS-205T	Colpo-Master II Colposcope Model CS-205 includes 45° CameraReady Trinocular zoom head with 0.3x lens, 20x widefield eyepieces, center-post with five legged base, extra bright fiber optics, handle bar and dust cover. spare bulb. Halogen Illumination. Power Input 110V
CS-205LED	Colpo-Master II Colposcope Model CS-205 includes 45° binocular zoom with 0.3x lens, 20x widefield eyepieces, center-post with five legged base, extra bright fiber optics, handle bar and dust cover & spare bulb. LED Illumination. Power Input 110V
CS-205T-LED	Colpo-Master II Colposcope Model CS-205 includes 45° CameraReady Trinocular zoom head with 0.3x lens, 20x widefield eyepieces, center-post with five legged base, extra bright fiber optics, handle bar and dust cover. spare bulb. LED Illumination. Power Input 110V
CS-305	Colpo-Master III Triple Mag Colposcope: 3.75x 7.5x & 15x, with LED Illumination, Center Post
<b>Colpo-Master™ Video Packages</b>	
CS103T-DV	Swing arm digital video packag, includes CS103T-LED + CS-8185
CS205T-DV	Center Post digital video package, includes CS205T-LED + CS8185
CS103T-SV	Swing Arm S-Video package, includes CS103T-LED and CS8021
CS205T-SV	Center Post S-Video package, includes CS205T-LED + CS8021
CS103T-SVM	Swing Arm S-video package with Monitor, includes CS103T-LED + CS8021+CS8022
CS205T-SVM	Center Post S-video package with Monitor, includes CS205T-LED + CS8021+CS8022
CS103T-SDV	Swing Arm S-video packaged with digital image grabber and monitor, includes CS103T-LED + CS8021+CS8022+ CS8023
CS205T-SDV	Center Post S-video packaged with digital image grabber and monitor, includes CS205T-LED + CS8021+CS8022+ CS8023
<b>Parts and Accessories</b>	
CS-3101N	10X High eyepoint eyepiece with adjustable diopter, single, (for use with CS-3001N & CS3002N zoom bodies)
CS-3102N	15X High eyepoint eyepiece with adjustable diopter, single, (for use with CS-3001N & CS3002N zoom bodies)
CS-3104N	20X High eyepoint eyepiece with adjustable diopter, single, (for use with CS-3001N & CS3002N zoom bodies)
CS-3001N	Binocular zoom stereo body without diopter, 0.67 - 4.5x (requires eyepieces with built-in diopter)
CS-3002N	Trinocular zoom body w/ C-Mount, without diopter, 0.67 - 4.5x (requires eyepieces w/built-in diopter)
CS-3201N	0.3x Reducing Objective Lens (for use with CS-3001N & CS-3002N zoom bodies)
CS-1901	Stainless Steel Handle Bars (pair) for CS103, CS103T, CS105 and CS105T (incl. with colposcope)
CS-2901	Positioning Handle for CS205 and CS205T (included with colposcope)
CS-9001	Halogen light bulb for both Colpo-Master colposcopes, 150 Watts/ 21 Volts
CS-9002	Fuse 2AMP, 250V for Colpo-Master colposcopes
CS-9003	Power cord, 9', Grounded plug
CS-1902	Full Dust Cover for CS103, CS103T, CS105 and CS105T (included with colposcope)
CS-2902	Full dust cover for CS205 and CS205T (included with colposcope)
CS-1903	Caster (Locking) for Colpo Master I model CS103,CS103T,CS105,CS105T colposcopes, Each
CS-2903	Caster for Colpo Master II model CS205 and CS205T colposcopes, Each
CS-9004	Tool Kit for Colpo-Master colposcopes
B6-8910	OPTICAL CLEANING KIT
CS-8020L	L-shape C-mount adapter for Digital and S-video Cameras; Used with Trinocular Colposcope Head
<b>Video Cameras, Frame Grabbers and Image Capture Software (For Colposcopes Only)</b>	
CS-8021	S-Video Color Camera, 1/3" CCD, 480 TVL, incl. S-Video Cable, power supply & C-Mount
CS-8022	Color TV Monitor 15", 480 lines, flat screen, 6' BNC Cable
CS-8023	Frame Grabber Pkg. for S-Video to Digital, with USB plug; plus Image Capture Software V 2.0
CS-8080	S-Video Camera and Monitor Package (CS-8021 + CS-8022)
CS-8081	S-Video Camera and Frame Grabber and Software Package (CS-8021 + CS-8023)
CS-8185	Digital Video Camera, 5.6 MP, CCD, C-Mount w/USB Cable & Win. XP / 7 Software
<b>UNICO® 1000 Series Spectrophotometers</b>	
S-1000	UNICO Model 1000 Spectrophotometer 20 nm Bandpass complete with 10 mm Test Tube Cuvettes (Box of 12), 10 mm Square Cuvette Adapter, USB Port, Dust Cover, User Manual. Wavelength Range of 400-1000 nm. <b>Voltage preset at 110V</b>
S-1000E	UNICO Model 1000 Spectrophotometer 20 nm Bandpass complete with 10 mm Test Tube Cuvettes (Box of 12), 10 mm Square Cuvette Adapter, USB Port, Dust Cover, User Manual. Wavelength Range of 400-1000 nm. <b>Voltage preset at 220V</b>
<b>Parts and Accessories</b>	
S-1100-101	Experiment Manual includes safety in the lab, 10 experiments, & instructor's guide

S-1100-102	Test Tube Sample Holder for 10 mm diameter test tubes <b>(Standard with instrument)</b>
S-1100-103	Square Cuvette Adapter for 10 mm cuvettes <b>(Standard with instrument)</b>
S-1100-113	Test Tube Sample Holder for 3/4 inch test tubes
S-1100-114	Test Tube Sample Holder for 1 inch test tubes
S-1100-115	COD Vial Sample Holder
S-90-301	Glass Tube, 10mm pathlength, 4 ml capacity, Visible , box of 12
S-90-304G	Square Cuvettes, Optical Glass, Set of 2
S-1100-505	Tungsten-Halogen Lamps, Package of 1 (6V/10W, G4 pin)
S-1000-511	User Manual for S-1000 spectrophotometer
S-1100-512	Dust Cover for S-1000 and S-1100 spectrophotometers
S-1100-513	Fuse, 3 A, Package of 1 for S-1000 and S-1100 spectrophotometer
S-1100-521	Allen Wrench for S-1000, S-1100, S1100RS sample holder installation
<b>UNICO® 1100 Series Spectrophotometers</b>	
S-1100	UNICO Model 1100 Spectrophotometer 20nm Bandpass Complete with 10 mm Test Tube Cuvettes (Box of 12), 10mm Square Cuvette Adapter, USB Port , Dust Cover, User Manual Wavelength Range of 335-1000 nm. <b>Voltage preset at 110V</b>
S-1100E	UNICO Model 1100 Spectrophotometer 20nm Bandpass Complete with 10 mm Test Tube Cuvettes (Box of 12), 10mm Square Cuvette Adapter, USB Port, Dust Cover, User Manual Wavelength Range of 335-1000 nm. <b>Voltage preset at 220V</b>
S-1100RS	UNICO Model 1100RS Spectrophotometer 10 nm Bandpass Complete with 10 mm Test Tube Cuvettes (12pcs), 10 mm Square Cuvette Adapter, USB Port, RS-232 Port, Dust Cover, User Manual Wavelength range of 335-1000 nm. <b>Voltage Preset at 110V</b>
S-1100RSE	UNICO Model 1100RS Spectrophotometer 10 nm Bandpass Complete with 10 mm Test Tube Cuvettes (12pcs), 10 mm Square Cuvette Adapter, USB Port, RS-232 Port, Dust Cover, User Manual Wavelength range of 335-1000 nm. <b>Voltage Preset at 220V</b>
<b>Software</b>	
S-1100-401	UNICO Application Software for PC's, Window's 2000, Windows ME or Windows XP required. Programs include Standard Curve, Abs.-%T/Conc., and Abs.vs.Time. Includes USB cable.
<b>Parts and Accessories</b>	
S-1100-101	Experiment Manual includes safety in the lab, 10 experiments, & instructor's guide
S-1100-102	Test Tube Sample Holder for 10 mm diameter test tubes <b>(Standard with instrument)</b>
S-1100-103	Square Cuvette Adapter for 10 mm cuvettes <b>(Standard with instrument)</b>
S-1100-113	Test Tube Sample Holder for 3/4 inch test tubes
S-1100-114	Test Tube Sample Holder for 1 inch test tubes
S-1100-115	COD Vial Sample Holder
S-1100-511	User Manual for S-1100 spectrophotometer
S-1100-512	Dust Cover for S-1100, S-1100RS spectrophotometer
S-1100-516	Application software manual for S-1100RS software
S-1100-520	Service Manual for S-1100, S-1100RS spectrophotometers
S-1100-206	RS-232 Printer <b>(Requires S-1100-207 Cable)</b>
S-1100-207	Printer Cable for use with RS-232 printer (Male 25-pin to Female 9-pin, Null modem)
S-2100-220	Power cord, European plug
S-90-301	Glass Tube, 10mm pathlength, 4 ml capacity, Visible , box of 12
S-90-304G	Square Cuvettes, Optical Glass, Set of 2
S-1100-505	Tungsten-Halogen Lamps, Package of 1 (6V/10W, g4 pin)
S-1100-508	Printer Paper, Package of 3
S-1100-513	Fuse, 3 A, Package of 1
S-1100-521	Allen Wrench for S-1000, S-1100, S-1100RS sample holder installation
<b>UNICO® S-1200 Series and S-1205 Spectrophotometers</b>	
S-1200	UNICO Model 1200 Spectrophotometer 5nm Bandpass Complete with 10 mm single Square Cuvette Holder, V-type Holder for 8-25 mm round tube, a pair of Glass Cuvettes, 12 pcs of 10 mm Test Tubes USB Port, RS-232 Port, Dust Cover, User Manual. Wavelength range: 325~1000 nm. <b>Voltage preset at 110V</b>
S-1200-E	UNICO Model 1200 Spectrophotometer 5nm Bandpass

	Complete with 10 mm single Square Cuvette Holder, V-type Holder for 8-25 mm round tube, a pair of Glass Cuvettes, 12 pcs of 10 mm Test Tubes USB Port, RS-232 Port, Dust Cover, User Manual. Wavelength range: 325~1000 nm. <b>Voltage preset at 220V</b>
S-1201	UNICO Model 1200 Spectrophotometer 5nm Bandpass Complete with 4-position Cell Holder for 10 mm Square Cuvettes, a pair of Glass Cuvettes, USB Port, RS-232 Port, Dust Cover, User manual Wavelength 325~1000 nm. <b>Voltage preset at 110V</b>
S1201-E	UNICO Model 1200 Spectrophotometer 5nm Bandpass Complete with 4-position Cell Holder for 10 mm Square Cuvettes, a pair of Glass Cuvettes, USB Port, RS-232 Printer Port, Dust Cover, User manual Wavelength 325~1000 nm. <b>Voltage preset at 220V</b>
S-1205	NEW UNICO Model S-1205 Spectrophotometer 5 nm Bandpass, large LCD display, programmable. Complete with 4-position Cell Holder, USB Port, RS-232 Port, Dust Cover, User Manual Wavelength Range: 325~1000 nm, Automatic Wavelength Change. <b>Power input 100V-240V</b> (accommodate upto 50mm pathlength cuvette with optional cuvette holder)
S-1205E	NEW UNICO Model S-1205 Spectrophotometer 5 nm Bandpass, large LCD display, programmable. Complete with 4-position Cell Holder, USB Port, RS-232C Port, Dust Cover, User Manual Wavelength Range: 325~1000 nm, Automatic Wavelength Change. <b>Power input 100V-240V</b> (accommodate upto 50mm pathlength cuvette with optional cuvette holder)
	<b>Software</b>
S-1200-401	UNICO Application Software for PC's, Windows XP required. Programs include Standard Curve, Abs./%T/Conc., and Abs.vs.Time. Includes USB cable.
S-1205-401	UNICO S-1205 Application Software for PC's with Windows XP Programs include Standard Curve, Abs/%T/Conc., and Kinetics and Scanning. Includes CD software, manual and USB cable.
	<b>Parts and Accessories</b>
S-1200-101	Test Tube V-type Cell Holder with base for 8~25 mm diameter test tubes for S-1200 series
S-1200-102	Single Square Cuvette Holder with base for 10 mm Cuvettes for S-1200 series
S-1200-103	4-position Cell Holder for 10 mm square cuvettes <b>(Standard in model 1201) for S-1200 series</b>
S-1200-104	Long path 4-Cell holder for up to 50 mm rectangular cuvettes for S-1200 series
S-1200-105	Water-jacketed cell holder w/base and panel for temperature controlled application for S-1200 series
S-1200-106	Universal Base for V-type holder, single cell holder and water-jacketed holder for S-1200 series
S-1200-111	Black Block to set 0%T
S-1200-511	User Manual for S-1200 spectrophotometer
S-1200-512	Dust Cover for S-1200 spectrophotometer
S-1200-520	Service Manual for S-1200 spectrophotometer
S1205-511	User manual for S-1205 septrphotometer
S1205-516	PC Application Software Manual for S-1205 spectrophotometer
S-2100-220	Power cord, European plug
S-1200-505	Tungsten-Halogen Lamps, Package of 1 (6V/10W, G4 pin)
S-1100-508	Printer Paper, Package of 3
S-1200-513	Fuse, 3 A, Package of 1
	<b>UNICO® 2150 Series Spectrophotometers</b>
S-2150	NEW Model 2150 Spectrophotometer 4 nm Bandpass, large LCD display and and large keypad. Programmable. Complete with 4-position 10 mm Cell Holder, USB Port, RS-232 Port, Dust Cover, User Manual Wavelength Range: 325~1000 nm, Automatic Wavelength Change. <b>Power input 100V-240V</b>
S-2150E	NEW Model 2150 Spectrophotometer 4 nm Bandpass, large LCD display and and large keypad. Programmable. Complete with 4-position 10 mm Cell Holder, USB Port, RS-232 Port, Dust Cover, User Manual Wavelength Range: 325~1000 nm, Automatic Wavelength Change. <b>Power input 100V-240V</b>
S-2150UV	NEW Model S-2150UV Spectrophotometer 4 nm Bandpass, large LCD display and large keypad. Programmable. Complete with 4-position 10 mm Cell Holder, USB Port, RS-232 Port, Dust Cover, User Manual Wavelength Range: 200~1000 nm, Automatic Wavelength Change. <b>Power input 100V-240V</b>
S-2150UVE	NEW Model S-2150UV Spectrophotometer 4 nm Bandpass, large LCD display and large keypad. Programmable. Complete with 4-position 10 mm Cell Holder, USB Port, RS-232 Port, Dust Cover, User Manual Wavelength Range: 200~1000 nm, Automatic Wavelength Change. <b>Power input 100V-240V</b>
	<b>Software</b>
S-2150-401	UNICO S-2150 series Application Software for PC's with Windows operating system. Programs include Standard Curve, Abs/%T/Conc., and Kinetics and Scanning. Includes CD

	software, manual and USB cable.
<b>Parts and Accessories</b>	
S-2150-101P	Test Tube Holder Kit for 8~20 mm diameter test tubes. Includes universal base, one V-type tube holder and top hat for test tubes
S-2150-102P	Rectangular Long Path Cell Holder Kit for cells up to 100 mm pathlength. Includes universal base and one holder
S-2150-103P	Single 10 mm Square Cuvette Holder Kit. Includes universal base and square cuvette holder
S-2150-104P	Cylindrical Cell Holder Kit for cells up to 100 mm pathlength (22mm dia.). Includes universal base and one holder
S-2150-105P	Water-Jacketed Cuvette Holder Kit for 10 mm single square cuvette Includes universal base, water-jacketed holder with flow-thru panel ( <b>Water Bath required</b> )
S-2150-106P	Micro-Cell Holder Kit for use with 10 mm microcuvettes. Includes adjustable x-y base and single cuvette holder for 10 mm square cuvette
S-2150-107P	Peltier Package for continuous temperature control: 15°C~40°C. Includes item # S-2150-109A peltier thermal electric 10 mm cell holder and item # SQ2800-107B peltier controller unit
S-21050-108A	Flow-thru Panel for use with ambient flow cell system on S-2150 series <b>(Requires flow cell, tubing and item # SQ2800-109B flow-thru/peltier controller)</b>
S-2150-108P	Flow-thru Package for ambient flow through. Includes item #S-2150-108A flow-thru panel and item SQ2800-109B flow-thru controller <b>(Requires flow cell and tubing)</b>
S-2150-109A	Sipper/Peltier Panel and 10mm thermal electric cell holder for S-2150 series
S-2150-109P	Peltier/Sipper Package for flow-thru and continuous temperature control: 15°C~40°C Includes S-2150-109A peltier cell holder with panel and # SQ2800-109B peltier/flow-thru controller <b>(Requires flow cell and tubing)</b>
S-2150-111	4-position Manual Cell Holder ( <b>Standard with the instrument</b> )for S-2100 series
S-2150-112	<b>Universal Base.</b> Accommodates up to 2 same or different type of holders
S-2150-206	RS-232 Printer and Printer cable (Male 25-pin to Female 9-pin, Null modem)
S-2150-207	Printer Cable for use with RS-232 printer ( <b>Male 25-pin to Female 9-pin, Null Modem</b> )
S-2150-508	Printer Paper, Package of 3, for use with RS-232 printer
S-2150-510	User Manual for S-2150 series spectrophotometer
S-2150-511	Dust Cover for S-2150 series
S-2150-515	Tungsten-Halogen Lamp for S-2150 series, Package of 1
S-2150-516	Manual for S-2150 series PC application software
S-2150-525	Deuterium Lamp with FLANGE for S-2150UV
<b>SpectroQuest™ UV/Visible Spectrophotometers</b>	
SQ2800	Model SQ2800 Scanning Spectrophotometer-single beam, 4nm Bandpass with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Protein Complete with 4-position Cell Holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover. 110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 110V</b>
SQ2800E	Model SQ2800 Scanning Spectrophotometer-single beam, 4nm Bandpass with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Protein Complete with 4-position Cell Holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover. 110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 220V</b>
SQ2800P	Model SQ2800 Scanning Spectrophotometer with built in printer -single beam, 4nm Bandpass with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Protein Complete with 4-position Cell Holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover. 110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 110V.</b>
SQ2800PE	Model SQ2800 Scanning Spectrophotometer with built in printer -single beam, 4nm Bandpass with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Protein Complete with 4-position Cell Holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover. 110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 220V.</b>
SQ2802	Model SQ2802 Scanning Spectrophotometer-single beam, 1.8nm Bandpass with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Ratio Complete with 4-position Cell Holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover.110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 110V</b>
SQ2802E	Model SQ2802 Scanning Spectrophotometer-single beam, 1.8nm Bandpass with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software

	including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Ratio Complete with 4-position Cell Holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover.110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 220V</b>
SQ2802S	Model SQ2802 Scanning Spectrophotometer-single beam, <b>variable bandwidth 1,2 and 4nm</b> with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Ratio Complete with 4-position Cell Holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover.110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 110V</b>
SQ2802SE	Model SQ2802 Scanning Spectrophotometer-single beam, <b>variable bandwidth 1,2 and 4nm</b> with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Ratio Complete with 4-position Cell Holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover.110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 220V</b>
SQ3802	Model SQ3802 Scanning Spectrophotometer-split beam, 1.8nm Bandpass with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Ratio Complete with 4-position Cell Holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover. 110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 110V</b>
SQ3802E	Model SQ3802 Scanning Spectrophotometer-split beam, 1.8nm Bandpass with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Ratio Complete with 4-position Cell Holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover. 110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 220V</b>
SQ4802	Model SQ4802 Scanning Spectrophotometer-double beam, 1.8nm Bandpass with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Ratio Complete with single cuvette holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover. 110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 110V</b>
SQ4802E	Model SQ4802 Scanning Spectrophotometer-double beam, 1.8nm Bandpass with LCD screen, Wavelength range: 190~1100 nm, USB port, parallel port , build-in software including T/A/Conc, Standard curve, Kinetics, multi-wavelength, scanning and DNA/Ratio Complete with single cuvette holder, 4 Optical Galss Cuvettes, 2 Quartz Cuvettes, User Manual, dust cover. 110/220V, 50/60Hz switchable. CE certified. ISO9001:2000 registered. <b>Set at 220V</b>
	<b>Software</b>
SQ2800-401	Advanced PC Window software package featuring %T/Abs/Conc, Standard curve, Kinetics, DNA/Protein, Scanning, Multi-wavelength. USB cable and manual included. For SQ2800
SQ3802-401	Advanced PC Window software package for SQ3802 featuring %T/Abs/Conc, Standard curve, Kinetics, DNA/Protein, Scanning, Multi-wavelength. USB cable and manual included.
SQ4802-401	Advanced PC Window software package for SQ4802 featuring %T/Abs/Conc, Standard curve, Kinetics, DNA/Protein, Scanning, Multi-wavelength. USB cable and manual included.
	<b>Parts and Accessories</b>
SQ2800-101P	Test Tube Holder Kit for 8~20mm diameter test tubes. Includes Universal base, V-type tube holder
SQ2800-102P	Long Path Cell Holder Kit for 4 cells up to 100 mm. pathlength. Includes Universal Base & one holder
SQ2800-102P-50	Long Path Cell Holder Kit for 4 cells up to 50 mm. pathlength. Includes Universal Base & one holder
SQ2800-104P	Cylindrical Cell Holder Kit for cells up to 100 mm pathlength. (22mm dia.). Includes Universal Base & one holder
SQ2800-105P	Water-Jacketed Cuvette Holder Kit for 10 mm single square cuvette Includes universal base, water-jacketed holder with flowthru panel ( <b>Water Bath Required</b> )
SQ2800-106P	Micro Cell Holder Kit for use with 10 mm microcuvettes. Includes adjustable x-y base and single cuvette holder for 10mm square cuvette
SQ2800-107A	Peltier Thermoelectric Single Cell Holder with panel
SQ2800-107B	Peltier controller unit for controlling temperature: 15°C~40°C (requires peltier cell holder #SQ2800-107A)
SQ2800-107P	Peltier Package for continious temperature control from 15° to 40° C. Includes p/n SQ2800-107A peltier thermal electric 10mm cell holder with panel and p/n SQ2800-107B peltier controller unit
SQ2800-108A	Flow-thru Panel for use with ambient flowcell system (Requires flowcell, tubing and p/n SQ2800-109B flow-thru/peltier controller)
SQ2800-108P	Ambient Flow-thru Package. Includes p/n SQ2800-108A flow-thru panel and p/n SQ2800-109B Flow-thru/Peltier Controller and ( <b>requires flowcell and tubing</b> )
SQ2800-109A	Pletier/Sipper Panel and thermoelectric single cell holder for temperatur-controlled flow-thru setup (Requires flowcell, tubing and p/n SQ2800-109B peltier/sipper controller)

SQ2800-109B	Peltier/Sipper controller unit controlling temperature: 15°C~40°C (requires SQ2800-109A)
SQ2800-109P	Peltier/Sipper Package for flow through and continuous temperature control from 15° to 40°C
	Includes p/n S-2800-109A peltier/sipper cell holder with panel and p/n SQ2800-109B peltier/flow-thru controller( <b>requires flowcell and tubing</b> )
SQ2800-121	8-Position Auto Cell Changer for use with SQ2800/2802/3802 Series
SQ4802-120	6-Position Auto Cell Changer for use with SQ4802 Series
SQ2800-122	Reflectance Measurement Attachment
SQ2800-132	Thin Flim Measurement Attachment
SQ2800-206	Parallel Printer and Cable for SQ series
SQ2800-208	Printer paper, pack of 2 rolls
SQ2800-515	Tungsten-Halogen Lamp for SQ2800 only, package of 1 (12V 20W Vertical filament)
SQ2802-515	Tungsten-Halogen Lamp for SQ2802/SQ3802/SQ4802, package of 1 (12V 20W Horizontal filament)
SQ2800-525	Deuterium Lamp with Hanging-Bracket for Model SQ2800 with s/n SQH07xxxx or earlier, package of 1
SQ2800-528	Deuterium Lamp with FLANGE for Model SQ2800 with s/n SQH08xxxx or newer, package of 1
SQ2802-525	Deuterium Lamp with FLANGE for all SQ2802/SQ3802/SQ4802 and the newer SQ2800 with s/n SQH08xxxx
SQ2800-112	Universal base for SQ series
SQ2800-510	Operation manual for SQ2800
SQ2802-510	Operation manual for SQ2802
SQ3802-510	Operation manual for SQ3802
SQ4802-510	Operation manual for SQ4802
SQ2800-511	Dust Cover for SQ series
SQ2800-520	Service manual for SQ Series
SQ2100-535	Fuse, 3 A, Quantity 1
<b>Filters: Photometric Accuracy, Wavelength Accuracy and Stray Light Check</b>	
<b>Photometric Accuracy Filters</b>	
S-90-9110	Absorbance Calibration Filter, 10%T, Factory Certified
S-90-9210	Absorbance Calibration Filter, 10%T, Independently Certified
S-90-9150	Absorbance Calibration Filter, 50%T, Factory Certified
S-90-9250	Absorbance Calibration Filter, 50%T, Independently Certified
<b>WL Accuracy filters</b>	
S-90-9115	Holmium Filter for Wavelength Calibration, Factory Certified
S-90-9215	Holmium Filter for Wavelength Calibration, Independently Certified
S-90-9116	Didymium Filter for Wavelength Calibration, Factory Certified
S-90-9216	Didymium Filter for Wavelength Calibration, Independently Certified
<b>Stray Light Check Filters</b>	
S-90-9122	Stray Light Check Filter, 220nm, Factory Calibrated
S-90-9134	Stray Light Check Filter, 340nm, Factory Calibrated
S-90-9140	Stray Light Check Filter, 400nm, Factory Calibrated
<b>Filter Sets</b>	
S-90-9101	Factory Certified Calibration Filter Set: Incl. 10%T, 50%T filters and Didymium Filter
S-90-9201	Independently Certified Calibration Filter Set: Incl. 10%T, 50%T filters and Didymium Filter
<b>Glassware (Cuvettes and Test Tubes)</b>	
<b>10mm Pathlength Regular Cuvettes</b>	
S-90-304-1G	Glass, Square, 10mm pathlength, 3.5ml capacity, Visible Only, each
S-90-304G	Glass, Square, 10mm pathlength, 3.5ml capacity, Visible Only, pack of 2
S-90-309-1Q	Quartz, Square, 10mm pathlength, 3.5ml capacity, UV-Vis , each
S-90-309Q	Quartz, Square, 10mm pathlength, 3.5ml capacity, UV- Vis , pack of 2
S-90-301	Glass Tube, 10mm pathlength, 4 ml capacity, Visible , box of 12
S-90-302P-100	Polystyrene, Square, 10mm pathlength, 3.5ml capacity, Visible Only, box of 100 pieces
S-90-302P-500	Polystyrene, Square, 10mm pathlength, 3.5ml capacity, Visible Only, box of 500 pieces
S-90-305P	Polystyrene, Square, 10mm pathlength, 1.5ml capacity, Visible Only, box of 500
<b>Non-10mm Pathlength Cuvettes</b>	
S-90-308-50G	Glass Cylindr, 50mm pathlength; 14.1 ml capacity, Visible Only, each
S-90-308-100G	Glass Cylindr, 100mm pathlength; 14.1 ml capacity, Visible Only, each
S-90-310Q	Quartz, Rectangular, 5mm pathlength, 1.7ml capacity, UV-Vis, each
S-90-311Q	Quartz, Rectangular, 50 mm pathlength, 17.5 ml capacity UV-Vis, each
S-90-312Q	Quartz, Rectangular, 30 mm pathlength, 10.5 ml capacity UV-Vis, each
S-90-313Q	Quartz, Rectangular, 20 mm pathlength, 7.0 ml capacity UV-Vis, each
S-90-314Q	Quartz, Rectangular, 100 mm pathlength, 35 ml capacity UV-Vis, each

S-90-320G	Glass, Rectangular, 20 mm pathlength, 7.0 ml capacity Visible Only, each
S-90-321G	Glass, Rectangular, 50 mm pathlength, 17.5 ml capacity Visible Only, each
S-90-322G	Glass, Rectangular, 100 mm pathlength, 35.0 ml capacity, Visible Only, each
S-90-330G	Glass, Rectangular, 1 mm pathlength, 0.35 ml capacity, Visible Only, each
S-90-331Q	Quartz, Rectangular, 1 mm pathlength, 0.35 ml capacity UV-Vis, each
S-90-332G	Glass, Rectangular, 2 mm pathlength, 0.7 ml capacity Visible Only, each
S-90-333Q	Quartz, Rectangular, 2 mm pathlength, 0.7 ml capacity UV-Vis, each
S-90-335Q	Quartz, Rectangular, 3mm pathlength, 1 ml capacity UV-Vis, each
<b>Flowcell (Macro and Micro)</b>	
S-90-344FG	Glass, Square, 10x4x12 mm, 0.48 ml, Visible Only, each
S-90-345FG	Glass, Square, 10x3 mm (dia.), 0.07 ml, Visible Only, each
S-90-346FQ	Quartz, Square, 10x4x12 mm, 0.48 ml, UV-Vis, each
S-90-347FQ	Quartz, Square, 10x3 mm (dia.), 0.07ml, IV-Vis each
<b>Semi-Micro and Micro Cuvettes (10mm pathlength)</b>	
S-90-350G	Glass, Lid, 10x4, 1.0 ml, Visible only, each
S-90-351Q	Quartz, Lid, 10x4, 1.0 ml, UV-Vis, each
S-90-353G	Glass, 10x2, 0.5ml, Visible Only, each
S-90-354Q	Quartz, 10x2, 0.5ml, UV-Vis, each
S-90-356G	Glass, Lid, 10x1, 0.25ml, Visible Only, each
S-90-357Q	Quartz, Lid, 10x1, 0.25ml, UV-Vis, each
S-90-358Q	Quartz, Stopper, 10x2x5mm, 0.100ml, UV-Vis, each
S-90-359Q	Quartz, Stopper, 10x2x2.5mm, 0.050ml, UV-Vis, each
<b>LABORATORY ORGANIZERS AND ACCESSORIES</b>	
11410	Shield, Biohazard, Acrylic, Each
20500	Towel Dispenser, Trifold, Small
20600	Towel Dispenser, Large
20650	Kimwipe Dispenser, Small Box, Ea.
20655	Kimwipe Dispenser, Large. Box Ea.
22150	Glove Box Dispenser, 1 Horizontal
22250	Glove Box Dispenser, 2 Horizontal
22272	Glove Box Dispenser, 2 Vertical
22350	Glove Box Dispenser, 3 Horizontal
22373	Glove Box Dispenser, 3 Vertical
22650	Combo Glove Box / Paper Towel Dispenser
28050	Alcohol Dispenser, Case of 12 Ea., <b>(\$7.08/ea.)</b>
28070	Control Freek Pie Wedge, clear color
28071	Control Freek I, One Tier Vial Rack
28072	Control Freek II, Two Tier Vial Rack
30100	Chart Holder, Wall Mount, Ea.
44510	Petri Dish Rack, Wire Racks, Stackable (Pkg/2)
44525	Petri Dish Rack Caddy, Stainless Steel, Stackable
48510	Organizer, 4 Drawer, 8" Wide
48512	Organizer, 4 Drawer, 12" Wide
48513	Tray for holding 8" + 12" Organizers
48514	Organizer & Tray Set, 8" + 12" + Tray
48700	Phlebotomy Tray, with Tube Cubes (4) & Alcohol Dispenser
49500	Multitask Organizer, Acrylic
52030	Rack Storage Box, 3 Place
52300	Tube Rack / Dispenser, 3 Tier
54020	Tube Cube Carrier, holds 2 Tube Cubes
54030	Tube Cube Carrier, holds 3 Tube Cubes
54040	Tube Cube Carrier, holds 4 Tube Cubes
54100	Container Rack, 1 place, holds up to 66mm dia. Tubes, Pk/4
54101	Container Rack, 1 place, holds up to 66mm dia. Tubes, Single
54400	Tube Cube, Tube Rack, 4 place, holds 26-30mm dia. Tubes, Pk/4
54401	Tube Cube, Tube Rack, 4 place, holds 26-30mm dia. Tubes, Single
54500	T-Racks™ 50 Place 13-16mm Expandable, each
54510	T-Racks™ 50 Place 10-13mm Expandable, each
54520	T-Racks™ 50 Place 25 holes of 10-13mm and 25 of 13-16mm Expandable, each
54900	Tube Cube, Tube Rack, 9 place, holds 8-13mm dia. Tubes, Pk/4

