

© UNITED PRODUCTS AND INSTRUMENTS, INC.; ALL RIGHTS RESERVED	
UNICO® 2017 DISTRIBUTOR PRICE LIST: CONFIDENTIAL	
Item #	DESCRIPTION
<b>POWERSPIN™ Centrifuges, Rockers, Mixers and Lab Equipment</b>	
C806	POWERSPIN™ FX CENTRIFUGE, FIXED SPEED 3,400 RPM, 6 PLACE, 30 MIN. TIMER, 6X10ML OR 3X15ML CAPACITY
C806H	POWERSPIN™ FX CENTRIFUGE, FIXED SPEED 3,400 RPM, 6 PLACE, 30 MIN. TIMER, 6X10ML OR 3X15ML CAPACITY, WITH 18 PLACE TUBE HOLDSTER™ RACK
C808	POWERSPIN™ FX CENTRIFUGE, FIXED SPEED 3,400 RPM, 8 PLACE, 30 MIN. TIMER, 8X10ML CAPACITY
C808H	POWERSPIN™ FX CENTRIFUGE, FIXED SPEED 3,400 RPM, 8 PLACE, 30 MIN. TIMER, 6X10ML CAPACITY, WITH 18 PLACE TUBE HOLDSTER™ RACK
C816	POWERSPIN™ VX CENTRIFUGE, NON-LINEAR VARIABLE SPEED UP TO 3,400 RPM, 6 PLACE, 30 MIN. TIMER 6X10ML OR 3X15ML CAPACITY
C818	POWERSPIN™ VX CENTRIFUGE, NON-LINEAR VARIABLE SPEED UP TO 3,400 RPM, 8 PLACE, 30 MIN. TIMER 8X10ML OR 2X15ML CAPACITY
<b>C8302</b>	<b>POWERSPIN™ HX, CENTRIFUGE, FIXED SPEED 3400 RPM, 6 PLACE HORIZONTAL ROTOR, 30 MIN. DIGITAL TIMER, 6 X10ML CAPACITY</b>
C8306	POWERSPIN™ HVX, CENTRIFUGE, VARIABLE SPEED 500-3500 RPM, 6 PLACE HORIZONTAL ROTOR, 99 MIN. DIGITAL TIMER, 6 X10ML CAPACITY
C8308	POWERSPIN™ HVX, CENTRIFUGE, VARIABLE SPEED 500-3500 RPM, 8 PLACE HORIZONTAL ROTOR, 99 MIN. DIGITAL TIMER, 8 X10ML CAPACITY
C8312	POWERSPIN™ HVX, CENTRIFUGE, VARIABLE SPEED 500-3500 RPM, 12 PLACE FIXED ANGLE ROTOR, 99 MIN. DIGITAL TIMER, 12 X10ML CAPACITY
C826	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE FIXED SPEED 3700 RPM, 6 PLACE ROTOR, 30 MIN. TIMER, 6X10ML CAPACITY
C826H	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE FIXED SPEED 3700 RPM, 6 PLACE ROTOR, 30 MIN. TIMER, 6X10ML CAPACITY WITH 18 PLACE TUBE HOLDSTER™ RACK
C827	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE VARIABLE SPEED 500-3,800 RPM, 6 PLACE ROTOR, 30 MIN. TIMER, 6X10ML CAPACITY
C827H	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE VARIABLE SPEED 500-3,800 RPM, 6 PLACE ROTOR, 30 MIN. TIMER, 6X10ML CAPACITY WITH 18 PLACE TUBE HOLDSTER™ RACK
C828	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE FIXED SPEED 3700 RPM, 8 PLACE ROTOR, 30 MIN. TIMER, 8X10ML CAPACITY
C828H	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE FIXED SPEED 3700 RPM, 8 PLACE ROTOR, 30 MIN. TIMER, 8X10ML CAPACITY WITH 18 PLACE TUBE HOLDSTER™ RACK
C829	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE VARIABLE SPEED 500-3,800 RPM, 8 PLACE ROTOR, 30 MIN. TIMER, 8X10ML CAPACITY
C829H	POWERSPIN™ PORTA-SPIN™ PORTABLE 12 VDC CENTRIFUGE VARIABLE SPEED 500-3,800 RPM, 8 PLACE ROTOR, 30 MIN. TIMER, 8X10ML CAPACITY WITH 18 PLACE TUBE HOLDSTER™ RACK
C856	POWERSPIN™ LX CENTRIFUGE, VARIABLE SPEED 300-4,000 RPM, 6 PLACE, 30 MIN. TIMER, 6X10ML OR 3X15ML CAPACITY
C856E	POWERSPIN™ LX WITH 6 PLACE ROTOR, VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 6X10ML OR 3X15ML CAPACITY ,220 V
<b>C856D</b>	<b>POWERSPIN™ LX WITH 6 PLACE ROTOR, DIGITAL VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 6X10ML OR 3X15ML CAPACITY ,220 V POWERSPIN™ LX WITH 6 PLACE ROTOR, DIGITAL VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIM</b>
C856H	POWERSPIN™ LX CENTRIFUGE, VARIABLE SPEED 300-4,000 RPM, 6 PLACE, 30 MIN. TIMER, 6X10ML OR 3X15ML CAPACITY WITH 18 PLACETUBE HOLDSTER™ RACK
C856HE	POWERSPIN™ LX CENTRIFUGE, VARIABLE SPEED 300-4,000 RPM, 6 PLACE, 30 MIN. TIMER, 6X10ML OR 3X15ML CAPACITY WITH 18 PLACETUBE HOLDSTER™ RACK. 220V
C858	POWERSPIN™ LX WITH 8 PLACE ROTOR, VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 8X10ML CAPACITY 110 V
C858E	POWERSPIN™ LX WITH 8 PLACE ROTOR, VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 8X10ML CAPACITY, 220 V
<b>C858D</b>	<b>POWERSPIN™ LX WITH 8 PLACE ROTOR, DIGITAL VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 6X10ML OR 3X15ML CAPACITY ,220 V POWERSPIN™ LX WITH 8 PLACE ROTOR, DIGITAL VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIM</b>
C858H	POWERSPIN™ LX WITH 8 PLACE ROTOR, VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 8X10ML CAPACITY, 110 V WITH 18 PLACE TUBE HOLDSTER™ RACK
C858HE	POWERSPIN™ LX WITH 8 PLACE ROTOR, VARIABLE SPEED 300 - 4,000 RPM, 30 MIN TIMER, 8X10ML CAPACITY, 110 V WITH 18 PLACE TUBE HOLDSTER™ RACK. 220V
C8704	POWERSPIN™ DX, MODEL C8704 CENTRIFUGE, 4 PLACES 50 ML WITH 60 MIN DIGITAL TIMER, VARIABLE SPEED 1000 ~ 3400 RPM WITH 0-RPM SAFETY LID LATCH, CAPACITY 4X50 ML TUBES. 110V
C8704-10	POWERSPIN™ DX, MODEL C8704 CENTRIFUGE, 4 PLACES 50 ML WITH 60 MIN DIGITAL TIMER, VARIABLE SPEED, WITH SET OF TUBE ADAPTERS (C8604-02, -03, -04 & -36) TO SPIN ANY SIZE TUBE 50 ML AND UNDER. 110V
C8704E	POWERSPIN™ DX, MODEL C8704 CENTRIFUGE, 4 PLACES 50 ML WITH 60 MIN DIGITAL TIMER, VARIABLE SPEED 1000 ~ 3000 RPM WITH 0-RPM SAFETY LID LATCH, CAPACITY 4X50 ML TUBES. 220V
C8706	POWERSPIN™ DX, MODEL C8706 CENTRIFUGE, 6 PLACE HORIZONTAL SPIN WITH 60 MIN DIGITAL TIMER, 1000 ~ 3400 RPM WITH 0-RPM SAFETY LID LATCH, CAPACITY 6X15 ML TUBES. 110V
C8706E	POWERSPIN™ DX, MODEL C8706 CENTRIFUGE, 6 PLACE HORIZONTAL SPIN WITH 60 MIN DIGITAL TIMER, 1000 ~ 3000 RPM WITH 0-RPM SAFETY LID LATCH, CAPACITY 6X15 ML TUBES. 220V
C8706H	POWERSPIN™ DX, MODEL C8706 CENTRIFUGE, 6 PLACE HORIZONTAL SPIN WITH 60 MIN DIGITAL TIMER, 1000 ~ 3400 RPM WITH 0-RPM SAFETY LID LATCH, CAPACITY 6X15 ML TUBES WITH 24 PLACE TUBE HOLDSTER™ RACK. 110V
C8706HE	POWERSPIN™ DX, MODEL C8706 CENTRIFUGE, 6 PLACE HORIZONTAL SPIN WITH 60 MIN DIGITAL TIMER, 1000 ~ 3400 RPM WITH 0-RPM SAFETY LID LATCH, CAPACITY 6X15 ML TUBES WITH 24 PLACE TUBE HOLDSTER™ RACK, 220V
C8724	POWERSPIN™ DX, MODEL C8724 CENTRIFUGE, 24 PLACES WITH 60 MIN DIGITAL TIMER, VARIABLE SPEED 1000 ~ 3400 RPM WITH 0-RPM SAFETY LID LATCH, CAPACITY 24X10 ML TUBES, 16X15 ML TUBES. 110V
C8724E	POWERSPIN™ DX, MODEL C8724 CENTRIFUGE, 24 PLACES WITH 60 MIN DIGITAL TIMER, VARIABLE SPEED 1000 ~ 3000 RPM WITH 0-RPM SAFETY LID LATCH, CAPACITY 24X10 ML TUBES, 16X15 ML TUBES. 220V
C8724H	POWERSPIN™ DX, MODEL C8724 CENTRIFUGE, 24 PLACES WITH 60 MIN DIGITAL TIMER, VARIABLE SPEED 1000 ~ 3400 RPM WITH 0-RPM SAFETY LID LATCH, CAPACITY 24X10 ML TUBES, 16X15 ML TUBES WITH 24 PLACE TUBE HOLDSTER™ RACK. 110V
C8724HE	POWERSPIN™ DX, MODEL C8724 CENTRIFUGE, 24 PLACES WITH 60 MIN DIGITAL TIMER, VARIABLE SPEED 1000 ~ 3400 RPM WITH 0-RPM SAFETY LID LATCH, CAPACITY 24X10 ML TUBES, 16X15 ML TUBES WITH 24 PLACE TUBE HOLDSTER™ RACK. 220V
<b>C8763</b>	<b>POWERSPIN™ DXB, MODEL C8763 CENTRIFUGE, 6 PLACE HORIZONTAL W/60 MIN DIGITAL TIMER, VARIABLE SPEED 500 ~ 5,500 RPM WITH 0-RPM SAFETY LID LATCH, CAP. 6X15 ML TUBES, 16X15 ML TUBES, 110V</b>
<b>C8763E</b>	<b>POWERSPIN™ DXB, MODEL C8763 CENTRIFUGE, 6 PLACE HORIZONTAL W/60 MIN DIGITAL TIMER, VARIABLE SPEED 500 ~ 5,500 RPM WITH 0-RPM SAFETY LID LATCH, CAP. 6X15 ML TUBES, 16X15 ML TUBES, 220V</b>
<b>C8764</b>	<b>POWERSPIN™ DXB, MODEL C8764 CENTRIFUGE, 4 PLACE, 50 ml HORIZONTAL W/60 MIN DIG. TIMER, VARIABLE SPEED 500 ~ 5,500 RPM, CAP. 4, 50 ML TUBES, 110V</b>
<b>C8764E</b>	<b>POWERSPIN™ DXB, MODEL C8764 CENTRIFUGE, 4 PLACE, 50 ml HORIZONTAL W/60 MIN DIG. TIMER, VARIABLE SPEED 500 ~ 5,500 RPM, CAP. 4, 50 ML TUBES, 220V</b>
C8924	POWERSPIN™ EX CENTRIFUGE, 24 PLACE HORIZONTAL ROTOR, 99 MIN DIGITAL TIMER, VARIABLE SPEED 500-3500 RPM WITH 0-RPM SAFETY LID LATCH, CAPACITY 24X10ML TUBES
C881	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-5,000 RPM, 8 PLACE METAL ROTOR, 0-99 MIN DIGITAL TIMER, 8X10ML OR 12ML CAPACITY 110 V
C881E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-5,000 RPM, 8 PLACE METAL ROTOR, 0-99 MIN DIGITAL TIMER, 8X10ML OR 12ML CAPACITY 220 V
C882	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000 RPM, 24 PLACE ROTOR, 0-99 MIN DIGITAL TIMER, 24 X MICROHEMATOCRIT TUBE CAPACITY, 110 V
C882E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000 RPM, 24 PLACE ROTOR, 0-99 MIN DIGITAL TIMER, 24 X MICROHEMATOCRIT TUBE CAPACITY, 220 V
C883	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-13,000 RPM, 24 PLACE ROTOR, 0-99 MIN DIGITAL TIMER, 24 X MICRO TUBE CAPACITY, 110 V
C883E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-13,000 RPM, 24 PLACE ROTOR, 0-99 MIN DIGITAL TIMER, 24 X MICRO TUBE CAPACITY, 220 V
C884	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000 RPM, 8 PLACE AND 24PLACE MICROHEMATOCRIT ROTOR, 0-99 MIN DIGITAL TIMER, 110V
C884E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-11,000 RPM, 8 PLACE AND 24PLACE MICROHEMATOCRIT ROTOR, 0-99 MIN DIGITAL TIMER, 110V, 220 V
C885	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-13,000 RPM WITH 8 PLACE TUBE ROTOR, 24 PLACE MICROHEMATOCRIT ROTOR AND 24 PLACE MICROCENTRIFUGE ROTOR, 110 V
C885E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-13,000 RPM WITH 8 PLACE TUBE ROTOR, 24 PLACE MICROHEMATOCRIT ROTOR AND 24 PLACE MICROCENTRIFUGE ROTOR, 220 V
C886	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-13,000 RPM WITH 24 PLACE MICROHEMATOCRIT ROTOR AND 24 PLACE MICROCENTRIFUGE ROTOR, 110 V
C886E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-13,000 RPM WITH 24 PLACE MICROHEMATOCRIT ROTOR AND 24 PLACE MICROCENTRIFUGE ROTOR, 220 V
C887	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-13,000 RPM WITH 8 PLACE TUBE ROTOR AND 24 PLACE MICROCENTRIFUGE ROTOR, 110 V

C887E	POWERSPIN™ BX CENTRIFUGE, VARIABLE SPEED 1,000-13,000 RPM WITH 8 PLACE TUBE ROTOR AND 24 PLACE MICROCENTRIFUGE ROTOR, 220 V
CMH30	MICRO-HEMATOCRIT CENTRIFUGE, 24 PLACES, 12,000 RPM, 5 MIN. TIMER WITH BELL SIGNAL, ELECTRIC MOTOR BRAKING AND SAFETY LATCH. READER INCLUDED. 110V
CMH30E	MICRO-HEMATOCRIT CENTRIFUGE, 24 PLACES, 12,000 RPM, 5 MIN. TIMER WITH BELL SIGNAL, ELECTRIC MOTOR BRAKING AND SAFETY LATCH. READER INCLUDED. 220V
<b>CENTRIFUGE PARTS AND ACCESSORIES</b>	
C800-00	6 PLACE ROTOR (FOR FX/VX/LX ONLY)
C800-01	8 PLACE ROTOR (FOR FX/VX/LX ONLY)
C800-02	REGULAR TUBE SHIELD, PACK OF 2
C800-02M	REGULAR METAL TUBE SHIELD, PACK OF 2 (FOR FX/VX/LX AND DX)
C800-03	25MM ADAPTER FOR SHORT TUBES, PACK OF 10 (FOR FX/VX/LX /MX AND PORTASPIN)
C800-03-6	ADAPTER FOR SHORT TUBES, PACK OF 6 (FOR FX/VX/LX /MX AND PORTASPIN)
C800-04	ADAPTER FOR PEDIATRIC TUBES(38-45MM) TUBE LENGTH, PACK OF 2 (FOR FX/VX/LX /MX /HX/BX AND PORTASPIN)
C800-05	10MM TUBE LIFT ADAPTERS FOR GREINER TUBES, PK/12
C800-10	FUSE FOR POWERSPIN CENTRIFUGES, 250 V, 4 AMP
C800-18	TUBE HOLDSTER™ RACK, 18 PLACE, FOR TAPPED POWERSPIN FX AND LX CENTRIFUGES
C800-34	4 PLACE MICROHEMATOCRIT TUBE ADAPTERS, PK/2, FITS ALL STANDARD UNICO TUBE SHIELDS FOR ALL MODELS WITH TUBE SHIELDS
C800-75	TACHOMETER, LASER DIGITAL WITH RELECTIVE TAPE, BATTERIES, IN A STORAGE CASE
C8600-01	6 PLACE HORIZONTAL ROTOR FOR MX CENTRIFUGE
C8600-02	4 PLACE SWING OUT ROTOR WITH 50ML CAPACITY FOR MX CENTRIFUGE
C8600-03	24 PLACE FIXED ANGLE ROTOR FOR MX , PLASTIC (WITHOUT TUBE SHIELDS)
C8600-03M	24 PLACE FIXED ANGLE ROTOR FOR MX , METAL (WITHOUT TUBE SHIELDS)
C8600-05	4 PLACE FIXED ANGLE METAL ROTOR FOR IRAP 60ML SYRINGE FOR MX CENTRIFUGE
C8600-18	TUBE HOLDSTER™ RACK, 24 PLACE FOR TAPPED MX SERIES CENTRIFUGES
C8604-02	TUBE ADAPTER FOR 5-15ML TUBES FOR USE WITH C8604 ONLY, SET OF 2
C8604-03	TUBE ADAPTER FOR 3.5-4.5ML SHORT TUBES FOR USE WITH C8604 ONLY, SET OF 2
C8604-04	TUBE ADAPTER FOR 0.5-3ML MICRO TUBES FOR USE WITH C8604 ONLY, SET OF 2
CMH30-Reader	MICROHEMATOCRIT READER
CMH30-03	GASKET REPLACEMENT FOR CMH30 CENTRIFUGE
C822-01	6 PLACE HORIZONTAL ROTOR FOR HX C822 CENTRIFUGE
C822-02	TUBE SHIELD FOR HX C822 HORIZONTAL CENTRIFUGE ONLY , PK/2
C822-03	20MM SHORT TUBE ADAPTOR, SET OF 10 FOR C822 ONLY
C826-06	PORTA-SPIN 12 VDC ADAPTER, PLUGS INTO CIGARETTE LIGHTER, REPALCEMENT
C826-12	PORTA-SPIN AC ADAPTER, 110 VOLT, USA POWER CORD
C826-12E	PORTA-SPIN AC ADAPTER, 220 VOLT, EUROPEAN POWER CORD
C880-01M	8 PLACE METAL ROTOR FOR BX CENTRIFUGE
C880-02	MICROHEMATOCRIT ROTOR, 24 PLACE FOR BX CENTRIFUGE
C880-03	MICROTUBE ROTOR, 24 PLACE FOR BX CENTRIFUGE
C880-10	BX ROTOR RACK, HOLDS ALL THREE BX ROTORS AND ACCESSORIES, ACRYLIC
C880-10H	BX ROTOR RACK, HOLDS ALL THREE BX ROTORS AND ACCESSORIES, ACRYLIC WITH TUBE HOLDSTER (C800-18)
C881-02	BX CENTRIFUGE TUBE SHIELDS, PK/2
C881-03	20MM ADAPTER FOR SHORT TUBES, PACK OF 10 (FOR BX SERIES ONLY)
C881-04	MICRO/PEDIATRIC TUBE ADAPTER FOR 0.5 -2.0MM TUBES, SET OF 2
C800-512	12 ML CONICAL URINE TUBES, GRADUATED, PK/12
C800-550	12 ML CONICAL URINE TUBES, GRADUATED, PK/50
C800-500	12 ML CONICAL URINE TUBES, GRADUATED, PK/500
C800-500-2K	12 ML CONICAL URINE TUBES, GRADUATED, PACKAGE OF 2,000 TUBES
<b>MIXERS, ROCKERS AND OTHER LAB EQUIPMENT</b>	
L-BC3	DIFFERENTIAL COUNTER, FEATURING 2-KEY AND RESET KNOB
L-BC6	DIFFERENTIAL COUNTER, METAL HOUSING, 5-KEY W/ TOTALIZER WINDOW, SIGNAL BELL, DUAL RESET KNOBS
L-BC9	DIFFERENTIAL COUNTER, METAL HOUSING, 8-KEY W/ TOTALIZER WINDOW, SIGNAL BELL, DUAL RESET KNOBS
L-BC9D	DIGITAL DIFFERENTIAL COUNTER, 8 KEY W/TOTALIZER WINDOW. AC110/220 OR BATTERY OPERATED
L-CU100	INCUBATOR, 10L CAPACITY, AMBIENT TO 70° C, DOUBLE DOOR, 110 VOLT
L-CU200	INCUBATOR, 20L CAPACITY, AMBIENT TO 70° C, DOUBLE DOOR, 110 VOLT
L-CU200E	INCUBATOR, 20L CAPACITY, AMBIENT TO 70° C, DOUBLE DOOR, 220 VOLT
L-CU300	INCUBATOR, 30L CAPACITY, AMBIENT TO 70° C, DOUBLE DOOR, 110 VOLT
L-CU300E	INCUBATOR, 30L CAPACITY, AMBIENT TO 70° C, DOUBLE DOOR, 220 VOLT
L-CU60	INCUBATOR, .6L CAPACITY AMBIENT TO 60°C (140°F), 110 VOLT
L-CU60E	INCUBATOR, .6L CAPACITY AMBIENT TO 60°C (140°F), 220 VOLT
L-P600T	PIPETTE SHAKER, 2500 RPM, FOR 6 PIPETTES, 15 MIN. TIMER, 110 V
L-RT30C	DIGITAL ROTATOR FEATURING 11" X 11" MIXING PLATE, VARIABLE SPEED OF 25 TO 250 RPM, DIGITAL DISPLAY, 120V, WITH HUMIDITY COVER
L-RT30C-E	DIGITAL ROTATOR FEATURING 11" X 11" MIXING PLATE, VARIABLE SPEED OF 25 TO 250 RPM, DIGITAL DISPLAY, 220V, WITH HUMIDITY COVER
L-TTR100	TUBE ROCKER/MIXER, 8 TUBES/VIALS, WITH PAUSE BUTTON 25 ROCKING CYCLES PER MINUTE, 110 V
L-TTR100E	TUBE ROCKER/MIXER, 8 TUBES/VIALS, WITH PAUSE BUTTON 25 ROCKING CYCLES PER MINUTE, 220 V
L-TTR200	TUBE ROCKER/MIXER, 15 TUBES/VIALS, WITH PAUSE BUTTON 25 ROCKING CYCLES PER MINUTE, 110 V
L-TTR200D	"30 ROCKER" TUBE ROCKER/MIXER, 30 TUBES WITH PAUSE BUTTON 25 ROCKING CYCLES PER MIN, 110 V
L-TTR200DE	"30 ROCKER" TUBE ROCKER/MIXER, 30 TUBES WITH PAUSE BUTTON 25 ROCKING CYCLES PER MIN, 220 V

L-TTR200E	TUBE ROCKER/MIXER, 15 TUBES/VIALS, WITH PAUSE BUTTON 25 ROCKING CYCLES PER MINUTE, 220 V
L-VM1000	VORTEX MIXER FOR SINGLE TUBE MIXING, 3-POSITION SWITCH FOR CONSTANT OR "TOUCH-ON" WITH VARIABLE SPEED, 120V
L-VM2000	VORTEX MIXER WITH 3.75 INCHES VIBRATION PAD, 3-POSITION SWITCH FOR CONSTANT, OFF OR "TOUCH-ON" WITH VARIABLE SPEED, 120V
MTR22	MULTI-PURPOSE MIXER, WITH 2 PLATFORMS, 90 - 240 VOLT UNIVERSAL POWER SUPPLY
<b>MIXERS PARTS AND ACCESSORIES</b>	
L-TTR100-1	TUBE ROCKER 8 PLACE REPLACEMENT PAD, REVERSIBLE
L-TTR200-1	TUBE ROCKER 15 PLACE REPLACEMENT PAD, REVERSIBLE
L-TTR200-6	LTTR200 MOTOR, 110V 60HZ
L-TTR200-6E	LTTR200 MOTOR, 220V 50HZ
L-RT30-01	HUMIDITY COVER WITH SPONGE FOR L-RT30
MTR22-1	22 PLACE TUBE PLATFORM FOR MTR22 MULTI-MIXER
MTR22-2	8 PLACE FOR 50 ML TUBE PLATFORM FOR MTR22 MULTI-MIXER
MTR22-3	UNIVERSAL POWER SUPPLY FOR MTR22, 90-240 VAC / 12 VDC
<b>DERMATOSCOPE - DERMASCOUT™</b>	
DS-6	DERMASCOUT™ DERMATOSCOPE WITH LED ARRAY AND MEASURING RETICULE (INCHES/MM)
DS-6-01	REPLACEMENT BATTERY: TYPE CR2, 3 VOLT, DURACELL
<b>LOUPES MAGNIFICO™</b>	
E2500	2.5X LOUPES, COMPLETE WITH CASE, LENS CLOTH, SCREW DRIVER AND LANYARD, 420MM (16.5") WORKING DISTANCE
E3500	3.5X LOUPES, COMPLETE WITH CASE, LENS CLOTH, SCREW DRIVER AND LANYARD, 420 MM (16.5") WORKING DISTANCE
E5000	LED CLIP-ON HEADLIGHT, WITH BATTERY, CHARGER AND STORAGE CASE
<b>BASIC LABORATORY MICROSCOPES M220 SERIES</b>	
M220FL	MONOCULAR MICROSCOPE, FLUORESCENT ILLUMINATOR
M220FLM	MONOCULAR MICROSCOPE WITH MECHANICAL STAGE & FLUORESCENT ILLUMINATOR
M220FLD	DUAL HEAD MICROSCOPE, FLUORESCENT ILLUMINATOR
M220FLDM	DUAL HEAD MICROSCOPE WITH MECHANICAL STAGE & FLUORESCENT ILLUMINATOR
M220LED	MONOCULAR MICROSCOPE, WITH LED ILLUMINATION
M220LED-M	MONOCULAR MICROSCOPE, WITH LED ILLUMINATION & MECHANICAL STAGE
<b>M220 PARTS AND ACCESSORIES</b>	
M220-7007	AC ADAPTER FOR FREEDOM JR. SERIES (REPLACES B2-7007)
M220-7003	BULB, FLUORESCENT, 5 WATT (REPLACES B2-7003)
M220-5101	GRADUATED MECHANICAL STAGE, ATTACHABLE
<b>M250 SERIES MICROSCOPE</b>	
M250	BINOCULAR, WF10X,4X,10X,40XR,100XR DIN, MECH., ABBE NA1.25&IRIS, 6V20W HALOGEN
M250LED	BINOCULAR, WF10X, 4X, 10X, 40XR, 100XR DIN, MECH., ABBE NA 1.25 & IRIS, LED
M251	MONOCULAR, WF10X,4X,10X,40XR,100XR DIN, MECH., ABBE NA1.25&IRIS, 6V20W HALOGEN
M251LED	MONOCULAR, WF10X, 4X, 10X, 40XR, 100XR DIN, MECH., ABBE NA 1.25 & IRIS, LED
M252	DUAL HEAD, WF10X(2),4X,10X,40XR,100XR DIN,MECH.,ABBE NA 1.25&IRIS, 6V20W HALOGEN
M252LED	DUAL HEAD, WF10X(2),4X,10X,40XR,100XR DIN,MECH.,ABBE NA 1.25&IRIS, 6V20W LED
<b>M250 PARTS AND ACCESSORIES</b>	
M250-1401	10X WIDEFIELD EYEPIECE, SINGLE
M250-1411	10X WIDEFIELD EYEPIECE WITH POINTER, SINGLE
M250-1499	5X EYEPIECE, SINGLE
M250-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10
M250-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25
M250-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
M250-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, OIL, RETRACTABLE FRONT LENS
M250-3001	MONOCULAR TUBE WITHOUT EYEPIECE
M250-3002	DUAL VIEWING TUBE WITH DIOPTER WITHOUT EYEPIECES
M250-3004	SEIDENTOPF BINOCULAR FOR M250 AND M250LED SERIES
M250-5003	MECHANICAL STAGE WITH ABBE N.A. 1.25 CONDENSER AND IRIS DIAPHRAGM
M250-7001	6V20W HALOGEN BULB, 4MM PIN FOR M250 SERIES
M250-7003	FUSE 250V 1.5A
M250-8001	DUST COVER FOR M250 SERIES
M250-8902	EYEPIECE POINTER FOR M250 SERIES
<b>M280 SERIES MICROSCOPE</b>	
M280	BINOCULAR, WF10X, 4X, 10X, 40XR, 100XR DIN, MECH., ABBE NA 1.25 & IRIS, LED
M280PL	BINOCULAR, WF10X, PLAN 4X, 10X, 40XR, 100XR DIN, MECH., ABBE NA 1.25 & IRIS, LED
<b>M280 PARTS AND ACCESSORIES</b>	
M280-1401	10X WIDEFIELD EYEPIECE, SINGLE
M280-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10
M280-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25
M280-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
M280-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, OIL, RETRACTABLE FRONT LENS
M280-3004	SEIDENTOPF BINOCULAR FOR M280 SERIES
M280-5003	MECHANICAL STAGE WITH ABBE N.A. 1.25 CONDENSER AND IRIS DIAPHRAGM

M280-7003	FUSE 250V 1.5A
M280-8001	DUST COVER FOR M280 SERIES
M280-8902	EYEPIECE POINTER FOR M280 SERIES
<b>G380-LED SERIES</b>	<b>MICROSCOPE</b>
G380-LED	BINOCULAR WF10X, 4X, 10X, 40XR, 100XR ACHROMAT MECH. ABBE N.A. LED ILLUMINATION
G380SP-LED	BINOCULAR WF10X, 4X, 10X, 40XR, 100XR SEMI-PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G380PL-LED	BINOCULAR WF10X, 4X, 10X, 40XR, 100XR PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G380-PH-40	BINOCULAR WF10X, 4X, 10X, 100X BRIGHTFIELD ACHROMAT, 40X SP-PH W SLIDER MECH. ABBE N.A. LED ILLUMINATION
G381-LED	MONOCULAR WF10X, 4X, 10X, 40XR, 100XR ACHROMAT MECH. ABBE N.A. 1.25 LED ILLUMINATION
G381SP-LED	MONOCULAR WF10X, 4X, 10X, 40XR, 100XR SEMI-PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G381PL-LED	MONOCULAR WF10X, 4X, 10X, 40XR, 100XR PLAN ACHR. MECH. ABBE N.A. 1.25 LED ILLUMINATION
G382-LED	DUAL VIEW WF10X(2) 4X, 10X, 40XR, 100XR ACHROMAT MECH. ABBE N.A. 1.25 LED ILLUMINATION
G382SP-LED	DUAL VIEW WF10X(2) 4X, 10X, 40XR, 100XR SEMI-PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G382PL-LED	DUAL VIEW WF10X(2) 4X, 10X, 40XR, 100XR PLAN ACHROMAT MECH. ABBE N.A. 1.25 LED ILLUMINATION
G383-LED	TRINOCULAR WF10X, 4X, 10X, 40XR, 100XR ACHROMAT MECH. ABBE N.A. 1.25 LED ILLUMINATION
G383SP-LED	TRINOCULAR WF10X, 4X, 10X, 40XR, 100XR SEMI-PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G383PL-LED	TRINOCULAR WF10X, 4X, 10X, 40XR, 100XR PLAN MECH. ABBE N.A. 1.25 LED ILLUMINATION
G383-PH-40	TRINOCULAR WF10X, 4X, 10X, 100X BRIGHTFIELD ACHROMAT, 40X SP-PH W SLIDER MECH. ABBE N.A. LED ILLUMINATION
G386-LED	BINOCULAR INFINITY 4X, 10X, 40X, 100XR ACHROMAT, MECH., ABBE NA 1.25, LED ILLUMINATION
G386PL-LED	BINOCULAR INFINITY 4X, 10X, 40X, 100XR, PLAN ACHROMAT, MECH., ABBE NA 1.25, LED ILLUMINATION
G388-LED	DUAL-BINOCULAR HEAD INFINITY 4X, 10X, 40X, 100XR, ACHROMAT, MECH., ABBE NA 1.25, LED ILLUMINATION
G388PL-LED	DUAL-BINOCULAR HEAD INFINITY 4X, 10X, 40X, 100XR, PLAN ACHROMAT, MECH., ABBE NA 1.25, LED ILLUMINATION
<b>G390 SERIES HEATED STAGE MICROSCOPES: LED ILLUMINATED</b>	
G390-LED	BINOCULAR WF10X, 4, 10, 40, 100X ACHR. HEATED STAGE ABBE N.A. 1.25 LED ILLUMINATED
G390PL-LED	BINOCULAR WF10X, 4, 10, 40, 100X PLAN HEATED STAGE ABBE N.A. 1.25 LED ILLUMINATED
G393-LED	TRINOCULAR WF10X 4, 10, 40, 100X ACHR. HEATED STAGE ABBE N.A. 1.25 LED ILLUMINATED
G393PL-LED	TRINOCULAR WF10X 4, 10, 40, 100X PLAN HEATED STAGE ABBE N.A. 1.25 LED ILLUMINATED
G395-LED	BINOCULAR WF10X 4, 10PL-PH, 40PL-PH, 100PL-PH PLAN PHASE HEATED STAGE LED ILLUMINATED
G395T-LED	TRINOCULAR WF10X 4, 10PL-PH, 40PL-PH, 100PL-PH PLAN PHASE HEATED STAGE LED ILLUMINATED
G397-LED	BINOCULAR WF10X, 10X ACHR, 20XPL-PH, 40XPL-PH, 100XPL PLAN PHASE, HEATED STAGE, LED ILLUMINATED
G397T-LED	TRINOCULAR WF10X, 10X ACHR, 20XPL-PH, 40XPL-PH, 100XPL B261PLAN PHASE HEATED STAGE, LED ILLUMINATED
<b>G380 PARTS AND ACCESSORIES</b>	
G380-1402	HIGH EYEPOINT 10X WIDEFIELD EYEPIECE, F.N. 18, EACH
G380-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10 FOR G380 SERIES
G380-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25 FOR G380 SERIES
G380-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS FOR G380 SERIES
G380-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, OIL, RETRACTABLE FRONT LENS FOR G380 SERIES
G380-2301	4X DIN PLAN OBJECTIVE, N.A. 0.10
G380-2302	10X DIN PLAN OBJECTIVE, N.A. 0.25
G380-2305	25X DIN PLAN OBJECTIVE N.A. 0.40
G380-2303	40X DIN PLAN OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
G380-2304	100X DIN PLAN OBJECTIVE N.A. 1.25, RETRACTABLE FRONT LENS
G380-2601	4X INFINITY ACHROMAT OBJECTIVE, NA 0.10
G380-2602	10X INFINITY ACHROMAT OBJECTIVE, NA 0.25
G380-2603	40X INFINITY ACHROMAT OBJECTIVE, NA 0.65
G380-2604	100X OIL IMMERSION INFINITY ACHROMAT OBJECTIVE, NA 1.25
G380-2631	4X INFINITY PLAN ACHROMAT OBJECTIVE, NA 0.10
G380-2632	10X INFINITY PLAN ACHROMAT OBJECTIVE, NA 0.25
G380-2633	40X INFINITY PLAN ACHROMAT OBJECTIVE, NA 0.65
G380-2634	100X OIL IMMERSION INFINITY PLAN ACHROMAT OBJECTIVE, NA 1.25
G380-3001	MONOCULAR HEAD, 45° INCLINED FOR G380
G380-3002	DUAL VIEWING HEAD WITHOUT EYEPIECE FOR G380 SERIES
G380-3004	SEIDENTOPF BINOCULAR HEAD FOR G380 SERIES
G380-3005	SEIDENTOPF TRINOCULAR HEAD FOR G380 SERIES
G380-5111	GRADUATED MECHANICAL STAGE (COAXIAL LOW POSITION CONTROLS) FOR G380 SERIES
G380-6001	ABBE CONDENSER, N.A. 1.25, W/ IRIS DIAPHRAGM, SWING-OUT FILTER HOLDER FOR G300 SERIES
G380-7001	LED ILLUMINATOR PACK, SNAP-IN, INCLUDED 3 AA BATTERIES, FOR G380 SERIES ONLY
G380-7002	MIRROR ASSEMBLY, SNAP-IN FOR G380 SERIES ONLY
G380-7010	FIELD DIAGRAM KOEHLER SET FOR G380, G390 SERIES MICROSCOPES
G380-8010	PHOTO LENS AND PHOTO ADAPTER WITH UNIVERSAL THREAD FOR G380 SERIES (REQ. CAMERA AND T-MOUNT)
G380-8011	VERTICAL VIEWING ADAPTER (TO BE INSTALLED ON TRINOCULAR HEAD. REQUIRES EYEPIECE)
G380-8031	PHASE KIT: INCLUDES 40XR SEMI-PLAN PHASE OBJECTIVE AND SLIDE-IN ANNULUS RING FOR G380 SERIES
G380-8034	PHASE KIT: INCLUDES 10X SEMI-PLAN PHASE OBJECTIVE AND SLIDE-IN ANNULUS RING FOR G380 SERIES
G380-8032	SLIDE-IN 40X PHASE ANNULUS RING FOR G380 SERIES
G380-8907	HARD CARRYING CASE, PADDED WITH LOCK & KEY (2)



<b>H600 PARTS AND ACCESSORIES ( for replacement as serive only)</b>	
B6-3004	SEIDENTOPF BINOCULAR HEAD FOR H600 SERIES
B6-3005	SEIDENTOPF TRINOCULAR HEAD FOR H600 SERIES
B6-6001	ABBE CONDENSER, N.A. 1.25, W/ IRIS DIAPHRAGM, SWING-OUT BLUE FILTER HOLDER
B6-6002	PHASE TURRET CONDENSER, N.A. 1.25 FOR 10X, 40X, AND 100X OIL, PLUS "0" POSITION
B6-6003	DARKFIELD CONDENSER, N.A. 0.83-0.91
B6-1401	10X WIDEFIELD EYEPIECE, F.N. 18, SINGLE
B6-1402	WF10X HIGH EYEPOINT EYEPIECE, SINGLE
B6-1409	15X WIDEFIELD EYEPIECE, F.N. 10, SINGLE
B6-1501	10X WIDEFIELD EYEPIECE, F.N. 20, SINGLE
B6-1805	4X PHOTO EYEPIECE, SINGLE
B6-1902	8X CENTERING TELESCOPE FOR PHASE
B6-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10
B6-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25
B6-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
B6-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
B6-2107	60X DIN ACHROMAT OBJECTIVE, N.A. 0.85, RETRACTABLE FRONT LENS
B6-2108	20X DIN ACHROMAT OBJECTIVE, N.A. 0.40
B6-2201	4X DIN SEMI-PLAN OBJECTIVE, N.A. 0.10
B6-2202	10X DIN SEMI-PLAN OBJECTIVE, N.A. 0.25
B6-2203	40X DIN SEMI-PLAN OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
B6-2204	100X OIL SEMI-PLAN OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
B6-2301	4X DIN PLAN OBJECTIVE, N.A. 0.10
B6-2302	10X DIN PLAN OBJECTIVE, N.A. 0.25
B6-2305	25X DIN PLAN OBJECTIVE N.A. 0.40
B6-2303	40X DIN PLAN OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
B6-2304	100X DIN PLAN OBJECTIVE N.A. 1.25, RETRACTABLE FRONT LENS
B6-2308	50X DIN PLAN OBJECTIVE N.A. 0.95, RETRACTABLE FRONT LENS
B6-2422	10X SEMI-PLAN PHASE CONTRAST OBJECTIVE N.A. 0.25
B6-2423	40X SEMI-PLAN PHASE CONTRAST OBJECTIVE N.A. 0.65
B6-2424	100X OIL SEMI-PLAN PHASE CONTRAST OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
B6-6010	BLUE FILTER, 31.5MM
B6-6011	GREEN FILTER, 31.5MM
B6-6012	YELLOW FILTER, 31.5MM
B6-7006	6V / 20W HALOGEN BULB, 4MM PIN
B6-7007	6V / 30W HALOGEN BULB, 4MM PIN
B6-8002	DUST COVER FOR H600 SERIES
B6-8010	PHOTO LENS AND PHOTO ADAPTER (REQUIRES CAMERA "T"-MOUNT AND SLR CAMERA)
B6-8011	VERTICAL VIEWING ADAPTER (TO BE INSTALLED ON TRINOCULAR HEAD. REQUIRES EYEPIECE)
B6-8030	SEMI-PLAN PHASE SET: TURRET CONDENSER, 10X, 40X, 100X OIL PHASE OBJECTIVES
B6-8031	40X SEMI-PLAN KIT: 40X SEMI-PLAN PHASE OBJECTIVE AND SLIDE IN ANNULUS FOR 40X
B6-8032	PHASE ANNULUS RING FOR USE WITH 40X SEMI-PLAN PHASE OBJECTIVE
B6-8034	10X SEMI-PLAN PHASE KIT INCLUDING SP10X PHASE OBJECTIVE AND SLIDE-IN 10X ANNULUS FOR H600
B6-8040	BASIC POLARIZER SYSTEM, TWO FILTER SET, TAN/GRAY
B6-8041	ADVANCED POLARIZER SYSTEM WITH RED COMPENSATOR, 3 FILTER SET WITH URIC ACID CRYSTAL CONTROL SLIDE
B6-8042	ADVANCED POLARIZER SYSTEM WITH RED COMPENSATOR, 3 FILTER SET, CONDENSER AND URIC ACID CRYSTAL CONTROL SLIDE
B6-8050	EPI-FLUORESCENCE ATTACHMENT INCLUDING PL4X, 25X-FL, 40X-FL, 100XR-FL FLUORESCENCE OBJECTIVES,
B6-8901	EYEPIECE RETICULE WITH 0.1MM DIVISIONS
B6-8902	EYEPIECE POINTER
B6-8903	STAGE MICROMETER SLIDE
B6-8904	CARRYING CASE, NYLON, PADDED
B6-8905	IMMERSION OIL TYPE A, 7 ML
B6-8910	OPTICAL CLEANING KIT
B6-9005	FUSE 250V, 1.5AMP
<b>IP730 SERIES MICROSCOPE</b>	
IP730	BINOCULAR WF10X 4X, 10X, 40XR, 100XR ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP730SP	BINOCULAR WF10X 4X, 10X, 40XR, 100XR SEMI-PLAN ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP730PL	BINOCULAR WF10X 4X, 10X, 40XR, 100XR PLAN ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP733	TRINOCULAR WF10X 4X, 10X, 40XR, 100XR ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP733SP	TRINOCULAR WF10X 4X, 10X, 40XR, 100XR SEMI-PLAN ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP733PL	TRINOCULAR WF10X 4X, 10X, 40XR, 100XR PLAN ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP735	BINOCULAR WF10X EYEPIECE, PLAN 4X, PLAN PHASE CONTRAST 10X-40XR-100XR OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP735T	TRINOCULAR WF10X EYEPIECE, PLAN 4X, PLAN PHASE CONTRAST 10X-40XR-100XR OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
<b>IP 730 PARTS AND ACCESSORIES</b>	
IP730-2101	4X DIN ACHROMAT OBJECTIVE, N.A. 0.10

IP730-2102	10X DIN ACHROMAT OBJECTIVE, N.A. 0.25
IP730-2103	40X DIN ACHROMAT OBJECTIVE, N.A. 0.65, RETRACTABLE FRONT LENS
IP730-2104	100X DIN ACHROMAT OBJECTIVE, N.A. 1.25, RETRACTABLE FRONT LENS
IP730-8030	PHASE SET W/ PLAN PHASE 10X-40X-100X OBJECTIVES, TURRET CONDENSER WITH "0" POSITION
<b>IP750 SERIES MICROSCOPE</b>	
IP750	BINOCULAR WF10X 4X, 10X, 40XR, 100XR INFINITY ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP750PL	BINOCULAR WF10X 4X, 10X, 40XR, 100XR INFINITY PLAN ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP753	TRINOCULAR WF10X 4X, 10X, 40XR, 100XR INFINITY ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP753PL	TRINOCULAR WF10X 4X, 10X, 40XR, 100XR INFINITY PLAN ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP755	BINOCULAR WF10X 4X INFINITY PLAN AND 10X, 40X, 100X INFINITY PLAN PHASE OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP755T	TRINOCULAR WF10X 4X INFINITY PLAN AND 10X, 40X, 100X INFINITY PLAN PHASE OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP758	DUAL BINOCULAR WF10X 4X, 10X, 40XR, 100XR INFINITY ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
IP758PL	DUAL BINOCULAR WF10X 4X, 10X, 40XR, 100XR INFINITY PLAN ACHROMAT OBJECTIVES, MECHANICAL STAGE, 6V/20V HALOGEN ILLUMINATION
<b>IP750 PARTS AND ACCESSORIES</b>	
IP750-2101	4X INFINITY ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2102	10X INFINITY ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2103	40X INFINITY ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2104	100X INFINITY ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2301	4X INFINITY PLAN ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2302	10X INFINITY PLAN ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2303	40X INFINITY PLAN ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2304	100X INFINITY PLAN ACHROMATIC OBJECTIVE FOR IP750 INFINITY MICROSCOPE
IP750-2422	INFINITY PLAN PHASE OBJECTIVE 10X FOR IP750 SERIES
IP750-2423	INFINITY PLAN PHASE OBJECTIVE 40X FOR IP750 SERIES
IP750-2424	INFINITY PLAN PHASE OBJECTIVE 100X FOR IP750 SERIES
IP750-6002	PHASE CONTRAST CONDENSER, TURRET, NA1.25 WITH 10X-40X-100X PHASE RING AND "0" BRIGHT FIELD POSITION
IP750-6003	DARKFIELD CONDENSER FOR IP730 AND IP750 SERIES
IP750-8030	PHASE SET W/ INFINITY PLAN PHASE 10X-40X-100X OBJECTIVES, TURRET CONDENSER WITH "0" POSITION
IP750-8901	HARD CARRYING CASE FOR IP730 AND IP750 MICROSCOPE
<b>IV950 SERIES INVERTED MICROSCOPE</b>	
IV951	INVERTED BINOCULAR WF10X PLAN 4X -10X -20X-40X BRIGHT FIELD
IV951T	INVERTED TRINOCULAR WF10X PLAN 4X -10X -20X-40X BRIGHT FIELD
IV952	INVERTED BINOCULAR WF10X EP, OBJECT. PLAN 4X-10X BRIGHT FIELD AND PLAN PHASE 20X-40X
IV952T	INVERTED TRINOCULAR WF10X EP, OBJECT. PLAN 4X-10X BRIGHT FIELD AND PLAN PHASE 20X-40X
IV953	INVERTED BINOCULAR WF10X EP, OBJECT. PLAN 4X BRIGHT FIELD & PLAN PHASE 10X -20X -40X
IV953T	INVERTED TRINOCULAR WF10X EP, OBJECT. PLAN 4X BRIGHT FIELD & PLAN PHASE 10X -20X-40X
IV954	INVERTED BINOCULAR WF10X EP, OBJECT. PLAN 4X-40X BRIGHT FIELD AND PLAN PHASE 10X-20X
IV954T	INVERTED TRINOCULAR WF10X EP, OBJECT. PLAN 4X-40X BRIGHT FIELD AND PLAN PHASE 10X-20X
<b>IV 950 PARTS AND ACCESSORIES</b>	
IV950-1501	10X WIDEFIELD EYEPIECE, FN 20 MM, SINGLE
IV950-1502	10X WIDEFIELD EYEPIECE, FN 23 MM, SINGLE
IV950-1903	CENTERING TELESCOPE FOR IV950 INVERTED
IV950-2301	4X PLAN OBJECTIVE 4/0.1
IV950-2302	10X PLAN LONG WORKING DISTANCE OBJECTIVE 10/0.25
IV950-2305	20X PLAN LONG WORKING DISTANCE OBJECTIVE 20/0.50
IV950-2303	40X PLAN LONG WORKING DISTANCE OBJECTIVE 40/0.60
IV950-2432	10X PLAN PHASE LONG WORKING DISTANCE 10/0.25
IV950-2435	20X PLAN PHASE LONG WORKING DISTANCE 20/0.50
IV950-2433	40X PLAN PHASE LONG WORKING DISTANCE 40/0.60
IV950-7001	BULB, 12 VOLT / 30 WATT HALOGEN, G4 PIN
IV950-8900	DUST COVER FOR IV950 INVERTED
IV950-8901	CROSS-HAIR RETICLE WITH 0.1 MM SCALE
<b>ZM180 / ZM190 SERIES STEREO MICROSCOPE</b>	
ZM181	BINOCULAR WF10X 0.7X-4.5X PE STAND WITH EXT. PILLAR
ZM181T	TRINOCULAR WF10X 0.7X-4.5X PE STAND WITH EXT. PILLAR
ZM181HF	BINOCULAR WF10X 0.7X-4.5X PE-HF STAND TOP HALOGEN & BOTTOM FLUOR.
ZM181HFT	TRINOCULAR WF10X 0.7X-4.5X PE-HF STAND WITH EXT. PILLAR TOP HALOGEN & BOTTOM FLUOR.
ZM184HF	BINOCULAR WF10X 0.7X-4.5X DE-HF STAND TOP HALOGEN & BOTTOM FLUOR.
ZM184HFT	TRINOCULAR WF10X 0.7X-4.5X DE-HF STAND TOP HALOGEN & BOTTOM FLUOR.
ZM191	BINOCULAR ZOOM STEREO WF10X , 0.7X-4.5X , POLE STAND WITH TOP AND BOTTOM LED ILLUMINATION
ZM191T	TRINOCULAR ZOOM STEREO WF10X , 0.7X-4.5X , POLE STAND WITH TOP AND BOTTOM LED ILLUMINATION
<b>ZM180 PARTS AND ACCESSORIES</b>	
D4-1002	15X EYEPIECE, F.N. 14.5MM, SINGLE FOR ZM180 SERIES
D4-1003	20X WIDEFIELD EYEPIECE, F.N. 11MM, SINGLE FOR ZM180 SERIES
D4-1004	25X WIDEFIELD EYEPIECE, F.N. 9MM, SINGLE FOR ZM180 SERIES

D4-1005	10X EXTRA WIDEFIELD, F.N. 23MM, SINGLE FOR ZM180 SERIES
D4-2001	2X AUXILIARY OBJECTIVE FOR ZM180 SERIES
D4-2003	0.75X AUXILIARY OBJECTIVE FOR ZM180 SERIES
D4-2004	0.5X AUXILIARY OBJECTIVE FOR ZM180 SERIES
D4-2005	0.3X AUXILIARY OBJECTIVE FOR ZM180 SERIES
D4-8023	0.5X VIDEO COUPLER FOR ZM180 SERIES
D4-3001	0.7X - 4.5X ZM180 ZOOM BODY, BINOCULAR
D4-3002	0.7X - 4.5X ZM180 ZOOM BODY, TRINOCULAR
D4-4001	PE STAND, POLE-TYPE WITH 25MM POLE AND EXTENSION PILLAR
D4-4001HF	PE-HF, POLE-TYPE STAND W/ADJUSTABLE INCIDENT 6V/20W HALOGEN AND FLUORESCENT TRANSMITTED ILLUMINATION
D4-4001HF-E	SAME AS D4-4001HF BUT WITH 220V
D4-4002	DPT STAND, DIASCOPIC POLE-TYPE STAND WITH INCIDENT ILLUMINATOR PORT
D4-4004HF	DE-HF STAND, DIASCOPIC COLUMN-TYPE STAND WITH TOP HALOGEN AND BOTTOM FLUORESCENT ILLUMINATION
D4-7003	FIBER OPTICS RING LIGHT (REQUIRES FIBER OPTICS LIGHT SOURCE #D4-7004, NOTR INCLUDED)
D4-7004	FIBER OPTICS LIGHT POWER SUPPLY UNIT, 115V/100W
D4-7010	15W HALOGEN BULB WITH REFLECTOR FOR ZM180 ILLUMINATION STANDS
D4-7011	RING BULB (FLUORESCENT)
D4-7012	2A FUSE FOR ZM180 STAND
D4-7013	12V/150W HALOGEN BULB FOR FIBER OPTICS POWER SOURCE
D4-7014	5W FLUORESCENT BULB FOR ZM180 ILLUMINATION STANDS
D4-7030	FLUORESCENT RING LIGHT WITH ADAPTER TO FIT ZM180 BODY
D4-8901	OBJECTIVE PROTECTION RING WITH GLASS FOR ZM180
D4-8904	ADAPTER FOR FLUORESCENT RING LIGHT AND FIBER OPTICS RING LIGHT FOR ZM180
D4-8907	RETICULE AND RETAINER, 1/10MM DIVISION FOR 10X/23MM EYEPIECE (ITEM # D4-1005)
D4-8909	EYE GUARD FOR 10 X 23MM EYEPIECE (ITEM # D4-1005)
D4-8911	BLACK AND WHITE PLATE FOR ZM180 STANDS
D4-8913	FROSTED GLASS PLATE FOR ZM180 STANDS
D4-8914	RETICULE AND RETAINER, 1/10MM FOR 20X EYEPIECE (ITEM # D4-1003)
D4-8917	VERTICAL EYEPIECE PORT FOR THIRD VIEWING EYEPIECE
<b>MICROSCOPE CAMERAS AND ADAPTERS</b>	
B6-8022-S630	S-VIDEO COLOR CAMERA, 1/3" CCD, 480 TVL, INCL. S-VIDEO CABLE, POWER SUPPLY & C-MOUNT
B6-8182	DIGITAL EYEPIECE CAMERA, 2.0 MP, CMOS, W/USB CABLE & WIN.XP / 7 SOFTWARE
B6-8183	DIGITAL VIDEO C-MOUNT CAMERA, 5.0 MP, CMOS, W/USB CABLE & WIN. XP / 7 SOFTWARE
B6-8185	DIGITAL VIDEO C-MOUNT CAMERA, 5.1 MP, CCD, W/USB CABLE & WIN. XP / 7 SOFTWARE
B6-8187	HDMI 1080P DIGITAL CAMERA W/HDMI CABLE STORAGE CARD AND WIRELESS MOUSE
B6-8189	DIGITAL VIDEO C-MOUNT CAMERA, 14.0 MP, CMOS, W/USB CABLE & WIN. XP / 7 SOFTWARE
G380-8021	0.65X VIDEO ADAPTER WITH EXTERNAL C-MOUNT FOR G380 SERIES
G500-8020	C-MOUNT ADAPTER WITH 0.35X REDUCING LENS FOR G500 SERIES
IP750-8020	VIDEO ADAPTER (1X) FOR IP730 AND IP750 MICROSCOPE
B6-8024	0.52X VIDEO ADAPTER WITH EXTERNAL C-MOUNT FOR H600 MICROSCOPE
B6-8027	EYEPIECE C-MOUNT ADAPTER, MOUNTS IN 23.2 MM (DIN STANDARD) EYEPIECE TUBES
IV950-8020	C-MOUNT CAMERA ADAPTER FOR IV950 TRINOCULAR MODELS
D4-8020	1X VIDEO ADAPTER WITH EXTERNAL C-MOUNT, ADJUSTABLE FOR ZM180 SERIES
D4-8022	0.3X VIDEO COUPLER FOR ZM180 SERIES
<b>UNICO SPECTROPHOTOMETERS</b>	
<b>S1000 AND S1100 SERIES SPECTROPHOTOMETERS</b>	
S-1000	UNICO MODEL 1000 SPECTROPHOTOMETER 20 NM BANDPASS COMPLETE WITH 10 MM TEST TUBE CUVETTES (BOX OF 12), 10 MM SQUARE CUVETTE ADAPTER, USB PORT, DUST COVER, USER MANUAL. WAVELENGTH
S-1000E	UNICO MODEL 1000 SPECTROPHOTOMETER 20 NM BANDPASS COMPLETE WITH 10 MM TEST TUBE CUVETTES (BOX OF 12), 10 MM SQUARE CUVETTE ADAPTER, USB PORT, DUST COVER, USER MANUAL. WAVELENGTH
S-1100	UNICO MODEL 1100 SPECTROPHOTOMETER 20NM BANDPASS COMPLETE WITH 10 MM TEST TUBE CUVETTES (BOX OF 12), 10MM SQUARE CUVETTE ADAPTER, USB PORT, DUST COVER, USER MANUAL WAVELENGTH R
S-1100E	UNICO MODEL 1100 SPECTROPHOTOMETER 20NM BANDPASS COMPLETE WITH 10 MM TEST TUBE CUVETTES (BOX OF 12), 10MM SQUARE CUVETTE ADAPTER, USB PORT, DUST COVER, USER MANUAL WAVELENGTH R
S-1100RS	UNICO MODEL 1100RS SPECTROPHOTOMETER 10 NM BANDPASS COMPLETE WITH 10 MM TEST TUBE CUVETTES (12PCS), 10 MM SQUARE CUVETTE ADAPTER, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL WAVELENGTH RANGE OF 335-1000 NM. VOLTAGE PRESET AT 110V
S-1100RSE	UNICO MODEL 1100RS SPECTROPHOTOMETER 10 NM BANDPASS COMPLETE WITH 10 MM TEST TUBE CUVETTES (12PCS), 10 MM SQUARE CUVETTE ADAPTER, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL WAVELENGTH RANGE OF 335-1000 NM. VOLTAGE PRESET AT 220V
<b>S1000 AND S1100 SOFTWARE</b>	
S-1000-401	UNICO S-1000 SPECTROPHOTOMETER SOFTWARE. WIN XP OR WIN 7 REQUIRED INCLUDES STANDARD CURVE, ABS. %T/CONC., AND ABS.VS.TIME. INCLUDES USB CABLE.
S-1100-401	UNICO APPLICATION SOFTWARE FOR PC'S, WINDOWS XP /WINDOWS 7 REQUIRED. PROGRAMS INCLUDE STANDARD CURVE, ABS. %T/CONC., AND ABS.VS.TIME. INCLUDES USB CABLE.
<b>S1000 AND S1100 PARTS AND ACCESSORIES</b>	
S-1100-101	EXPERIMENT MANUAL INCLUDES SAFETY IN THE LAB, 10 EXPERIMENTS, & INSTRUCTOR'S GUIDE
S-1100-102	TEST TUBE SAMPLE HOLDER FOR 10 MM DIAMETER TEST TUBES (STANDARD WITH INSTRUMENT)
S-1100-103	SQUARE CUVETTE ADAPTER FOR 10 MM CUVETTES (STANDARD WITH INSTRUMENT)
S-1100-113	TEST TUBE SAMPLE HOLDER FOR 3/4 INCH TEST TUBES
S-1100-114	TEST TUBE SAMPLE HOLDER FOR 1 INCH TEST TUBES
S-1100-115	COD VIAL SAMPLE HOLDER

S-1100-511	USER MANUAL FOR S-1100 SPECTROPHOTOMETER
S-1100-512	DUST COVER FOR S-1100, S-1100RS SPECTROPHOTOMETER
S-1100-516	APPLICATION SOFTWARE MANUAL FOR S-1100RS SOFTWARE
S-1100-520	SERVICE MANUAL FOR S-1100, S-1100RS SPECTROPHOTOMETERS
S-1100-206	RS-232 PRINTER (REQUIRES S-1100-207 CABLE)
S-1100-207	PRINTER CABLE FOR USE WITH RS-232 PRINTER (MALE 25-PIN TO FEMALE 9-PIN, NULL MODEM)
S-2100-220	POWER CORD, EUROPEAN PLUG
S-1100-505	HALOGEN BULB, PACKAGE OF 1 (6V/10W, G4 PIN)
S-1100-508	PRINTER PAPER, PACKAGE OF 3
S-1100-513	FUSE, 3 A, PACKAGE OF 1
S-1100-521	ALLEN WRENCH FOR S-1000, S-1100, S-1100RS SAMPLE HOLDER INSTALLATION
<b>S1200 AND S1205 SERIES SPECTROPHOTOMETERS</b>	
S-1200	UNICO MODEL 1200 SPECTROPHOTOMETER 5NM BANDPASS COMPLETE WITH 10 MM SINGLE SQUARE CUVETTE HOLDER, V-TYPE HOLDER FOR 8-25 MM ROUND TUBE, A PAIR OF GLASS CUVETTES, 12 PCS OF 10 MM TEST TUBES USB PORT, RS-232 PORT, DUST COVER, USER MANUAL.WAVELENGTH RANGE: 325~1000 NM. VOLTAGE PRESET AT 110V
S-1200E	UNICO MODEL 1200 SPECTROPHOTOMETER 5NM BANDPASS COMPLETE WITH 10 MM SINGLE SQUARE CUVETTE HOLDER, V-TYPE HOLDER FOR 8-25 MM ROUND TUBE, A PAIR OF GLASS CUVETTES, 12 PCS OF 10 MM TEST TUBES USB PORT, RS-232 PORT, DUST COVER, USER MANUAL.WAVELENGTH RANGE: 325~1000 NM. VOLTAGE PRESET AT 220V
S-1201	UNICO MODEL 1200 SPECTROPHOTOMETER 5NM BANDPASS COMPLETE WITH 4-POSITION CELL HOLDER FOR 10 MM SQUARE CUVETTES, A PAIR OF GLASS CUVETTES, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL WAVELENGTH 325~1000 NM. VOLTAGE PRESET AT 110V
S-1201E	UNICO MODEL 1200 SPECTROPHOTOMETER 5NM BANDPASS COMPLETE WITH 4-POSITION CELL HOLDER FOR 10 MM SQUARE CUVETTES, A PAIR OF GLASS CUVETTES, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL WAVELENGTH 325~1000 NM. VOLTAGE PRESET AT 220V
S-1205	NEW UNICO MODEL S-1205 SPECTROPHOTOMETER 5 NM BANDPASS, LARGE LCD DISPLAY, PROGRAMMABLE. COMPLETE WITH 4-POSITION CELL HOLDER, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL WAVELENGTH RANGE: 325~1000 NM, AUTOMATIC WAVELENGTH CHANGE. POWER INPUT 100V-240V (ACCOMMODATE UPTO 50MM PATHLENGTH CUVETTE WITH OPTIONAL CUVETTE HOLDER)
S-1205E	NEW UNICO MODEL S-1205 SPECTROPHOTOMETER 5 NM BANDPASS, LARGE LCD DISPLAY, PROGRAMMABLE. COMPLETE WITH 4-POSITION CELL HOLDER, USB PORT, RS-232C PORT, DUST COVER, USER MANUAL WAVELENGTH RANGE: 325~1000 NM, AUTOMATIC WAVELENGTH CHANGE. POWER INPUT 100V-240V (ACCOMMODATE UPTO 50MM PATHLENGTH CUVETTE WITH OPTIONAL CUVETTE HOLDER)
<b>S1200 AND S1205 SOFTWARE</b>	
S-1200-401	UNICO APPLICATION SOFTWARE FOR PC'S, WIN XP/ WIN 7 REQUIRED. PROGRAMS INCLUDE STANDARD CURVE, ABS.%T/CONC., AND ABS.VS.TIME. INCLUDES CD SOFTWARE, MANUAL AND USB CABLE.
S-1205-401	UNICO S-1205 APPLICATION SOFTWARE FOR PC. WIN XP/ WIN 7 REQUIRED PROGRAMS INCLUDE STANDARD CURVE, ABS.%T/CONC., AND KINETICS AND SCANNING. INCLUDES CD SOFTWARE, MANUAL AND USB CABLE.
<b>S1200 AND S1205 PARTS AND ACCESSORIES</b>	
S-1200-101	TEST TUBE V-TYPE CELL HOLDER WITH BASE FOR 8~25 MM DIAMETER TEST TUBES FOR S-1200 SERIES
S-1200-102	SINGLE SQUARE CUVETTE HOLDER WITH BASE FOR 10 MM CUVETTES FOR S-1200 SERIES
S-1200-103	4-POSITION CELL HOLDER FOR 10 MM SQUARE CUVETTES (STANDARD IN MODEL 1201) FOR S-1200 SERIES
S-1200-104	LONG PATH 4-CELL HOLDER FOR UP TO 50 MM RECTANGULAR CUVETTES FOR S-1200 SERIES
S-1200-105	WATER-JACKETED CELL HOLDER W/BASE AND PANEL FOR TEMPERATURE CONTROLLED APPLICATION FOR S-1200 SERIES
S-1200-106	UNIVERSAL BASE FOR V-TYPE HOLDER, SINGLE CELL HOLDER AND WATER-JACKETED HOLDER FOR S-1200 SERIES
S-1200-111	BLACK BLOCK TO SET 0%T
S-1200-511	USER MANUAL FOR S-1200 SPECTROPHOTOMETER
S-1200-512	DUST COVER FOR S-1200 SPECTROPHOTOMETER
S-1200-520	SERVICE MANUAL FOR S-1200 SPECTROPHOTOMETER
S-1205-511	USER MANUAL FOR S-1205 SPECTROPHOTOMETER
S-1205-516	SOFTWARE MANUAL FOR S-1205 SPECTROPHOTOMETER
S-1205-515	HALOGEN BULB WITH VERTICAL FILAMENT G4 12V20W FOR S-1205
S-1200-505	HALOGEN BULB, PACKAGE OF 1 (6V/10W, G4 PIN)
<b>S2150 SERIES SPECTROPHOTOMETER</b>	
S-2150	NEW MODEL 2150 SPECTROPHOTOMETER 4 NM BANDPASS, WAVELENGTH RANGE 325~1000 NM, AUTOMATIC WAVELENGTH CHANGE, LARGE LCD DISPLAY AND KEYPAD. PROGRAMMABLE. COMPLETE WITH 4-POSITION CELL HOLDER, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL. POWER INPUT 100-240V
S-2150E	NEW MODEL 2150 SPECTROPHOTOMETER 4 NM BANDPASS, WAVELENGTH RANGE 325~1000 NM, AUTOMATIC WAVELENGTH CHANGE, LARGE LCD DISPLAY AND KEYPAD. PROGRAMMABLE. COMPLETE WITH 4-POSITION CELL HOLDER, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL. POWER INPUT 100-240V
S-2150UV	NEW MODEL S-2150UV SPECTROPHOTOMETER 4 NM BANDPASS, WAVELENGTH RANGE: 200~1000 NM, AUTOMATIC WAVELENGTH CHANGE, LARGE LCD DISPLAY AND KEYPAD. PROGRAMMABLE. COMPLETE WITH 4-POSITION 10 MM CELL HOLDER, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL. POWER INPUT 100-240V
S-2150UVE	NEW MODEL S-2150UVE SPECTROPHOTOMETER 4 NM BANDPASS, WAVELENGTH RANGE: 200~1000 NM, AUTOMATIC WAVELENGTH CHANGE, LARGE LCD DISPLAY AND KEYPAD. PROGRAMMABLE. COMPLETE WITH 4-POSITION 10 MM CELL HOLDER, USB PORT, RS-232 PORT, DUST COVER, USER MANUAL. POWER INPUT 100-240V
<b>S2150 SOFTWARE</b>	

S-2150-401	UNICO S-2150 SERIES APPLICATION SOFTWARE FOR PC'S WITH WINDOWS OPERATING SYSTEM. PROGRAMS INCLUDE STANDARD CURVE, ABS/%T/CONC., AND KINETICS AND SCANNING. INCLUDES CD SOFTWARE, MA
<b>S2150 PARTS AND ACCESSORIES</b>	
S-2150-101P	TEST TUBE HOLDER KIT FOR 8~20 MM DIAMETER TEST TUBES. INCLUDES UNIVERSAL BASE, ONE V-TYPE TUBE HOLDER
S-2150-102P	RECTANGULAR LONG PATH CELL HOLDER KIT FOR CELLS UP TO 100 MM PATHLENGTH. INCLUDES UNIVERSAL BASE AND ONE HOLDER
S-2150-103P	SINGLE 10 MM SQUARE CUVETTE HOLDER KIT. INCLUDES UNIVERSAL BASE AND SQUARE CUVETTE HOLDER
S-2150-104P	CYLINDRICAL CELL HOLDER KIT FOR CELLS UP TO 100 MM PATHLENGTH (22MM DIA.). INCLUDES UNIVERSAL BASE AND ONE HOLDER
S-2150-105P	WATER-JACKETED CUVETTE HOLDER KIT FOR 10 MM SINGLE SQUARE CUVETTE INCLUDES UNIVERSAL BASE, WATER-JACKETED HOLDER WITH FLOW-THRU PANEL (WATER BATH REQUIRED)
S-2150-106P	MICRO-CELL HOLDER KIT FOR USE WITH 10 MM MICROCUVETTES. INCLUDES ADJUSTABLE X-Y BASE AND SINGLE CUVETTE HOLDER FOR 10 MM SQUARE CUVETTE
S-2150-107P	PELLTIER PACKAGE FOR CONTINUOUS TEMPERATURE CONTROL: 15°C-40°C. INCLUDES ITEM # S-2150-109A PELTIER THERMAL ELECTRIC 10 MM CELL HOLDER AND ITEM # SQ2800-107B PELTIER CONTROLLER UNIT
S-2150-108A	FLOW-THRU PANEL FOR USE WITH AMBIENT FLOW CELL SYSTEM ON S-2150 SERIES (REQUIRES FLOW CELL, TUBING AND ITEM # SQ2800-109B FLOW-THRU/PELLTIER CONTROLLER)
S-2150-108P	FLOW-THRU PACKAGE FOR AMBIENT FLOW THROUGH. INCLUDES ITEM #S-2150-108A FLOW-THRU PANEL AND ITEM SQ2800-109B FLOW-THRU CONTROLLER (REQUIRES FLOW CELL AND TUBING)
S-2150-109A	SIPPER/PELLTIER PANEL AND 10MM THERMAL ELECTRIC CELL HOLDER FOR S-2150 SERIES
S-2150-109P	PELLTIER/SIPPER PACKAGE FOR FLOW-THRU AND CONTINUOUS TEMPERATURE CONTROL: 15°C-40°C INCLUDES S-2150-109A PELTIER CELL HOLDER WITH PANEL AND # SQ2800-109B PELTIER/FLOW-THRU CONTROLLER
S-2150-111	4-POSITION MANUAL CELL HOLDER (STANDARD WITH THE INSTRUMENT)FOR S-2100 SERIES
S-2150-112	UNIVERSAL BASE. ACCOMMODATES UP TO 2 SAME OR DIFFERENT TYPE OF HOLDERS
S-2150-206	RS-232 PRINTER AND PRINTER CABLE (MALE 25-PIN TO FEMALE 9-PIN, NULL MODEM)
S-2150-207	PRINTER CABLE FOR USE WITH RS-232 PRINTER (MALE 25-PIN TO FEMALE 9-PIN, NULL MODEM)
S-2150-508	PRINTER PAPER, PACKAGE OF 3, FOR USE WITH RS-232 PRINTER
S-2150-510	USER MANUAL FOR S-2150 SERIES SPECTROPHOTOMETER
S-2150-511	DUST COVER FOR S-2150 SERIES
S-2150-515	HALOGEN BULB FOR S-2150 SERIES, PACKAGE OF 1
S-2150-516	MANUAL FOR S-2150 SERIES PC APPLICATION SOFTWARE
S-2150-525	DEUTERIUM BULB WITH FLANGE FOR S-2150UV
<b>SPECTROQUEST SERIES SPECTROPHOTOMETERS</b>	
SQ2800	MODEL SQ2800 SCANNING SPECTROPHOTOMETER-SINGLE BEAM, 4NM BANDPASS WITH LCD SCREEN, WAVELENGTH RANGE: 190~1100 NM, USB PORT, PARALLEL PORT , BUILD-IN SOFTWARE INCLUDING T/A/CONC, STANDARD CURVE, KINETICS, MULTI-WAVELENGTH, SCANNING AND DNA/PROTEIN COMPLETE WITH 4-POSITION CELL HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER. 110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 110V
SQ2800E	MODEL SQ2800 SCANNING SPECTROPHOTOMETER-SINGLE BEAM, 4NM BANDPASS WITH LCD SCREEN, WAVELENGTH RANGE: 190~1100 NM, USB PORT, PARALLEL PORT , BUILD-IN SOFTWARE INCLUDING T/A/CONC, STANDARD CURVE, KINETICS, MULTI-WAVELENGTH, SCANNING AND DNA/PROTEIN COMPLETE WITH 4-POSITION CELL HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER. 110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 220V
SQ2800P	MODEL SQ2800 SCANNING SPECTROPHOTOMETER WITH BUILT IN PRINTER -SINGLE BEAM, 4NM BANDPASS WITH LCD SCREEN, WAVELENGTH RANGE: 190~1100 NM, USB PORT, PARALLEL PORT , BUILD-IN SOFTWARE INCLUDING T/A/CONC, STANDARD CURVE, KINETICS, MULTI-WAVELENGTH, SCANNING AND DNA/PROTEIN COMPLETE WITH 4-POSITION CELL HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER. 110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 110V.
SQ2800PE	MODEL SQ2800 SCANNING SPECTROPHOTOMETER WITH BUILT IN PRINTER -SINGLE BEAM, 4NM BANDPASS WITH LCD SCREEN, WAVELENGTH RANGE: 190~1100 NM, USB PORT, PARALLEL PORT , BUILD-IN SOFTWARE INCLUDING T/A/CONC, STANDARD CURVE, KINETICS, MULTI-WAVELENGTH, SCANNING AND DNA/PROTEIN COMPLETE WITH 4-POSITION CELL HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER. 110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 220V.
SQ2802	MODEL SQ2802 SCANNING SPECTROPHOTOMETER-SINGLE BEAM, 1.8NM BANDPASS WITH LCD SCREEN, WAVELENGTH RANGE: 190~1100 NM, USB PORT, PARALLEL PORT , BUILD-IN SOFTWARE INCLUDING T/A/CONC, STANDARD CURVE, KINETICS, MULTI-WAVELENGTH, SCANNING AND DNA/RATIO COMPLETE WITH 4-POSITION CELL HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER.110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 110V
SQ2802E	MODEL SQ2802 SCANNING SPECTROPHOTOMETER-SINGLE BEAM, 1.8NM BANDPASS WITH LCD SCREEN, WAVELENGTH RANGE: 190~1100 NM, USB PORT, PARALLEL PORT , BUILD-IN SOFTWARE INCLUDING T/A/CONC, STANDARD CURVE, KINETICS, MULTI-WAVELENGTH, SCANNING AND DNA/RATIO COMPLETE WITH 4-POSITION CELL HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER.110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 220V
SQ2802S	MODEL SQ2802S SCANNING SPECTROPHOTOMETER-SINGLE BEAM, VARIABLE BANDWIDTH 1,2 AND 4NM WITH LCD SCREEN, WAVELENGTH RANGE: 190~1100 NM, USB PORT, PARALLEL PORT , BUILD-IN SOFTWARE INCLUDING T/A/CONC, STANDARD CURVE, KINETICS, MULTI-WAVELENGTH, SCANNING AND DNA/RATIO COMPLETE WITH 4-POSITION CELL HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER.110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 110V
SQ2802SE	MODEL SQ2802S SCANNING SPECTROPHOTOMETER-SINGLE BEAM, VARIABLE BANDWIDTH 1,2 AND 4NM WITH LCD SCREEN, WAVELENGTH RANGE: 190~1100 NM, USB PORT, PARALLEL PORT , BUILD-IN SOFTWARE INCLUDING T/A/CONC, STANDARD CURVE, KINETICS, MULTI-WAVELENGTH, SCANNING AND DNA/RATIO COMPLETE WITH 4-POSITION CELL HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER.110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 220V

SQ4802	MODEL SQ4802 SCANNING SPECTROPHOTOMETER-DOUBLE BEAM, 1.8NM BANDPASS WITH LCD SCREEN, WAVELENGTH RANGE: 190~1100 NM, USB PORT, PARALLEL PORT , BUILD-IN SOFTWARE INCLUDING T/A/CONC, STANDARD CURVE, KINETICS, MULTI-WAVELENGTH, SCANNING AND DNA/RATIO COMPLETE WITH SINGLE CUVETTE HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER. 110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 110V
SQ4802E	MODEL SQ4802 SCANNING SPECTROPHOTOMETER-DOUBLE BEAM, 1.8NM BANDPASS WITH LCD SCREEN, WAVELENGTH RANGE: 190~1100 NM, USB PORT, PARALLEL PORT , BUILD-IN SOFTWARE INCLUDING T/A/CONC, STANDARD CURVE, KINETICS, MULTI-WAVELENGTH, SCANNING AND DNA/RATIO COMPLETE WITH SINGLE CUVETTE HOLDER, 4 OPTICAL GALSS CUVETTES, 2 QUARTZ CUVETTES, USER MANUAL, DUST COVER. 110/220V, 50/60HZ SWITCHABLE. CE CERTIFIED. ISO9001:2000 REGISTERED. SET AT 220V
<b>SPECTROQUEST SOFTWARE</b>	
SQ2800-401	ADVANCED PC WINDOW SOFTWARE PACKAGE FOR SQ2800/2802 FEATURING %T/ABS/CONC, STANDARD CURVE, KINETICS, DNA/PROTEIN, SCANNING, MULTI-WAVELENGTH. USB CABLE AND MANUAL INCLUDED.
SQ3802-401	ADVANCED PC WINDOW SOFTWARE PACKAGE FOR SQ3802 FEATURING %T/ABS/CONC, STANDARD CURVE, KINETICS, DNA/PROTEIN, SCANNING, MULTI-WAVELENGTH. USB CABLE AND MANUAL INCLUDED.
SQ4802-401	ADVANCED PC WINDOW SOFTWARE PACKAGE FOR SQ4802 FEATURING %T/ABS/CONC, STANDARD CURVE, KINETICS, DNA/PROTEIN, SCANNING, MULTI-WAVELENGTH. USB CABLE AND MANUAL INCLUDED.
<b>SPECTROQUEST PARTS</b>	
SQ2800-101P	TEST TUBE HOLDER KIT FOR 8~20MM DIAMETER TEST TUBES. INCLUDES UNIVERSAL BASE, V-TYPE TUBE HOLDER
SQ2800-102P	LONG PATH CELL HOLDER KIT FOR 4 CELLS UP TO 100 MM. PATHLENGTH. INCLUDES UNIVERSAL BASE & ONE HOLDER
SQ2800-102P-50	LONG PATH CELL HOLDER KIT FOR 4 CELLS UP TO 50 MM. PATHLENGTH. INCLUDES UNIVERSAL BASE & ONE HOLDER
SQ2800-103P	4 PLACE CELL MANUAL HOLDER FOR 10MM CUVETTES. INCLUDES UNIVERSAL BASE. STANDARD WITH THE SQ2800, 2802, 2802S
SQ2800-104P	CYLINDRICAL CELL HOLDER KIT FOR CELLS UP TO 100 MM PATHLENGTH. (22MM DIA.). INCLUDES UNIVERSAL BASE & ONE HOLDER
SQ2800-105P	WATER-JACKETED CUVETTE HOLDER KIT FOR 10 MM SINGLE SQUARE CUVETTE INCLUDES UNIVERSAL BASE, WATER-JACKETED HOLDER WITH FLOWTHRU PANEL (WATER BATH REQUIRED)
SQ2800-106P	MICRO CELL HOLDER KIT FOR USE WITH 10 MM MICROCUVETTES. INCLUDES ADJUSTABLE X-Y BASE AND SINGLE CUVETTE HOLDER FOR 10MM SQUARE CUVETTE
SQ2800-107A	PELTIER THERMOELECTRIC SINGLE CELL HOLDER WITH PANEL
SQ2800-107B	PELTIER CONTROLLER UNIT FOR CONTROLLING TEMPERATURE: 15°C~40°C (REQUIRES PELTIER CELL HOLDER #SQ2800-107A)
SQ2800-107P	PELTIER PACKAGE FOR CONTINUOUS TEMPERATURE CONTROL FROM 15° TO 40° C. INCLUDES P/N SQ2800-107A PELTIER THERMAL ELECTRIC 10MM CELL HOLDER WITH PANEL AND P/N SQ2800-107B PELTIER CONTR
SQ2800-108A	FLOW-THRU PANEL FOR USE WITH AMBIENT FLOWCELL SYSTEM (REQUIRES FLOWCELL, TUBING AND P/N SQ2800-109B FLOW-THRU/PELTIER CONTROLLER)
SQ2800-108P	AMBIENT FLOW-THRU PACKAGE. INCLUDES P/N SQ2800-108A FLOW-THRU PANEL AND P/N SQ2800-109B FLOW-THRU/PELTIER CONTROLLER AND (REQUIRES FLOWCELL AND TUBING)
SQ2800-109A	PELTIER/SIPPER PANEL AND THERMOELECTRIC SINGLE CELL HOLDER FOR TEMPERATUR-CONTROLLED FLOW-THRU SETUP (REQUIRES FLOWCELL, TUBING AND P/N SQ2800-109B PELTIER/SIPPER CONTROLLER)
SQ2800-109B	PELTIER/SIPPER CONTROLLER UNIT CONTROLLING TEMPERATURE: 15°C~40°C (REQUIRES SQ2800-109A)
SQ2800-109P	PELTIER/SIPPER PACKAGE FOR FLOW THROUGH AND CONTINUOUS TEMPERATURE CONTROL FROM 15° TO 40°C INCLUDES P/N S-2800-109A PELTIER/SIPPER CELL HOLDER WITH PANEL AND P/N SQ2800-109B PELTIER
SQ2800-121	8-POSITION AUTO CELL CHANGER FOR USE WITH SQ2800/2802/3802 SERIES
SQ4802-120	6-POSITION AUTO CELL CHANGER FOR USE WITH SQ4802 SERIES
SQ2800-122	REFLECTANCE MEASUREMENT ATTACHMENT
SQ2800-132	THIN FLIM MEASUREMENT ATTACHMENT
SQ2800-206	PARALLEL PRINTER AND CABLE FOR SQ SERIES
SQ2800-208	PRINTER PAPER, PACK OF 2 ROLLS
SQ2800-515	HALOGEN BULB FOR SQ2800 ONLY, PACKAGE OF 1 (12V 20W VERTICAL FILAMENT)
SQ2802-515	HALOGEN BULB FOR SQ2802/SQ3802/SQ4802, PACKAGE OF 1 (12V 20W HORIZONTAL FILAMENT)
SQ2800-525	DEUTERIUM BULB WITH HANGING-BRACKET FOR MODEL SQ2800 WITH S/N SQH07XXXXX OR EARLIER, PACKAGE OF 1
SQ2800-528	DEUTERIUM BULB WITH FLANGE FOR MODEL SQ2800 WITH S/N SQH08XXXXX OR NEWER, PACKAGE OF 1
SQ2802-525	DEUTERIUM BULB WITH FLANGE FOR ALL SQ2802/SQ3802/SQ4802 AND THE NEWER SQ2800 WITH S/N SQH08XXXX
SQ2800-112	UNIVERSAL BASE FOR SQ SERIES
SQ2800-510	OPERATION MANUAL FOR SQ2800
SQ2802-510	OPERATION MANUAL FOR SQ2802
SQ3802-510	OPERATION MANUAL FOR SQ3802
SQ4802-510	OPERATION MANUAL FOR SQ4802
SQ2800-511	DUST COVER FOR SQ SERIES
SQ2800-520	SERVICE MANUAL FOR SQ SERIES
SQ2800-535	FUSE, 3 A, QUANTITY 1
<b>PHOTOMETRIC FILTERS</b>	
<b>PHOTOMETRIC ACCURACY</b>	
S-90-9110	ABSORBANCE CALIBRATION FILTER, 10%T, FACTORY CERTIFIED
S-90-9150	ABSORBANCE CALIBRATION FILTER, 50%T, FACTORY CERTIFIED
<b>WL ACCURACY</b>	
S-90-9115	HOLMIUM FILTER FOR WAVELENGTH CALIBRATION, FACTORY CERTIFIED
S-90-9116	DIDYMIUM FILTER FOR WAVELENGTH CALIBRATION, FACTORY CERTIFIED
<b>STRAY LIGHT</b>	
S-90-9122	STRAY LIGHT CHECK FILTER, 220NM, FACTORY CALIBRATED
S-90-9134	STRAY LIGHT CHECK FILTER, 340NM, FACTORY CALIBRATED
S-90-9140	STRAY LIGHT CHECK FILTER, 400NM, FACTORY CALIBRATED
<b>FILTER SET</b>	
S-90-9101	FACTORY CERTIFIED CALIBRATION FILTER SET: INCL. 10%T, 50%T FILTERS AND DIDYMIUM FILTER
<b>CUVETTES AND TEST TUBES</b>	
<b>10 MM PATHLENGTH</b>	
S-90-304-1G	GLASS, SQUARE, 10MM PATHLENGTH, 3.5ML CAPACITY, VISIBLE ONLY, EACH

S-90-304G	GLASS, SQUARE, 10MM PATHLENGTH, 3.5ML CAPACITY, VISIBLE ONLY, PACK OF 2
S-90-309-1Q	QUARTZ, SQUARE, 10MM PATHLENGTH, 3.5ML CAPACITY, UV-VIS , EACH
S-90-309Q	QUARTZ, SQUARE, 10MM PATHLENGTH, 3.5ML CAPACITY, UV- VIS , PACK OF 2
S-90-301	GLASS TUBE, 10MM PATHLENGTH, 4 ML CAPACITY, VISIBLE , BOX OF 12
S-90-302P-100	POLYSTYRENE, SQUARE, 10MM PATHLENGTH, 3.5ML CAPACITY, VISIBLE ONLY, BOX OF 100 PIECES
S-90-302P-500	POLYSTYRENE, SQUARE, 10MM PATHLENGTH, 3.5ML CAPACITY, VISIBLE ONLY, BOX OF 500 PIECES
S-90-305P	POLYSTYRENE, SQUARE, 10MM PATHLENGTH, 1.5ML CAPACITY, VISIBLE ONLY, BOX OF 500
<b>NON-10 MM PATHLENGTH</b>	
S-90-308-50G	GLASS CYLINDR, 50MM PATHLENGTH; 14.1 ML CAPACITY, VISIBLE ONLY, EACH
S-90-308-100G	GLASS CYLINDR, 100MM PATHLENGTH; 14.1 ML CAPACITY, VISIBLE ONLY, EACH
S-90-310Q	QUARTZ, RECTANGULAR, 5MM PATHLENGTH, 1.7ML CAPACITY, UV-VIS, EACH
S-90-311Q	QUARTZ,RECTANGULAR, 50 MM PATHLENGTH, 17.5 ML CAPACITY UV-VIS, EACH
S-90-312Q	QUARTZ, RECTANGULAR,30 MM PATHLENGTH, 10.5 ML CAPACITY UV-VIS, EACH
S-90-313Q	QUARTZ, RECTANGULAR,20 MM PATHLENGTH, 7.0 ML CAPACITY UV-VIS, EACH
S-90-314Q	QUARTZ, RECTANGULAR,100 MM PATHLENGTH, 35 ML CAPACITY UV-VIS, EACH
S-90-320G	GLASS, RECTANGULAR,20 MM PATHLENGTH, 7.0 ML CAPACITY VISIBLE ONLY, EACH
S-90-321G	GLASS, RECTANGULAR,50 MM PATHLENGTH, 17.5 ML CAPACITY VISIBLE ONLY, EACH
S-90-322G	GLASS, RECTANGULAR,100 MM PATHLENGTH, 35.0 ML CAPACITY, VISIBLE ONLY, EACH
S-90-330G	GLASS, RECTANGULAR,1 MM PATHLENGTH, 0.35 ML CAPACITY, VISIBLE ONLY, EACH
S-90-331Q	QUARTZ, RECTANGULAR,1 MM PATHLENGTH, 0.35 ML CAPACITY UV-VIS, EACH
S-90-332G	GLASS, RECTANGULAR, 2 MM PATHLENGTH, 0.7 ML CAPACITY VISIBLE ONLY, EACH
S-90-333Q	QUARTZ, RECTANGULAR, 2 MM PATHLENGTH, 0.7 ML CAPACITY UV-VIS, EACH
S-90-335Q	QUARTZ, RECTANGULAR, 3MM PATHLENGTH, 1 ML CAPACITY UV-VIS, EACH
<b>FLOWCELLS</b>	
S-90-344FG	GLASS, SQUARE, 10X4X12 MM, 0.48 ML, VISIBLE ONLY, EACH
S-90-345FG	GLASS, SQUARE, 10X3 MM (DIA.), 0.07 ML, VISIBLE ONLY, EACH
S-90-346FQ	QUARTZ, SQUARE, 10X4X12 MM, 0.48 ML, UV-VIS , EACH
S-90-347FQ	QUARTZ, SQUARE, 10X3 MM (DIA.), 0.07ML, IV-VIS EACH
<b>10MM SEMI-MICRO AND MICRO</b>	
S-90-350G	GLASS, LID, 10X4, 1.0 ML, VISIBLE ONLY, EACH
S-90-351Q	QUARTZ, LID, 10X4, 1.0 ML, UV-VIS , EACH
S-90-353G	GLASS, 10X2, 0.5ML, VISIBLE ONLY, EACH
S-90-354Q	QUARTZ, 10X2, 0.5ML, UV-VIS , EACH
S-90-356G	GLASS, LID, 10X1, 0.25ML, VISIBLE ONLY, EACH
S-90-357Q	QUARTZ, LID, 10X1, 0.25ML, UV-VIS, EACH
S-90-358Q	QUARTZ, STOPPER, 10X2X5MM, 0.100ML, UV-VIS, EACH
S-90-359Q	QUARTZ, STOPPER, 10X2X2.5MM, 0.050ML, UV-VIS, EACH
<b>LABORATORY ORGANIZERS AND ACCESSORIES</b>	
11410	SHIELD, BIOHAZARD, ACRYLIC, EACH
20500	TOWEL DISPENSER, TRIFOLD, SMALL
20600	TOWEL DISPENSER, LARGE
20650	KIMWIPE DISPENSER, SMALL BOX, EA.
20655	KIMWIPE DISPENSER, LARGE. BOX EA.
22150	GLOVE BOX DISPENSER, 1 HORIZONTAL
22250	GLOVE BOX DISPENSER, 2 HORIZONTAL
22272	GLOVE BOX DISPENSER, 2 VERTICAL
22350	GLOVE BOX DISPENSER, 3 HORIZONTAL
22373	GLOVE BOX DISPENSER, 3 VERTICAL
22650	COMBO GLOVE BOX / PAPER TOWEL DISPENSER
28050	ALCOHOL DISPENSER, CASE OF 12
28070	CONTROL FREEK PIE WEDGE, CLEAR COLOR
28071	CONTROL FREEK I, ONE TIER VIAL RACK
28072	CONTROL FREEK II, TWO TIER VIAL RACK
28080-10	SQUEEGIE SQUEEZER. PACK OF 10
28080-20	SQUEEGIE SQUEEZER. PACK OF 20
30100	CHART HOLDER, WALL MOUNT, EA.
44510	PETRI DISH RACK, WIRE RACKS, STACKABLE (each)
44525	PETRI DISH RACK CADDY, STAINLESS STEEL, STACKABLE
48510	ORGANIZER, 4 DRAWER, 8" WIDE
48512	ORGANIZER, 4 DRAWER, 12" WIDE
48513	TRAY FOR HOLDING 8" + 12" ORGANIZERS
48514	ORGANIZER & TRAY SET, 8" + 12" + TRAY
48700	PHLEBOTOMY TRAY, WITH TUBE CUBES (4)
48710	PHLEBOTOMY TRAY PLUS, WITH TUBE CUBES (4), BIN CUPS (5)
49500	MULTITASK ORGANIZER, ACRYLIC

52030	RACK STORAGE BOX, 3 PLACE
52300	TUBE RACK / DISPENSER, 3x3 TIER
52400	TUBE RACK / DISPENSER, 4x4 TIER
54020	TUBE CUBE CARRIER, HOLDS 2 TUBE CUBES
54030	TUBE CUBE CARRIER, HOLDS 3 TUBE CUBES
54040	TUBE CUBE CARRIER, HOLDS 4 TUBE CUBES
54100	TUBE CUBE, TUBE RACK, 1 PLACE, HOLDS UP TO 66MM DIA. TUBES, PK/4
54101	TUBE CUBE, TUBE RACK, 1 PLACE, HOLDS UP TO 66MM DIA. TUBES, SINGLE
54400	TUBE CUBE, TUBE RACK, 4 PLACE, HOLDS 26-30MM DIA. TUBES, PK/4
54401	TUBE CUBE, TUBE RACK, 4 PLACE, HOLDS 26-30MM DIA. TUBES, SINGLE
54500	T-RACKS™ 50 PLACE 13-16MM EXPANDABLE, EACH
54510	T-RACKS™ 50 PLACE 10-13MM EXPANDABLE, EACH
54520	T-RACKS™ 50 PLACE 25 HOLES OF 10-13MM AND 25 OF 13-16MM EXPANDABLE, EACH
54530	T-RACKS™ 25 PLACE 10-13MM EXPANDABLE, EACH
54540	T-RACKS™ 25 PLACE 13-16MM EXPANDABLE, EACH
54900	TUBE CUBE, TUBE RACK, 9 PLACE, HOLDS 8-13MM DIA. TUBES, PK/4
54901	TUBE CUBE, TUBE RACK, 9 PLACE, HOLDS 8-13MM DIA. TUBES, SINGLE
84510	ANTI-FATIGUE MAT, 2' X 3', BLACK
84515	ANTI-FATIGUE MAT, 3' X 5', BLACK
87750	CUBITAINER TRANSPORT CART, SINGLE
87755	CUBITAINER TRANSPORT CART, DOUBLE
87757	CUBITAINER CART HANDLE, PUSH / PULL / TURN
91005	SLIDE STAINING RAIL
91250	MICROSCOPY ORGANIZER KIT, ACRYLIC
91400	SLIDE DRYING RACK, HOLDS 35 SLIDES
97100	URATE CRYSTAL CONTROL SLIDE, EACH IN PLASTIC SLIDE MAILER
54500-2	T-RACKS™ 50 PLACE 13-16MM EXPANDABLE, PK/2
54510-2	T-RACKS™ 50 PLACE 10-13MM EXPANDABLE, PK/2
54520-2	T-RACKS™ 50 PLACE 25 HOLES OF 10-13MM AND 25 OF 13-16MM EXPANDABLE, PK/2
54530-2	T-RACKS™ 25 PLACE 10-13MM EXPANDABLE, PK/2
54540-2	T-RACKS™ 25 PLACE 13-16MM EXPANDABLE, PK2
	* PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
	* PRICES SHOWN ARE THE MANUFACTURERS' SUGGESTED LIST PRICES
	© CONFIDENTIAL INFORMATION: PROPERTY OF UNICO®, UNITED PRODUCTS AND INSTRUMENTS, INC
	UNITED PRODUCTS & INSTRUMENTS, INC., DBA: UNICO