



VEE GEE Scientific
Laboratory Equipment & Supplies



2016 Retail Catalog



Glassware



General Equipment



Hydrometers



Microscopes



Polarimeters



Porcelain



Refractometers



Thermometers





Dear VEE GEE Customer,

We are very proud to be entering our 35th year in business! This would not have been possible without the support from you, our dealers. We have continued to expand and evolve our line of VEE GEE products over the years to provide the best value available for laboratory equipment and supplies. Visit our website for all product specifications and brochures: veegee.com. Thank you for your business; we value it greatly and look forward to many years with you!

With VEE GEE Scientific, you can count on:

● **Unparalleled Customer Service**

Whether your questions are related to technical specifications, scientific applications as they relate to our products, shipping methods, or the status of an order, our customer service team will assist you and your customers to complete and total satisfaction.

● **Wide Selection & High Quality**

With our many years of experience and expertise in the scientific products industry, we are able to provide you the best value in laboratory equipment and accessories currently available. Our wide product lines cover a large percentage of the items that are used in most labs. Our competitive pricing and generous dealer discounts allow you to offer aggressive pricing to your customers and still make a solid profit.

● **Product Literature & Images**

Full-color catalogs and brochures are available for all of our product lines in electronic PDF format. These files and web images are always available at veegee.com. Simply phone or e-mail us if you require hi-resolution product images.

● **Fast & Accurate Shipping**

In the internet age, speed is everything. We keep a large inventory in our Kirkland, WA warehouse, so most orders ship the same day we receive them. If the item is in stock, it will always ship within three business days. Also, we double check and pack all orders with care. You can be assured that your shipment will arrive at your facility as ordered. We can also drop ship directly to your customers within the United States for no additional charges.

The bottom line is this: We're here for you.

Have a Great 2016!

Best Regards,
VEE GEE Scientific, Inc.

CONTACT INFORMATION

BUSINESS HOURS:
7:30 AM to 4:00 PM PST

CUSTOMER SERVICE / TECH SUPPORT:
(800) 423-8842 / (425) 823-4518
sales@veegee.com

PHYSICAL / MAILING ADDRESS:
VEE GEE Scientific, Inc.
13600 NE 126th Place, Suite A
Kirkland, WA 98034-8720

REMITTANCE ADDRESS:
VEE GEE Scientific, Inc.
P.O. Box 217
Kirkland, WA 98083-0217

TABLE OF CONTENTS

GLASSWARE

Beakers	4
Bottles, BOD	35
Burets	4
Crucibles	5
Cylinders	5
Filter Holders	6
Flasks	6-7
Flask Stoppers	7
Funnels	8
Media Bottles	8
Pipets	8

HYDROMETERS

Alcohol	10
API	10-11
ASTM	10, 14
Plato	11
Battery Syphon Set	11
Baume (Heavy)	11
Brix	11-12
Calcium Chloride	12
Cases	15
Certification	15
Liquid Petroleum Gas (LPG)	13
Sodium Chloride	12
Soil Analysis	14
Specific Gravity	13-14

MICROSCOPES

Clinical/Compound

1400 Series	16
1300 Series	16
1200 Series	16
1100 Series	16

Fluorescence

1400 Series	17
1200 Series	17

Industrial / Metallurgical

1400 Series	17
1200 Series	17

Inverted

1400 Series	18
1200 Series	18

Stereo, Dual-Magnification

1200 Series	18
1100 Series	18

Stereo, Zoom

1200 Series	18-19
1100 Series	19

Camera Systems

Adapters, DSLR	20
Video, Color CCD	19
Digital w/ Microscopy Software	19
Digital SLR	20
Video Eyepiece	19

Lighting

Fluorescent Ring Lamps	20
LED Light Source & Accessories	20
LED Sodium Package	27

Parts & Accessories

Condensers	21
Dust Covers	21
Eyepieces	21
Filters	21

MICROSCOPES (Cont.)

Fluorescence Kits & Accessories	22
Fuses	22
Immersion Oil	22
Kohler Illumination	22
Lamps	22
Lenses, Supplementary	22
Microscope Cases	24
Objectives	22-23
Phase Contrast Centering Telescopes	23
Polarizing Kits	24
Stage Plates	24

Reticles & Micrometers

Crosshair	25
Grid	25
Howard Mold Count	25
IMA/USP	25
Pointer	25
Scale	25
Stage Micrometers/Calibration Plates	25
Walton & Becket (3:1)	25

OPTICAL ANALYTICAL Instruments

Polarimeter

Manual	27
--------	----

Refractometers

Abbe	27
Calibration Services	30
Digital, Portable	28
Handheld	29
Parts & Accessories	30

PORCELAIN

Crucibles & Covers	26
Dishes, Evaporating	26
Funnels, Buchner	26
Mortar & Pestles	26
Spot Plates	26

THERMOMETERS

Armor/Cases	32-33
Calibration Services	34
Dial	31
Digital	32
General Laboratory	32
Maximum-Minimum	32
Serialized, Precision	33
Serialized Encapsulated	33
Wall	34

GENERAL EQUIPMENT

Burners	5
Buret Clamps	4
Counters	5
Supports, Jack	35
Pipet Pump	9
Buret/Retort Stand	4

SAVING & CLEARANCE

Clearance	35
Ways to Save	35

Featured Products



Battery Acid Testing Hydrometer w/Storage Box

New!

- Features
- Now comes with a Storage Box
 - Glass Syphon Tube and Rubber Replacement Parts
 - Replacement Hydrometer Available See Page: 11



Media Bottles, Clear & Amber

New!

- Competitively Priced so you can now add these to all your Great VEE GEE Glassware Purchase Orders.
- 5 sizes available for Clear and Amber
 - Borosilicate Tubing
 - Clear White Markings
 - Threaded Blue Plastic Caps, See Page: 8

High Accuracy & Ultra-High Digital Thermometer Series

New!

- VEE GEE's Digital Thermometers are already HIGH Accuracy. We now have added our ULTRA -HIGH Accuracy model 83210-12.
- Additional 12" long probe addition (83210-12)
 - Great for testing large samples or deeper containers



Double Buret Clamp (White)

Double Buret Clamp: Cat No. (3021)

- White painted finish
- Fits the Glass A Burets



New!

Wide Mouth Erlenmeyer Flasks

New!

- Requested by many of our Wine Industry Customers.
- Same quality and accuracy as our standard Erlenmeyer Flasks
 - 5 sizes to choose from
 - Case Quantity Discounts apply



Alcohol/Certification Kits & Beer Testing Hydrometers

New!

- | | |
|----------------|---------------------------------|
| 6602S-Series | 6613-Series Alcohol Hydrometers |
| • Beer Testing | • Certification |
| • Thermometer | • Order as a Kit |



The MDX Digital Refractometers are HERE!

New!

- Compact
- Portable
- Application Specific See Page: 28



Glassware



Properties

Duran 50

Standards: Type I, Class A Borosilicate conforming to ASTM E-438.

Composition: (percent approx.)

SiO ₂	81.0%
B ₂ O ₃	13.0%
Al ₂ O ₃	2.0%
Na ₂ O/K ₂ O	4.0%

Properties:

Coefficient of Expansion	32 x 10 ⁻⁷ cm/cm/°C
Annealing Point	568°C
Softening Point	815°C
Density	2.23 g/cm ³
Thermal Shock Resistance	250°C

Products: Beakers, Burets, Erlenmeyer Flasks, Filtering Flasks, Separatory Funnels, Volumetric Flasks, and other Laboratory Glassware.

Durobox

Standards: Type I, Class B Borosilicate conforming to ASTM E-438.

Composition: (percent approx.)

SiO ₂	72.0%
B ₂ O ₃	12.0%
Al ₂ O ₃	7.0%
Na ₂ O/K ₂ O/CaO	9.0%

Properties:

Coefficient of Expansion	49 x 10 ⁻⁷ cm/cm/°C
Annealing Point	565°C
Softening Point	783°C
Density	2.36 g/cm ³
Thermal Shock Resistance	200°C

Products: Cylinders and Pipets

Beakers

VEE GEE®, Griffin, Low-Form, Double Scale, Graduated, Manufactured From Borosilicate Tubing

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Case)
20229-10	10	12	48	63.36
20229-20	20	12	48	81.12
20229-30	30	12	48	85.92
20229-50	50	12	48	105.60
20229-100	100	12	48	115.20
20229-150	150	12	48	132.48
20229-250	250	12	48	120.00
20229-400	400	12	48	151.68
20229-600	600	6	36	135.00
20229-1000	1000	6	24	206.40
20229-2000	2000	4	8	144.00
20229-3000	3000	1	6	216.00



Burets, Class A

VEE GEE®, Schott DURAN® tubing, w/ PTFE Stopcock

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
20114-10	10	1	24	32.18	702.00
20114-25	25	1	24	32.18	702.00
20114-50	50	1	24	35.20	768.00
20114-100	100	1	24	41.25	900.00



Buret Clamps, Double

VEE GEE®, Fits Micro to 100ml

Cat. No.	Finish	List Price (Each)
3020	Chrome	28.00
3021	White	9.50



Buret/Retort Stand

VEE GEE®, Non-corrosive polystyrene base with polypropylene covered metallic rod threads into base. (5.5lbs.)

Cat. No.	Dimensions Base / Rod (mm)	Type	List Price (Each)
20117	300 X 200 12.5 X 750	Center Hold	25.00



Prices subject to change.

VEE GEE Scientific, Inc. • 13600 NE 126th Place, Suite A • Kirkland, WA 98034 • (800) 423-8842 • (425) 823-4518 • Fax: (425) 820-9826 • www.veegee.com • e-mail: sales@veegee.com

Burners, Alcohol

VEE GEE®, Glass, Metal Cap, for Denatured Alcohol

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
3040	150	12	72	102.00	612.00



Burners, Alcohol, Replacement Wicks

VEE GEE®, Fits 3040 Alcohol Burners

Cat. No.	Pack Qty.	List Price (Pack)
3040-W	10	3.00



Counters, Hand Tally

VEE GEE®, 0-9999

Cat. No.	List Price (Each)
3509	13.75



Crucibles, Gooch, Glass

Sibata, High-Form, w/ Fritted Disc

Cat. No.	Capacity (mL)	Pore Size (µm)	Porosity	Type	Pack Qty.	List Price (Pack)
1305-1250A	30	250	Extra Coarse	1G	3	50.40
1305-1100A	30	100	Coarse	1G	3	50.40
1305-140A	30	40	Partly Coarse	1G	3	50.40
1305-116A	30	16	Medium	1G	3	50.40
1305-15A	30	5.5	Fine	1G	3	154.50
1305-2250A	50	250	Extra Coarse	2G	3	60.75
1305-2160A	50	160	Semiextra Coarse	2G	3	60.75
1305-2100A	50	100	Coarse	2G	3	60.75
1305-240A	50	40	Partly Coarse	2G	3	60.75
1305-216A	50	16	Medium	2G	3	60.75
1305-25A	50	5.5	Fine	2G	3	184.50



Cylinders, Graduated, Class A

Sibata, Double Metric Scale*, To Contain

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
2351A-5	5	4	48	28.60	312.00
2351A-10	10	4	48	28.60	312.00
2351A-25	25	4	48	39.16	427.20
2351A-50	50	4	48	42.68	465.60
2351A-100	100	4	48	44.68	487.20
2351A-250	250	4	24	62.92	343.20
2351A-500	500	2	12	57.44	313.32
2351A-1000	1000	2	8	101.20	368.00
2351A-2000	2000	1	6	75.85	413.70

*Except 5, 10, and 25mL sizes.
NOTE: Bumper guard not included with 2000mL size.

Cylinders, Graduated, Class B

Sibata, Double Metric Scale*, To Contain

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
2351-10	10	4	48	27.72	302.40
2351-25	25	4	48	38.08	415.20
2351-50	50	4	48	41.80	456.00
2351-100	100	4	48	43.80	477.60
2351-250	250	4	24	61.60	336.00
2351-500	500	2	12	55.22	301.20
2351-1000	1000	2	8	94.16	342.40
2351-2000	2000	1	6	70.95	387.00

*Except 10 and 25mL sizes.
NOTE: Bumper guard not included with 2000mL size.

Cylinders, Graduated, Student

Sibata, Plastic Hexagonal Base, Double Metric Scale*, To Contain

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
2355-10	10	6	24	22.44	81.60
2355-25	25	6	24	24.78	90.00
2355-50	50	6	24	34.32	124.80
2355-100	100	6	24	41.94	152.40

*Except 10 and 25mL sizes.





Filter Holders

Sibata, Glass Microanalysis

(6168-0001: -4711, -4722, -4751, and -4762)

(6168-0002: -4711, -4721, -4731, -4741, -4751, and -4762)

Cat. No.	Description	Pack Qty.	List Price (Pack)
6168-0001	Filter System, Fritted Glass (General & Biological Applications)	1	144.45
6168-0002	Filter System, Stainless Steel Screen (Ultraclean Filtrate & Proteinaceous Solutions)	1	186.80
6168-4711	Funnel, 300mL	1	59.00
6168-4721	Glass Support Base, for Stainless Steel Screen	1	33.65
6168-4722	Glass Support Base, Fritted	1	45.30
6168-4731	Stainless Steel Screen	1	43.80
6168-4741	PTFE Gasket	10	10.20
6168-4751	No. 8 Silicone Stopper	1	11.25
6168-4762	Aluminum Clamp, Anodized, 47mm I.D.	1	28.90



6168-4711
Funnel
300mL



6168-4762
Aluminum
Anodized Clamp



6168-4731
Stainless Steel
Screen



6168-4741
PTFE
Gaskets (10pk)



6168-4721
Glass Support
Base



6168-4751
Silicone
Stopper



6168-4722
Fritted Glass
Support base



Flasks, Erlenmeyer

VEE GEE®, Narrow Mouth, Heavy-Duty Rim, Graduated, Made from Borosilicate Tubing

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
20231-25	25	12	48	26.40	96.00
20231-50	50	12	48	30.36	110.40
20231-125	125	12	48	42.24	153.60
20231-250	250	12	48	52.20	189.60
20231-500	500	6	36	40.26	219.60
20231-1000	1000	6	24	68.34	248.40
20231-2000	2000	1	8	22.83	166.00



Flasks, Erlenmeyer, Wide Mouth

VEE GEE®, Narrow Mouth, Heavy-Duty Rim, Graduated, Made from Borosilicate Tubing

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
20232-125	125	12	48	42.24	153.60
20232-250	250	12	48	52.20	189.60
20232-500	500	6	36	40.26	219.60
20232-1000	1000	6	24	68.34	248.40
20232-2000	2000	1	8	22.83	166.00



Flasks, Filtering

VEE GEE®, Heavy Wall, Tubulation, Made from Borosilicate Tubing

Cat. No.	Capacity (mL)	Graduations	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
20074-250	250	Yes	6	18	94.08	256.50
20074-500	500	Yes	6	18	118.80	324.00
20074-1000	1000	Yes	6	12	173.58	315.60



Prices subject to change.

Flasks, Volumetric, Snap Cap, Class A

Sibata, To Contain

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
2303A-5	5	6	72	48.54	529.20
2303A-10	10	6	72	48.54	529.20
2303A-25	25	6	72	56.76	619.20
2303A-50	50	4	48	39.16	427.20
2303A-100	100	4	48	41.52	453.12
2303A-200	200	4	24	55.44	302.40
2303A-250	250	4	24	59.88	326.64
2303A-500	500	2	12	39.60	216.00
2303A-1000	1000	2	8	56.32	204.80



Flasks, Volumetric, Ground Glass Stopper, Class A

Sibata, Standard Taper, To Contain

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
2306A-1 (Micro)	1	6	96	79.14	1,151.04
2306A-2 (Micro)	2	6	96	79.14	1,151.04
2306A-5	5	6	72	74.58	813.60
2306A-10	10	6	72	74.58	813.60
2306A-25	25	6	72	79.56	867.60
2306A-50	50	4	48	55.00	600.00
2306A-100	100	4	48	58.16	634.56
2306A-200	200	4	24	78.76	429.60
2306A-250	250	4	24	88.00	480.00
2306A-500	500	2	12	51.04	278.40
2306A-1000	1000	2	8	69.96	254.40
2306A-2000	2000	2	8	124.74	453.60



(Micro)

Flasks, Volumetric, Ground Glass Stopper, Amber, Class A

Sibata, Standard Taper, To Contain

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
2307A-10	10	6	72	73.02	796.32
2307A-20	20	6	72	93.06	1,015.20
2307A-25	25	6	72	93.06	1,015.20
2307A-50	50	4	48	67.56	736.80
2307A-100	100	4	48	76.60	835.68
2307A-200	200	4	24	160.56	875.76
2307A-250	250	4	24	184.36	1,005.60
2307A-500	500	2	12	125.40	684.00
2307A-1000	1000	2	8	189.20	688.00



Flasks, Stoppers, Ground Glass

Sibata, Standard Taper

Cat. No.	Standard Taper Stopper No.	Color	Fits 2306A & 2307A Size	Pack Qty.	List Price (Pack)
03081	9	Clear	5, 10, 25mL	6	18.00
03082	13	Clear	50, 100mL	6	18.00
03083	16	Clear	200, 250mL	6	23.70
03084	19	Clear	500mL	6	26.40
03085	22	Clear	1000mL	6	30.60
03087	27	Clear	2000mL	6	54.00
03081-A	9	Amber	10, 20, 25mL	6	29.40
03082-A	13	Amber	50, 100mL	6	30.00
03083-A	16	Amber	200mL	6	39.00
03084-A	19	Amber	500mL	6	42.00
03085-A	22	Amber	1000 mL	6	60.00



Flasks, Stoppers, Polyethylene

Sibata, Standard Taper

Cat. No.	Standard Taper Stopper No.	Fits 2306A & 2307A Size	Pack Qty.	List Price (Pack)
009	9	5, 10, 25mL	50	40.00
013	13	50, 100mL	50	50.00
016	16	200, 250mL	50	50.00
019	19	500mL	50	55.00
027	27	2000mL	50	55.00



Prices subject to change.



Funnels, Buchner, Glass

Sibata, w/ Fritted Disc

Cat. No.	Capacity (mL)	Pore Size (µm)	Porosity	Type	Pack Qty.	List Price (Pack)
1311-3250A	30	250	Extra Coarse	3G	3	64.20
1311-3100A	30	100	Coarse	3G	3	64.20
1311-340A	30	40	Partly Coarse	3G	3	64.20
1311-316A	30	16	Medium	3G	3	64.20
1311-35A	30	5.5	Fine	3G	3	154.50
1311-11250A	60	250	Extra Coarse	11G	3	76.50
1311-11100A	60	100	Coarse	11G	3	76.50
1311-1140A	60	40	Partly Coarse	11G	3	76.50
1311-1116A	60	16	Medium	11G	3	76.50
1311-115A	60	5.5	Fine	11G	3	169.50
1311-17250	140	250	Extra Coarse	17G	1	48.50
1311-17100	140	100	Coarse	17G	1	48.50
1311-1740	140	40	Partly Coarse	17G	1	48.50
1311-1716	140	16	Medium	17G	1	62.30
1311-175	140	5.5	Fine	17G	1	109.50

Funnels, Separatory, w/ Stopper

VEE GEE®, Squibb, Pear-Shaped, PTFE Stopcock

Cat. No.	Capacity (mL)	Stopper Type	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
20149-250	250	Polyethylene	1	24	31.35	684.00
20149-500	500	Polyethylene	1	24	36.30	792.00
20149-1000	1000	Polyethylene	1	12	46.20	504.00
20149-2000	2000	Polyethylene	1	9	71.50	585.00

20149-Series is made from Schott DURAN® tubing.

Glassware Kit, Mini Gift Set

VEE GEE®, Erlenmeyer Flask, Narrow Mouth, Heavy-Duty Rim, Graduated, made from Borosilicate Tubing

VEE GEE®, Beaker, Griffin, Low-Form, Double Scale, Graduated, Manufactured From Borosilicate Tubing

Cat. No.	Capacity (mL)	Description	Pack Qty.	List Price (Pack)
202GK-001	20 25	Beaker Flask	1 Each.	9.79

Media Bottles, Clear

VEE GEE®, made from Borosilicate Tubing, White markings, Threaded Blue Plastic Caps

Cat. No.	Capacity (mL)	Pack Qty.	List Price (Pack)
20274-100	100	10	55.00
20274-250	250	10	67.50
20274-500	500	10	90.00
20274-1000	1000	10	122.50
20274-2000	2000	10	180.00



Media Bottles, Amber

VEE GEE®, made from Borosilicate Tubing, White markings, Threaded Blue Plastic Caps

Cat. No.	Capacity (mL)	Pack Qty.	List Price (Pack)
20275-100	100	10	102.50
20275-250	250	10	145.00
20275-500	500	10	212.50
20275-1000	1000	10	305.00
20275-2000	2000	10	435.00

Prices subject to change.

Pipets, Measuring, Mohr

Sibata, Reusable Glass, Measuring, Class A, Color Coded, w/Colored Markings, To Deliver, DRAIN OUT

Cat. No.	Capacity (mL)	Graduation Interval	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
2010A-01-c	0.1	0.01	12	72	54.48	297.36
2010A-02-c	0.2	0.01	12	72	53.52	291.60
2010A-1-c	1	0.01	12	72	33.96	185.04
2010A-1-d	1	0.1	12	72	33.96	185.04
2010A-2-d	2	0.1	12	72	33.96	185.04
2010A-5	5	0.1	12	72	39.48	215.28
2010A-10	10	0.1	12	72	41.64	226.80
2010A-25	25	0.1	12	72	116.88	637.20

Pipets, Serological

Sibata, Reusable Glass, Measuring, Class A, Color Coded, w/Colored Markings, To Deliver, BLOW OUT

Cat. No.	Capacity (mL)	Graduation Interval	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
2011A-01-c	0.1	0.01	12	72	54.48	297.36
2011A-02-c	0.2	0.01	12	72	53.52	291.60
2011A-1-c	1	0.01	12	72	33.96	185.04
2011A-1-d	1	0.1	12	72	33.96	185.04
2011A-2-d	2	0.1	12	72	33.96	185.04
2011A-5	5	0.1	12	72	39.48	215.28
2011A-10	10	0.1	12	72	41.64	226.80
2011A-25	25	0.1	12	72	116.88	637.20

Pipets, Serological, WideTip Opening

Sibata, Reusable Glass, Measuring

Cat. No.	Capacity (mL)	Hole mm	Graduated Interval	Length mm	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
20200-11A	1	1.5	0.2	350	12	72	59.40	324.00
20200-31A	3	2.0	0.5	350	12	72	66.00	360.00
20200-51A	5	2.0	0.5	350	12	72	68.64	374.40
20200-101A	10	3.0	0.5	350	12	72	73.32	399.60
20200-12A	1	1.5	0.2	205	10	90	46.20	378.00
20200-32A	3	2.0	0.5	205	10	90	51.70	423.00
20200-52A	5	2.0	0.5	205	10	60	55.60	303.00
20200-102A	10	3.0	0.2	205	10	120	57.80	630.00

Sibata, Measuring, Large Hole, Short Length

20210-52A	5	3.0	0.5	205	10	60	55.60	303.00
20210-102A	10	3.5	0.2	205	10	120	57.80	630.00

Sibata, Measuring, Graduated to Tip

20140-1A	1	1.2	0.01	360	12	72	59.40	324.00
20140-2A	2	1.2	0.02	360	12	72	66.00	360.00
20140-5A	5	1.2	0.05	366	12	72	68.64	374.40
20140-10A	10	1.4	1.00	366	12	72	73.32	399.60
20140-20A	20	1.5	1.00	435	12	72	97.68	532.80

Pipets, Volumetric

Sibata, Reusable Glass, Class A, Color Coded, w/Colored Markings, To Deliver

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
2040A-05	0.5	12	72	44.88	244.80
2040A-1	1	12	72	31.32	170.64
2040A-2	2	12	72	33.72	183.60
2040A-3	3	12	72	39.48	215.28
2040A-4	4	12	72	39.48	215.28
2040A-5	5	12	72	43.08	234.72
2040A-6	6	12	72	73.32	399.60
2040A-7	7	12	72	73.32	399.60
2040A-8	8	12	72	76.92	419.76
2040A-9	9	12	72	76.92	419.76
2040A-10	10	12	72	76.92	419.76
2040A-13	13	6	36	41.04	223.92
2040A-15	15	6	36	38.46	209.88
2040A-20	20	6	36	38.94	212.40
2040A-25	25	6	36	42.90	234.00
2040A-50	50	6	36	54.12	295.20
2040A-100	100	6	36	97.02	529.20

Pipets, Volumetric, Wide-Tip Opening

Sibata, Reusable Glass, Class B, To Deliver Sizes 1, 2 & 5mL do not have drawn tips, sizes 10mL through 100mL feature standard drawn tips.

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
2040-1-1.9MM	1	12	72	36.96	201.60
2040-2-2.4MM	2	12	72	38.52	210.24
2040-5-3MM	5	12	72	48.84	266.40
2040-10-3MM	10	12	72	81.96	447.12
2040-20-3MM	20	6	36	42.60	232.20
2040-25-3MM	25	6	36	48.18	262.80
2040-50-3MM	50	6	36	56.10	306.00
2040-100-3MM	100	6	36	104.94	572.40

Pipet Pump

VEE GEE®, Knurled thumbwheel rotates to draw up or dispense liquids, holds various pipette sizes.

Cat. No.	Capacity	List Price (Each)
20104-2	2 mL	10.95
20104-10	10 mL	10.95
20104-25	25mL	12.95





Hydrometers, Alcohol, Tralle & Proof Scales, (Alcometer)

VEE GEE®, Standard Temperature: 60°F, 6612-2TS w/ Thermometer (Safety Blue) Thermometer Scale: -10 to +100°F (Subdivision: 1°F)

Cat. No.	Tralle Range	Subdivision/Tolerance	Proof Range	Subdivision/Tolerance	Approx. Length (mm)	List Price (Each)
6612-1	0 to 100%	1% / ±1%	0-200%	2% / ±2%	305	22.15
6612-2TS	0 to 100%	1% / ±1%	0 to 200%	2% / ±2%	355	49.25

Hydrometers, Alcohol, Proof Scale, Internal Revenue Specifications


VEE GEE®, Standard Temperature: 60°F

Cat. No.	Proof Range	Internal Revenue Size	Subdivision/Tolerance	Approx. Length (mm)	List Price (Each)
6613-B	80 to 120%	B	0.5% / ±0.5%	230	52.25
6613-F	0 to 20%	F	0.2% / ±0.3%	305	52.25
6613-G	20 to 40%	G	0.2% / ±0.4%	305	52.25
6613-H	40 to 60%	H	0.2% / ±0.4%	305	52.25
6613-I	60 to 80%	I	0.2% / ±0.3%	305	52.25
6613-K	75 to 95%	K	0.2% / ±0.3%	305	52.25
6613-L	90 to 110%	L	0.2% / ±0.3%	305	52.25
6613-M	105 to 125%	M	0.2% / ±0.3%	305	52.25
6613-N	125 to 145%	N	0.2% / ±0.3%	305	52.25
6613-P	145 to 165%	P	0.2% / ±0.3%	305	52.25
6613-Q	165 to 185%	Q	0.2% / ±0.2%	305	52.25
6613-R	185 to 206%	R	0.2% / ±0.2%	305	52.25

Hydrometers, Alcohol, Proof Scale, Internal Revenue Specifications w/ NIST, 3 Point Certification

VEE GEE®, Standard Temperature: 60°F (10 day lead time)

Cat. No.	Proof Range	Internal Revenue Size	Subdivision/Tolerance	Approx. Length (mm)	List Price (Each)
6613-B-C	80 to 120%	B	0.5% / ±0.5%	230	342.00
6613-F-C	0 to 20%	F	0.2% / ±0.3%	305	342.00
6613-G-C	20 to 40%	G	0.2% / ±0.4%	305	342.00
6613-H-C	40 to 60%	H	0.2% / ±0.4%	305	342.00
6613-I-C	60 to 80%	I	0.2% / ±0.3%	305	342.00
6613-K-C	75 to 95%	K	0.2% / ±0.3%	305	342.00
6613-L-C	90 to 110%	L	0.2% / ±0.3%	305	342.00
6613-M-C	105 to 125%	M	0.2% / ±0.3%	305	342.00
6613-N-C	125 to 145%	N	0.2% / ±0.3%	305	342.00
6613-P-C	145 to 165%	P	0.2% / ±0.3%	305	342.00
6613-Q-C	165 to 185%	Q	0.2% / ±0.2%	305	342.00
6613-R-C	185 to 206%	R	0.2% / ±0.2%	305	342.00



Hydrometers, API, w/ Thermometer

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision, Thermometer Scale: +10 to +130°F (Subdivision: 2°F)

Cat. No.	API Range	Liquid Type	Subdivision	Approx. Length (mm)	List Price (Each)
6608-2TS	9-21°	Spirit	0.2°	195	47.00
6608-3TS	19-31°	Spirit	0.2°	195	47.00
6608-4TS	29 to 41°	Spirit	0.2°	195	47.00
6608-5TS	39 to 51°	Spirit	0.2°	195	47.00
6608-6TS	49 to 61°	Spirit	0.2°	195	47.00
6608-7TS	59-71°	Spirit	0.2°	195	47.00
6608-11TS	10 to 45°	Spirit	1.0°	195	47.00
6608-12TS	45 to 90°	Spirit	1.0°	195	47.00

Hydrometers, API, ASTM

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision

Cat. No.	ASTM No.	API Range	Subdivision	Approx. Length (mm)	List Price (Each)
6721H	21H	0 to 6°	0.1°	165	28.50
6722H	22H	5 to 11°	0.1°	165	28.50
6723H	23H	10 to 16°	0.1°	165	28.50
6724H	24H	15 to 21°	0.1°	165	28.50
6725H	25H	20 to 26°	0.1°	165	28.50
6726H	26H	25 to 31°	0.1°	165	28.50
6727H	27H	30 to 36°	0.1°	165	28.50
6728H	28H	35 to 41°	0.1°	165	28.50
6729H	29H	40 to 46°	0.1°	165	28.50
6730H	30H	45 to 51°	0.1°	165	28.50
6731H	31H	50 to 56°	0.1°	165	28.50
6732H	32H	55 to 61°	0.1°	165	28.50
6733H	33H	60 to 66°	0.1°	165	28.50
6734H	34H	65 to 71°	0.1°	165	28.50
6735H	35H	70 to 76°	0.1°	165	28.50
6736H	36H	75 to 81°	0.1°	165	28.50
6737H	37H	80 to 86°	0.1°	165	28.50
6738H	38H	85 to 91°	0.1°	165	28.50
6739H	39H	90 to 96°	0.1°	165	28.50

6613-F-C



Represents: 6608-Series

The API Scale was selected in 1921 by the American Petroleum Institute (API), the U.S. Bureau of Mines, and the National Institute of Standards and Technology (NIST) as the standard hydrometer scale for petroleum products. The API Scale is based on the following formula:

$$\text{API Scale} \quad \text{°API @ 60°F} = \left(\frac{141.5}{\text{Specific Gravity @ } \frac{60\text{°F}}{60\text{°F}}} \right) - 131.5$$

The thermometer scale for VEE GEE Hydrometers (w/ Thermometers) is located in the body. A correction scale for conversion of readings to 60°F is printed opposite the temperature scale. General Specifications for VEE GEE ASTM Hydrometers: Manufactured in strict accordance to specifications of ASTM (American Society for Testing and Materials) for accuracy and design. All instruments are suitable for certification for use as a primary reference standard with NIST traceability.

Hydrometers, API, w/ Thermometer (SafetyBLUE), ASTM

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision, Thermometer Scale: 0 to +150°F (Subdivision: 2°F)

Cat. No.	ASTM No.	API Range	Subdivision	Approx. Length (mm)	List Price (Each)
6751HTS	51H	-1 to 11°	0.1°	380	47.00
6752HTS	52H	9 to 21°	0.1°	380	47.00
6753HTS	53H	19 to 31°	0.1°	380	47.00
6754HTS	54H	29 to 41°	0.1°	380	47.00
6755HTS	55H	39 to 51°	0.1°	380	47.00
6756HTS	56H	49 to 61°	0.1°	380	47.00
6757HTS	57H	59 to 71°	0.1°	380	47.00
6758HTS	58H	69 to 81°	0.1°	380	47.00

Hydrometers, Plato, w/ Thermometer

VEE GEE®, Standard Temperature: 20°C, Accuracy: ±1 Subdivision

Thermometer Scale (6614TS-5/-6/-7): 0 to +50°C (Subdivision: 1°C), Thermometer Scale (6614TS-8): +30 to +120°F (Subdivision: 1°F)

Cat. No.	Plato Range	Liquid Type	Subdivision	Approx. Length (mm)	List Price (Each)
6614TS-5	0 to 8.5°	Spirit	0.1°	360	47.00
6614TS-6	7.5 to 16°	Spirit	0.1°	360	47.00
6614TS-7	15.5 to 24°	Spirit	0.1°	360	47.00
6614TS-8	0 to 32°	Spirit	0.5°	380	47.00

Hydrometers, Battery, Syphon Set

VEE GEE®, Standard Temperature: 77°F, Accuracy: ±1 Subdivision

VEE GEE®, Hydrometer, Glass Syphon glass tube w/ rubber bulb and nozzle with clamp.

Rubber parts made of Nitrile rubber, which is chemically inert with long life. (Comes in a storage box.)



Cat. No.	Specific Gravity Range	Description	Subdivision	Approx. Length (mm)	List Price (Each)
6605-5	1.150 to 1.300	Hydrometer and Syphon Set	0.002	507mm	85.00
6605-5H	1.150 to 1.300	Hydrometer Only	0.002	220 mm	52.00
6605-0SY	N/A	Glass Syphon, Rubber, Clamp Only	N/A	507 mm	37.00



Hydrometers, Baume (Heavy)

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision

Cat. No.	Baume Range	Subdivision	Approx. Length (mm)	List Price (Each)
6609-1	0 to 12°	0.1°	305	22.15
6609-2	9 to 21°	0.1°	305	22.15
6609-3	19 to 31°	0.1°	305	22.15
6609-4	29 to 41°	0.1°	305	22.15
6609-5	39 to 51°	0.1°	305	22.15
6609-6	49 to 61°	0.1°	305	22.15
6609-7	59 to 71°	0.1°	305	22.15
6609-8	0 to 15°	0.1°	305	22.15
6609-9	0 to 25°	0.2°	305	22.15
6609-10	0 to 35°	0.5°	305	22.15
6609-11	0 to 50°	0.5°	305	22.15
6609-12	35 to 70°	0.5°	305	22.15
6609-13	0 to 50°	1.0°	305	22.15
6609-14	0 to 70°	1.0°	305	22.15
6609-15	0 to 90°	1.0°	305	36.60

Hydrometers, Brix

VEE GEE®, Standard Temperature: 20°C, Accuracy: ±1 Subdivision

Cat. No.	Brix Range	Subdivision	Approx. Length (mm)	List Price (Each)
6601-1	0 to 12°	0.1°	330	27.20
6601-2	9 to 21°	0.1°	330	27.20
6601-3	19 to 31°	0.1°	330	27.20
6601-4	29 to 41°	0.1°	330	27.20
6601-5	39 to 51°	0.1°	330	27.20
6601-6	49 to 61°	0.1°	330	27.20
6601-7	59 to 71°	0.1°	330	27.20
6601-8	69 to 81°	0.1°	330	27.20
6601-9	79 to 91°	0.1°	330	27.20
6601-10	0 to 35°	0.5°	330	27.20
6601-11	35 to 70°	0.5°	330	27.20
6601-12	0 to 70°	1.0°	330	27.20
6601-13	-5 to 5°	0.1°	330	27.20
6601-14	5 to 15°	0.1°	330	27.20
6601-15	15 to 25°	0.1°	330	27.20



Represents: 6750HTS-Series



Represents: 6614TS-Series



6605-5



Represents: 6609-Series



Represents: 6601-Series

Prices subject to change.



Hydrometers, Brix, w/ Thermometer (SafetyBLUE, °C)

VEE GEE®, Standard Temperature: 20°C, Accuracy: ±1 Subdivision, Thermometer Scale: 0 to +50°C (Subdivision: 1°C)

Cat. No.	Brix Range	Subdivision	Approx. Length (mm)	List Price (Each)
6601TS-1	0 to 12°	0.1°	370	47.00
6601TS-2	9 to 21°	0.1°	370	47.00
6601TS-3	19 to 31°	0.1°	370	47.00
6601TS-4	29 to 41°	0.1°	370	47.00
6601TS-5	39 to 51°	0.1°	370	47.00
6601TS-6	49 to 61°	0.1°	370	47.00
6601TS-7	59 to 71°	0.1°	370	47.00
6601TS-8	69 to 81°	0.1°	370	47.00
6601TS-9	79 to 91°	0.1°	370	47.00
6601TS-10	0 to 35°	0.5°	370	47.00
6601TS-11	35 to 70°	0.5°	370	47.00
6601TS-12	0 to 70°	0.5°	370	47.00
6601TS-13	-5 to 5°	0.1°	370	47.00
6601TS-14	5 to 15°	0.1°	370	47.00
6601TS-15	15 to 25°	0.1°	370	47.00



Represents: 6601TS-Series

Hydrometers, Brix, w/ Thermometer (SafetyBLUE, °F)

VEE GEE®, Standard Temperature: 68°F, Accuracy: ±1 Subdivision, Thermometer Scale: +30 to +130°F (Subdivision: 1°F)

Cat. No.	Brix Range	Subdivision	Approx. Length (mm)	List Price (Each)
6601TS-1F	0 to 12°	0.1°	370	47.00
6601TS-2F	9 to 21°	0.1°	370	47.00
6601TS-3F	19 to 31°	0.1°	370	47.00
6601TS-10F	0 to 35°	0.5°	370	47.00
6601TS-13F	-5 to 5°	0.1°	370	47.00

VEE GEE Brix Hydrometers are calibrated to show the percentage of sucrose by weight at 20°C. The Brix Scale is based on the following: The data of the National Bureau of Standards is used.

Brix Scale

1° Brix = 1% sucrose by weight at specified temperature (20°C).

The thermometer scale for VEE GEE Hydrometers (w/ Thermometers) is located in the body. The thermometers have a range of 0 to +50°C or +30 to 150°F with 1° subdivisions. A correction scale for conversion of readings to 20°C or 68°F is printed opposite the temperature scale.

Hydrometers, Calcium Chloride, Specific Gravity, Freezing Points

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision

Cat. No.	CaCl ₂ Range	Subdivision	Approx. Length (mm)	List Price (Each)
6611-3	1.000 to 1.280 (S.G.) +30 to -40°F (F.P.)	0.002 5°	305	22.15

Hydrometers, Sodium Chloride, % Saturation

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision

Cat. No.	NaCl Range	Subdivision	Approx. Length (mm)	List Price (Each)
6611-1	0-100%	1.0%	305	22.15

Hydrometers, Sodium Chloride, % Weight

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision

Cat. No.	NaCl Range	Subdivision	Approx. Length (mm)	List Price (Each)
6611-2	0 to 26.5%	0.5%	305	22.15



Prices subject to change.

Hydrometers, Specific Gravity

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision

Cat. No.	Specific Gravity Range	Subdivision	Approx. Length (mm)	Thermometer	List Price (Each)
6602-0	0.600 to 0.670	0.0005	330		25.75
6602-1	0.640 to 0.710	0.0005	330		25.75
6602-2	0.700 to 0.770	0.0005	330		25.75
6602-3	0.760 to 0.830	0.0005	330		25.75
6602-4	0.820 to 0.890	0.0005	330		25.75
6602-5	0.880 to 0.950	0.0005	330		25.75
6602-6	0.940 to 1.010	0.0005	330		25.75
6602-7	1.000 to 1.070	0.0005	330		25.75
6602-8	1.060 to 1.130	0.0005	330		25.75
6602-9	1.120 to 1.190	0.0005	330		25.75
6602-10	1.180 to 1.250	0.0005	330		25.75
6602-11	1.240 to 1.310	0.0005	330		27.25
6602-12	1.300 to 1.370	0.0005	330		27.25
6602-13	1.360 to 1.430	0.0005	330		27.25
6602-14	1.420 to 1.490	0.0005	330		29.25
6602-15	1.480 to 1.550	0.0005	330		29.25
6602-16	1.540 to 1.610	0.0005	330		29.25
6602-17	1.600 to 1.670	0.0005	330		29.25
6602-18	1.660 to 1.730	0.0005	330		29.25
6602-19	1.720 to 1.790	0.0005	330		29.25
6602-20	1.780 to 1.850	0.0005	330		29.25
6602-21	1.840 to 1.920	0.0005	330		29.25
6602-4S	0.820 to 0.890	0.001	165		25.75
6602-5S	0.880 to 0.950	0.001	165		25.75
6602-6S	0.940 to 1.010	0.001	165		25.75
6602-7S	1.000 to 1.070	0.001	165		25.75
6602-9S	1.120 to 1.190	0.001	165		25.75
6602-10S	1.180 to 1.250	0.001	165		25.75
6602TS-7	1.000 to 1.070	0.001	385	20 to 150°F	47.00
6602TS-8	1.060 to 1.130	0.001	385	20 to 150°F	47.00

Represents: 6602-Series



Represents: 6602TS-Series (Beer Making)

Hydrometers, Specific Gravity

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision

Cat. No.	Specific Gravity Range	Subdivision	Approx. Length (mm)	Thermometer Range	List Price (Each)
6603-1	1.000 to 1.220	0.002	305		22.15
6603TS-1	1.000 to 1.220	0.002	305	0°F to 150°F	47.00
6603-2	1.200 to 1.420	0.002	305		22.15
6603-3	1.400 to 1.620	0.002	305		22.15
6603-4	1.600 to 1.820	0.002	305		22.15
6603-5	1.800 to 2.020	0.002	305		22.15
6603-6	1.000 to 1.600	0.005	305		22.15
6603-7	1.000 to 2.000	0.010	305		20.25
6603-8	2.000 to 3.000	0.010	305		42.75
6603-9	3.000 to 4.000	0.010	305		42.75
6603-10	0.700 to 0.810	0.001	305		22.15
6603-11	0.800 to 0.910	0.001	305		22.15
6603-12	0.900 to 1.000	0.001	305		22.15
6603-13	0.650 to 1.000	0.005	305		20.25

Represents: 6603-Series

Hydrometers, Liquid Petroleum Gas (LPG), Specific Gravity, w/ Thermometer (SafetyBLUE)

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision, Thermometer Scale: +30 to +90°F (Subdivision: 1°F)

Cat. No.	Specific Gravity Range	Subdivision	Approx. Length (mm)	List Price (Each)
67101HTS	0.500 to 0.650	0.001	365	53.75

67101HTS

Hydrometers, Specific Gravity & Baume, Dual Scale

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision

Cat. No.	Specific Gravity Range	Baume Range	Subdivision	Approx. Length (mm)	List Price (Each)
6603DS-1	1.000 to 1.220	0 to 26° (Heavy)	0.002 / 0.2°	305	22.15
6603DS-1S	1.000 to 1.225	0 to 26° (Heavy)	0.005	165	22.15
6603DS-2	1.200 to 1.420	24 to 42° (Heavy)	0.002 / 0.2°	305	22.15
6603DS-2S	1.200 to 1.425	24 to 42° (Heavy)	0.005	165	22.15
6603DS-3	1.400 to 1.620	42 to 55° (Heavy)	0.002 / 0.2°	305	22.15
6603DS-4	1.600 to 1.820	42 to 55° (Heavy)	0.002 / 0.2°	305	22.15
6603DS-5	1.800 to 2.020	64 to 72° (Heavy)	0.002 / 0.2°	305	22.15
6603DS-6	1.000 to 1.450	0 to 45° (Heavy)	0.005 / 0.5°	305	22.15
6603DS-6S	1.000 to 1.400	0 to 41° (Heavy)	0.01	165	22.15
6603DS-7	1.000 to 2.000	0 to 72° (Heavy)	0.010 / 1.0°	305	20.25
6603DS-13	0.600 to 1.000	10 to 100° (Light)	0.005 / 1.0°	305	22.15

Represents: 6603DS-Series

Prices subject to change.



Hydrometers, Specific Gravity

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision


Cat. No.	Specific Gravity Range	Subdivision	Approx. Length (mm)	List Price (Each)
6604-1	1.000 to 1.250	0.005	165	22.15
6604-2	1.200 to 1.450	0.005	165	22.15
6604-3	1.400 to 1.650	0.005	165	22.15
6604-4	1.600 to 1.850	0.005	165	22.15
6604-5	1.800 to 2.050	0.005	165	22.15
6604DS-04*	0.70 to 1.00/70 to 10	0.01	165	21.10

* 6604DS has Dual Scale, Specific Gravity and Baume Range

Hydrometers, Specific Gravity, ASTM

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision

Cat. No.	ASTM No.	Specific Gravity Range	Subdivision	Approx. Length (mm)	List Price (Each)
6782H	82H	0.650 to 0.700	0.0005	330	29.75
6783H	83H	0.700 to 0.750	0.0005	330	29.75
6784H	84H	0.750 to 0.800	0.0005	330	29.75
6785H	85H	0.800 to 0.850	0.0005	330	29.75
6786H	86H	0.850 to 0.900	0.0005	330	29.75
6787H	87H	0.900 to 0.950	0.0005	330	29.75
6788H	88H	0.950 to 1.000	0.0005	330	29.75
6789H	89H	1.000 to 1.050	0.0005	330	29.75
6790H	90H	1.050 to 1.100	0.0005	330	29.75
67111H	111H	1.000 to 1.050	0.0005	330	29.75
67112H	112H	1.050 to 1.100	0.0005	330	29.75
67113H	113H	1.100 to 1.150	0.0005	330	29.75
67114H	114H	1.150 to 1.200	0.0005	330	29.75
67115H	115H	1.200 to 1.250	0.0005	330	29.75
67116H	116H	1.250 to 1.300	0.0005	330	29.75
67117H	117H	1.300 to 1.350	0.0005	330	29.75
67118H	118H	1.350 to 1.400	0.0005	330	29.75
67119H	119H	1.400 to 1.450	0.0005	330	29.75
67120H	120H	1.450 to 1.500	0.0005	330	29.75
67125H	125H	1.000 to 1.050	0.001	260	27.25
67126H	126H	1.050 to 1.100	0.001	260	27.25
67127H	127H	1.100 to 1.150	0.001	260	27.25
67128H	128H	1.150 to 1.200	0.001	260	27.25
67129H	129H	1.200 to 1.250	0.001	260	27.25
67130H	130H	1.250 to 1.300	0.001	260	27.25
67131H	131H	1.300 to 1.350	0.001	260	27.25
67132H	132H	1.350 to 1.400	0.001	260	27.25
67133H	133H	1.400 to 1.450	0.001	260	28.75
67134H	134H	1.450 to 1.500	0.001	260	28.75
67135H	135H	1.500 to 1.550	0.001	260	28.75
67136H	136H	1.550 to 1.600	0.001	260	28.75
67137H	137H	1.600 to 1.650	0.001	260	28.75
67138H	138H	1.650 to 1.700	0.001	260	28.75
67139H	139H	1.700 to 1.750	0.001	260	28.75
67140H	140H	1.750 to 1.800	0.001	260	28.75
67141H	141H	1.800 to 1.850	0.001	260	28.75



Represents: 6604-Series

6782H

Specific Gravity, also known as relative density, is the ratio of the mass of a solid or liquid to the mass of an equal volume of distilled water. The standard temperature of calibration in the U.S. is 60°F/60°F. All VEE GEE Specific Gravity Hydrometers listed are calibrated at 60°F/60°F.

Specific Gravity Scale

$$\text{Specific Gravity} = \frac{\text{Mass of X @ 60}^\circ\text{F}}{\text{Mass of Distilled Water @ 60}^\circ\text{F}}$$

The thermometer scale for VEE GEE Hydrometers (w/ Thermometers) is located in the body. A correction scale for conversion of readings to 60°F is printed opposite the temperature scale. General Specifications for VEE GEE ASTM Hydrometers: Manufactured in strict accordance to specifications of ASTM (American Society for Testing and Materials) for accuracy and design. All instruments are suitable for certification for use as a primary reference standard with NIST traceability.

Hydrometers, Specific Gravity, Universal

VEE GEE®, Standard Temperature: 60°F, Accuracy: ±1 Subdivision

Cat. No.	Specific Gravity Range	Subdivision (0.7 to 1.0)	Subdivision (1.0 to 2.0)	Baume Range	Subdivision (1.0)	Approx. Length (mm)	List Price (Each)
6605-1	0.700 to 2.000	0.005	0.01	0 to 72 High 70 to 10 Low	1.0	380	34.50

Hydrometers, Specific Gravity, Soil Analysis, ASTM

VEE GEE®, Standard Temperature: 68°F, Accuracy: ±1 Subdivision

Cat. No.	ASTM No.	Specific Gravity Range	Subdivision	Approx. Length (mm)	List Price (Each)
67151H	151H	0.995 to 1.038	0.001	280	41.75

Hydrometers, Soil Colloids (g), Soil Analysis, ASTM

VEE GEE®, Standard Temperature: 68°F, Accuracy: ±1 Subdivision

Cat. No.	ASTM No.	Soil Colloids	Subdivision	Approx. Length (mm)	List Price (Each)
67152H	152H	-5 to 60g	1.0	280	41.75

6605-1

67152H

Hydrometer Cases

VEE GEE®, w/ Cap & Internal Padding

Cat. No.	Description	Length (mm / in)	List Price (Each)
66CS-8	Case/PVC	216 / 8.5	26.50
66CS-8F	Case/PVC (Short)	165 / 6.5	27.50
66CS-13	Case/PVC	343 / 13.5	29.00
66CS-13J	Case/PVC (Wide Body)	343 / 13.5	29.00
66CS-16	Case/PVC	420 / 16.5	32.00



Use the charts to help determine the correct case or jar size for the hydrometer!

Case	Internal Dimension
66CS-8	210mm max
66CS-8F	175mm (6604,672xH, 673xH & 165mm)
66CS-13	340mm max
66CS-13J	340mm max (67151H, 67152H, 6613-Series)
66CS-16	390mm max


Hydrometer Series	Description	Approx. Length (mm)	Uses Case	Uses Jar
6601-Series	Brix	330	66CS-13	21000-500
6601T-Series	Brix w/Thermometer	370	66CS-16	21000-1000
6601TS-Series	Brix w/SafetyBlue Thermometer	370	66CS-16	21000-1000
6602, 6603-Series	Specific Gravity	305	66CS-13	21000-500
6603DS-Series	Specific Gravity & Baume	305	66CS-13	21000-500
6604-Series	Specific Gravity	165	66CS-8F	21000-500
6605-1	Specific Gravity & Baume: Universal	380	66CS-16	21000-1000
6608-Series	API	195	66CS-8	21000-250
6609-Series	Baume: Heavy	305	66CS-13	21000-500
6611-Series	CaCl ₂ or NaCl	305	66CS-13	21000-500
6612-1	Alcohol: Tralle & Proof	305	66CS-13	21000-500
6612-2TS	Alcohol: Tralle & Proof w SafetyBlue Thermometer	355	66CS-16	21000-1000
6613-Series	Alcohol: Proof, IRS	230-305	66CS-13J	21000-500
6614TS-Series	Plato w SafetyBlue Thermometer	360-380	66CS-16	21000-1000
672xH, 673xH-Series	API:ASTM	165	66CS-8F	21000-250
675xHTS-Series	API:ASTM w/SafetyBlue Thermometer	380	66CS-16	21000-1000
6782H-67141H-Series	Specific Gravity: ASTM	360-330	66CS-13	21000-500
67101HTS	LPG w/SafetyBlue Thermometer	365	66CS-16	21000-500
6715xH	Specific Gravity or Soil Colloids: ASTM	280	66CS-13J	21000-500

Hydrometer Certification, NIST, 3-Point

States corrections to the readings that are traceable to NIST

Cat. No.	Description	List Price (Each)
6600	NIST Certification, 3-Point Includes Case	289.00

NOTE: Hydrometer model must be specified at point of order. Certification pricing does not include the price of the hydrometer. Certification is nonrefundable and cannot be canceled once ordered. Please allow extra time for delivery.



Jar	Jar Capacity	Max. Hydrometer Length
21000-250	250mL	215mm max
21000-500	500mL	330mm max
21000-1000	1L	385mm max

Hydrometer Jars

Made from Borosilicate Tubing

Cat. No.	Description	Pack Qty.	Case Qty.	List Price Pack	List Price Case
21000-250	250 mL Hydrometer Jar	2	12	15.62	85.20
21000-500	500 mL Hydrometer Jar	2	12	24.20	132.00
21000-1000	1000 mL Hydrometer Jar	1	6	21.34	116.40

Prices subject to change.



Microscopes, Clinical/Compound, 1400 Series

10X High Eyepoint Eyepieces, Halogen Illumination, Quintuple Nosepiece

Cat. No.	Head	Type	Objective Magnification	Objective Type	Optical Correction	List Price (Each)
1420BR	Binocular	Brightfield	4X,10X,40X,100X	Achromatic	Fixed	1,320.00
1421BRi	Binocular	Brightfield	4X,10X,40X,100X	Plan Achromatic	Infinity	1,735.00
1430BR	Trinocular	Brightfield	4X,10X,40X,100X	Achromatic	Fixed	1,410.00
1431BRi	Trinocular	Brightfield	4X,10X,40X,100X	Plan Achromatic	Infinity	1,825.00
1423PHi	Binocular	Phase Contrast/Darkfield/Brightfield	10X,20X,40X,100X	Plan Achromatic	Infinity	2,530.00
1433PHi	Trinocular	Phase Contrast/Darkfield/Brightfield	10X,20X,40X,100X	Plan Achromatic	Infinity	2,600.00

NOTE: 220 voltage available; please contact us for availability.



Microscopes, Clinical/Compound, 1300 Series

10X High Eyepoint Eyepieces, Halogen Illumination, Quadruple Nosepiece

Cat. No.	Head	Type	Objective Magnification	Objective Type	Optical Correction	List Price (Each)
1320BR	Binocular	Brightfield	4X,10X,40X,100X	Achromatic	Fixed	940.00
1321BRi	Binocular	Brightfield	4X,10X,40X,100X	Plan Achromatic	Infinity	1,295.00
1330BR	Trinocular	Brightfield	4X,10X,40X,100X	Achromatic	Fixed	999.00
1331BRi	Trinocular	Brightfield	4X,10X,40X,100X	Plan Achromatic	Infinity	1,410.00
1323PHi	Binocular	Phase Contrast/Darkfield/Brightfield	10X,20X,40X,100X	Plan Achromatic	Infinity	1,995.00
1333PHi	Trinocular	Phase Contrast/Darkfield/Brightfield	10X,20X,40X,100X	Plan Achromatic	Infinity	2,050.00

NOTE: 220 voltage available; please contact us for availability.



Microscopes, Clinical/Compound, 1200 Series

10X Eyepieces, Halogen Illumination (BP Model Features Battery-Powered LED Illumination), Quadruple Nosepiece

Cat. No.	Head	Type	Objective Magnification	Objective Type	List Price (Each)
1210CM	Monocular	Brightfield	4X,10X,40X,100X	Achromatic	585.00
1211CM	Monocular	Brightfield	4X,10X,40X,100X	Plan Achromatic	940.00
1220CM	Binocular	Brightfield	4X,10X,40X,100X	Achromatic	850.00
1220CM-BP	Binocular	Brightfield	4X,10X,40X,100X	Achromatic	875.00
1221CM	Binocular	Brightfield	4X,10X,40X,100X	Plan Achromatic	1,210.00
1230CM	Trinocular	Brightfield	4X,10X,40X,100X	Achromatic	920.00
1231CM	Trinocular	Brightfield	4X,10X,40X,100X	Plan Achromatic	1,275.00
1222CM	Binocular	Phase Contrast	10X,20X,40X,100X	Achromatic	1,335.00
1223CM	Binocular	Phase Contrast	10X,20X,40X,100X	Plan Achromatic	1,740.00
1232CM	Trinocular	Phase Contrast	10X,20X,40X,100X	Achromatic	1,415.00
1233CM	Trinocular	Phase Contrast	10X,20X,40X,100X	Plan Achromatic	1,825.00

NOTE: 220 voltage available. Five-position nosepieces available; please contact us for pricing and availability.



Microscopes, Compound, 1100 Series

10X Eyepieces, LED Illumination

Cat. No.	Head	Type	Objective Magnification	Objective Type	List Price (Each)
1101EML	Monocular	Brightfield	4X, 10X, 40X	Achromatic	185.00
1109AML	Monocular	Brightfield	4X, 10X, 40X	Achromatic	305.00
1111AML	Monocular	Brightfield	4X, 10X, 40X, 100X	Achromatic	525.00
1112AML	Dual Monocular	Brightfield	4X, 10X, 40X, 100X	Achromatic	595.00
1113AML	Binocular	Brightfield	4X, 10X, 40X, 100X	Achromatic	675.00
1115AML	Trinocular	Brightfield	4X, 10X, 40X, 100X	Achromatic	730.00

NOTE: 220 voltage available; please contact us for pricing and availability.



Prices subject to change.



Microscopes, Fluorescence, 1400 Series

10X Eyepieces, Quintuple Nosepiece

Cat. No.	Head	Type	Objective Magnification	Objective Type	Optical Correction	List Price (Each)
1482FLi	Trinocular	Brightfield / Darkfield Fluorescence	4X,10X,40X,100X	Plan Achromatic	Infinity	4,995.00
1486FLi	Trinocular	Brightfield / Darkfield Fluorescence Phase Contrast / Darkfield	4X,10X,40X,100X 10X,20X,40X,100X	Plan Achromatic Plan Achromatic	Infinity	6,395.00

NOTE: 220 voltage available. Please contact us for availability.



Microscopes, Fluorescence, 1200 Series

10X Eyepieces, Quadruple Nosepiece

Cat. No.	Head	Type	Objective Magnification	Objective Type	List Price (Each)
1282ECM	Trinocular	Fluorescence Brightfield	25X,40X 4X,10X,40X,100X	Achromatic Plan Achromatic	3,800.00
1286ECM	Trinocular	Fluorescence Phase Contrast Brightfield	25X,40X 10X,20X,40X,100X 4X,10X,40X,100X	Achromatic Plan Achromatic Plan Achromatic	4,925.00

NOTE: 220 voltage available. Five-position nosepieces available; please contact us for pricing and availability.



Microscopes, Industrial, Metallurgical, 1400 Series

VanGuard®, w/ 10X High Eyepoint Eyepieces, Reflected/Transmitted Halogen Illumination, Quintuple Nosepiece

Cat. No.	Head	Type	Objective Magnification	Objective Type	Optical Correction	List Price (Each)
1442MMi	Trinocular	Brightfield	5X, 10X, 20X, 40X	Plan Achromatic	Infinity	3,475.00

NOTE: 220 voltage available. Please contact us for availability.



Microscopes, Industrial, Metallurgical, 1200 Series

10X Eyepieces, Halogen Illumination, Quadruple Nosepiece

Cat. No.	Head	Type	Objective Magnification	Objective Type	List Price (Each)
Reflected Illumination					
1241MM	Trinocular	Brightfield	5X,10X,20X,40X	Plan Achromatic	1,825.00
Reflected/Transmitted Illumination					
1242MM	Trinocular	Brightfield	5X,10X,20X,40X	Plan Achromatic	2,060.00

NOTE: 220 voltage available. Five-position nosepieces available; please contact us for pricing and availability.

Prices subject to change.

VEE GEE Scientific, Inc. • 13600 NE 126th Place, Suite A • Kirkland, WA 98034 • (800) 423-8842 • (425) 823-4518 • Fax: (425) 820-9826 • www.veege.com • e-mail: sales@veege.com



Microscopes, Inverted, 1400 Series

W/ 10X Eyepieces, Halogen Illumination, Quintuple Nosepiece

Cat. No.	Head	Type	Objective Magnification	Objective Type	Optical Correction	List Price (Each)
14911Ni	Trinocular	Brightfield	4X,10X,20X,40X	Plan Achromatic	Infinity	2,790.00
14931Ni	Trinocular	Phase Contrast	4X,10X,20X,40X	Plan Achromatic	Infinity	3,445.00

1490-FLP01 14911Ni & 14931Ni Fluorescence Upgrade Kit w/ 2 Broadband Filters (Blue & Green) 3,890.00
 1490-FUV001 Fluorescence Filter for eGFP; fits upgrade kit 1490-FLP01 1,425.00
 1490-FFXFFF Fluorescence Specialty Filters for Single- & Multi-Dye Applications; fits upgrade kit 1490-FLP01 Call for Price

NOTE: 220 voltage available. Please contact us for availability.



Microscopes, Inverted, 1200 Series

W/ 10X Eyepieces, Halogen Illumination, Quadruple Nosepiece

Cat. No.	Head	Type	Objective Magnification	Objective Type	List Price (Each)
1291CMI	Trinocular	Brightfield	10X,25X,40X	Plan Achromatic	2,430.00
1293CMI	Trinocular	Phase Contrast	10X,25X,40X	Plan Achromatic	2,910.00

NOTE: 220 voltage available. Five-position nosepieces available; please contact us for pricing and availability.



Microscopes, Stereo, Dual-Magnification, 1200 Series

W/ 10X Eyepieces, Illuminated Stands

Cat. No.	Head	Objective Magnification	Upper Illumination	Lower Illumination	List Price (Each)
1252SL	Binocular	1X & 2X	LED	LED	480.00
1253SL	Binocular	1X & 3X	LED	LED	480.00
1254SL	Binocular	2X & 4X	LED	LED	480.00
1255SL	Binocular	1X & 4X	LED	LED	480.00

NOTE: 220 voltage available. Please contact us for availability.



Microscopes, Stereo, Dual-Magnification, 1100 Series

W/ 10X Eyepieces, Non-illuminated Stands

Cat. No.	Head	Objective Magnification	Stand	Illumination	List Price (Each)
1122SP	Binocular	1X & 2X	Pole	No	395.00
1123SP	Binocular	1X & 3X	Pole	No	395.00
1124SP	Binocular	2X & 4X	Pole	No	395.00
1125SP	Binocular	1X & 4X	Pole	No	395.00



Microscopes, Stereo, Zoom, 1200 Series

W/ 10X Eyepieces, Illuminated Stands

Cat. No.	Head	Objective Magnification	Upper Illumination	Lower Illumination	List Price (Each)
1271ZL	Binocular	0.7X to 4.5X	LED	LED	965.00
1272ZL	Trinocular	0.7X to 4.5X	LED	LED	1,030.00
1271ZF*	Binocular	0.7X to 4.5X	Halogen	Fluorescent	895.00

NOTE: 220 voltage available. Please contact us for availability.

*DISCONTINUED: Prices are effective for remaining stock only. The 1270ZF model is being replaced by the 1270ZL models with LED illumination.



Prices subject to change.



VAN GUARD

Microscopes, Stereo, Zoom, 1200 Series

W/ 10X Eyepieces, Non-Illuminated Stands

Cat. No.	Head	Objective Magnification	Stand	Illumination	List Price (Each)
1275ZP	Binocular	0.7X to 4.5X	Pole	No	785.00
1276ZP	Trinocular	0.7X to 4.5X	Pole	No	880.00
1277ZB	Binocular	0.7X to 4.5X	Boom	No	1,050.00
1278ZB	Trinocular	0.7X to 4.5X	Boom	No	1,115.00



1277ZB



1275ZP



VAN GUARD

Microscopes, Stereo, Zoom, 1100 Series

W/ 10X Eyepieces, Illuminated Stands

Cat. No.	Head	Objective Magnification	Upper Illumination	Lower Illumination	List Price (Each)
1131ZL	Binocular	0.75X to 3.4X	LED	LED	690.00
1132ZL	Trinocular	0.75X to 3.4X	LED	LED	840.00

NOTE: 220 voltage available. Please contact us for availability.

VAN GUARD

Microscopes, Camera Systems, Color Video Eyepiece

Packages include power supply & RCA video cable. NTSC, 110V

Cat. No.	Camera	Lens Assembly	Fits Tube Sizes	For Models	List Price (Each)
1200-VEK	Video Eyepiece	0.4X	23.2 & 30.5 mm	1430's, 1480's, 1330's, 1100AMH's	325.00
1200-CVEK	Video Eyepiece	0.4X	23.2 & 30.5 mm	1200CM's, 1240's, 1280's, 1290's	350.00
1200-ZVEK	Video Eyepiece	0.4X	23.2 & 30.5 mm	1250's, 1260's, 1270's	325.00
1100-ZVEK	Video Eyepiece	0.4X	23.2 & 30.5 mm	1100Z's	325.00
1200-VFE	Eyepiece, Video Framing, 10X, 23mm O.D.			Used w/ 1200-VEK, 1200-CVEK	70.00
1200-ML	Lens, F6.1			Used w/ All Video Eyepieces	25.00



VAN GUARD

Microscopes, USB Color Digital Camera Systems

Camera Kits Include Camera, Adapters to fit most eyetubes, USB Cable, and Software (Windows 32/64 Bit Only)

Cat. No.	Camera Type	Camera Model	For Microscope Models	List Price (Each)
1400-CDPC-10	USB Digital Camera, 10 Mega-pixels	IS1000	1113AM's, 1115AM's, 1210's, 1220's, 1300's, 1420's, 1430's, 1480's, 1490's	1375.00
1200-CDPC-10	USB Digital Camera, 10 Mega-pixels	IS1000	1230's, 1240's, 1280's, 1290's, 1442MMi	1375.00
1200-ZDPC-10	USB Digital Camera, 10 Mega-pixels	IS1000	1200Z's	1375.00
1100-ZDPC-10	USB Digital Camera, 10 Mega-pixels	IS1000	1100Z's	1375.00
1400-CDPC-5	USB Digital Camera, 5 Mega-pixels	IS500	1113AM's, 1115AM's, 1210's, 1220's, 1300's, 1420's, 1430's, 1480's, 1490's	845.00
1200-CDPC-5	USB Digital Camera, 5 Mega-pixels	IS500	1230's, 1240's, 1280's, 1290's, 1442MMi	845.00
1200-ZDPC-5	USB Digital Camera, 5 Mega-pixels	IS500	1200Z's	845.00
1100-ZDPC-5	USB Digital Camera, 5 Mega-pixels	IS500	1100Z's	845.00
1400-CDPC-3	USB Digital Camera, 3 Mega-pixels	IS300	1113AM's, 1115AM's, 1210's, 1220's, 1300's, 1420's, 1430's, 1480's, 1490's	699.00
1200-CDPC-3	USB Digital Camera, 3 Mega-pixels	IS300	1230's, 1240's, 1280's, 1290's, 1442MMi	699.00
1200-ZDPC-3	USB Digital Camera, 3 Mega-pixels	IS300	1200Z's	699.00
1100-ZDPC-3	USB Digital Camera, 3 Mega-pixels	IS300	1100Z's	699.00



VAN GUARD

Microscopes, Camera Systems, Color CCD Video

Camera Kits Include Camera, Adapters, S-Video & RCA Cables, and Power Supply. NTSC, 110V

Cat. No.	Camera	C-Mount Adapter/Lens Assembly	Video Signal	For Models	List Price (Each)
1400-CVK	Color CCD Video	0.4X	NTSC	1113AM's, 1115AM's, 1210's, 1220's, 1300's, 1420's, 1430's, 1480's	1,495.00
1490-CVK	Color CCD Video	0.4X	NTSC	1490's	1,495.00
1200-CVK	Color CCD Video	0.4X	NTSC	1230's, 1240's, 1280's, 1290's, 1442MMi	1,495.00
1200-ZVK	Color CCD Video	0.5X	NTSC	1200Z's	1,495.00
1100-ZVK	Color CCD Video	0.5X	NTSC	1100Z's	1,495.00



Prices subject to change.



Microscopes, Digital SLR Camera Systems

Camera Kits Include Camera, Adapters, USB Cable, SD Memory Card, and Software (Windows & Mac)

Cat. No.	Camera	Model	Fits Tube Sizes	For Models	List Price (Each)
1400-CDCK	DSLR	Call for Current Model	23.2 & 30.5 mm	1113AM's, 1115AM's, 1210's, 1220's, 1300's, 1420's, 1430's, 1480's, 1490's	2,495.00
1200-CDCK	DSLR	Call for Current Model	23.2 & 30.5 mm	1230's, 1240's, 1280's, 1290's, 1442MMi	2,495.00
1200-ZDCK	DSLR	Call for Current Model	23.2 & 30.5 mm	1200Z's	2,495.00
1100-ZDCK	DSLR	Call for Current Model	23.2 & 30.5 mm	1100Z's	2,495.00

NOTE: Prices and camera model subject to change. Additional adapters are available to adapt many digital SLR camera models to VanGuard® Microscopes. Please contact us for details.
 *These digital cameras are for sale in the USA only. Non Returnable.



Camera lens not included

Microscopes, Adapter Components, Digital SLR

VanGuard® Adapters (Camera not included)

Cat. No.	Camera	Fits Tube Sizes	For Models	List Price (Each)
1400-CNC	Not Included	23.2 & 30.5 mm	1113AM's, 1115AM's, 1210's, 1220's, 1300's, 1420's, 1430's, 1480's, 1490's	780.00
1200-CNC	Not Included	23.2 & 30.5 mm	1230's, 1240's, 1280's, 1290's, 1442MMi	780.00
1200-ZNC	Not Included	23.2 & 30.5 mm	1200Z's	780.00
1100-ZNC	Not Included	23.2 & 30.5 mm	1100Z's	780.00

Note: Make and model of camera must be specified at point of order.



Microscopes, Fluorescent Ring Lamps

VanGuard®

Cat. No.	Description	For Models	List Price (Each)
1200-LFLR	Fluorescent Ring Lamp w/50mm Adapter, 8W, 110V	1120's, 1130's, 1250's, 1260's, 1270's	95.00
1200-SWFRL	Ring Lamp Bulb, Fluorescent, 8W (500-Hour Life)	1200-LFLR	17.50



Microscopes, LED Light Source w/Light Guides & Accessories

VanGuard®

Cat. No.	Description	For Light Source Model	Variable Illumination	List Price (Each)
1200-LED1	LED Control Unit w/dual single light guides	Not Applicable	Yes (dual independent)	315.00
1200-LEDRL1	Optional LED ring guide for LED1 light source	1200-LED1	Yes	80.00

NOTE: 1200-LED1 comes standard with Control Unit and two single light guides. Other Wavelengths Available. Contact Us for Details.



Optional LED ring guide for use with Stereo Zoom ZP & ZB and Stereo SP-Series Microscopes



Prices subject to change.

Microscopes, Parts & Accessories

VanGuard®

Cat. No.	Description	For Models	List Price (Each)
Condensers			
1400-CMAC	1.25 N.A. Abbe w/ Iris & Filter Holder	1400BR (Older Models), 1482FL	42.00
1400-CMACi	1.25 N.A. Abbe w/ Iris, w/out Filter Holder	1400's (Current Models, except 1490's)	65.00
1400-CMDCD	0.90 N.A. Darkfield (Dry)	1400's, 1300's	153.00
1400-CMDCi	1.25-1.36 N.A. Darkfield (Immersion)	1400's, 1300's	195.00
1400-CMMACi	1.25 N.A. Abbe w/ Iris & Filter Holder	1442MMi	60.00
1400-CMPCC	1.25 N.A. Zernike Phase w/Iris & Filter Holder	1400's (Non Infinity)	255.00
1400-CMPCi	1.25 N.A. Zernike Phase w/Iris & Darkfield Stop	1400PHi's	340.00
1300-CMAC	1.25 N.A. Abbe w/ Iris, w/out Filter Holder	1300's	62.00
1300-CMPCCi	1.25 N.A. Zernike Phase w/Iris & Darkfield Stop	1300PHi's	443.00
1200-CMAC	1.25 N.A. Abbe w/ Iris & Filter Holder	1200CM's	39.00
1200-CMPCCA	1.25 N.A. Zernike Phase w/ Iris & Filter Holder	1200CM's, 1286ECM	310.00
1200-AMAC	1.25 N.A. Abbe w/ Iris & Filter Holder	1242MM, 1282ECM	150.00
1200-CMIBC	0.40 N.A. LWD (30 mm) Brightfield Condenser w/Iris & Filter Holder	1291CMI	125.00
1200-CMIPC	1.25 N.A. Zernike Phase w/ Iris & Filter Holder	1293CMI	345.00
1200-CMDCD	0.85 N.A. Darkfield (Dry)	1200CM's, 1242MM, 1280's	155.00
1200-CMDCi	1.25 N.A. Darkfield (Immersion)	1200CM's, 1280's	200.00
1200-SDC	Darkfield Condenser	1130's, 1250's, 1260's, 1270ZF's, 1270ZH/L's	85.00
Dust Covers, Vinyl			
	Dimensions Height x Length (mm)		
1400-DC	460 X 590	1400BR's, 1400BRi's, 1400PHi's, 1400FLi's	5.00
1400-DCM	600 X 530	1442MMi's	9.00
1490-DC	830 X 640	1490INi's	5.00
1300-DC	460 X 610	1300's	5.00
1200-DCADV	570 X 540	1200MM's, 1200CMI's, 1200ECM's	5.00
1200-DCC	450 X 480	1200CM's	5.00
1200-DCS	390 X 400	1200SH's, 1200SF's, 1100SP's	5.00
1200-DCZ	440 X 520	1200SL's, 1200ZL's, 1200ZH's, 1200ZF's	5.00
1100-DCAMH	350 X 400	1100AMH/L's	5.00
1100-DCAMI	360 X 430	1109AMI/L's	5.00
1100-DCEM	320 X 350	1101EM/L	5.00
Eyepieces			
1400-10XCME	10X Widefield, Each	1400's, 1100AMH's, 1109AMI/L	32.00
1400-15XCME	15X Semi-Widefield, Each	1400's, 1400i's, 1300's, 1200CM's, 1100AMH/L's, 1109AMI/L	45.00
1400-20XCME	20X Semi-Widefield, Each	1400's, 1400i's, 1300's, 1200CM's, 1100AMH/L's, 1109AMI/L	55.00
1400-10XHE23E	10X Extra-Widefield, High Eyepoint, 23mm, Each	1300's, 1400's	64.00
1400-10XHE30E	10X Ultra-Widefield, High Eyepoint, 30mm, Each	1490's	99.00
1400-10XHE30ME	10X Ultra-Widefield, High Eyepoint, 30mm, Each	1442MMi	67.00
1400-10XHE18.5E	10X Widefield, High Eyepoint, Each	1480FLi's	61.50
1200-10XSME	10X Widefield, Each	1120's, 1130's, 1250's, 1260's	54.00
1200-10XZME	10X Widefield, Each	1270's	68.00
1200-20XSZME	20X Semi-Widefield, Each	1120's, 1130's, 1250's, 1260's, 1270's	68.00
1200-10XCME	10X Widefield, Each	1200CM's, 1290's	40.00
1200-16XCME	16X Semi-Widefield, Each	1200CM's, 1240's, 1280's, 1290's	40.00
1200-10XAME	10X Super-Widefield, Each	1240's, 1280's	45.00
1100-10XEME	10X Widefield, Each	1101EM/L	23.00
Filters			
1400-BF44	Blue, 44mm	1400i's	5.00
1400-GF44	Green, 44mm	1400i's	5.00
1400-NF44	Dispersion, 44mm	1400i's	5.00
1400-BF45	Blue, 45mm	1490's	5.00
1400-GF45	Green, 45mm	1490's	5.00
1400-NF45	Dispersion, 45mm	1490's	5.00
1400-PIN	Polarizing	1442MMi	85.00
1200-BF	Blue, 32mm	1300's, 1200CM's, 1242MM, 1280's, 1290's, 1100AMH, 1400's, 1442MMi	5.00
1200-GF	Green, 32mm	1300's, 1200CM's, 1242MM, 1280's, 1290's, 1100AMH, 1400's, 1442MMi	5.00
1200-NF	Dispersion, 32mm	1300's, 1200CM's, 1242MM, 1280's, 1290's, 1100AMH, 1400's, 1442MMi	5.00
1200-YF	Yellow, 32mm	1300's, 1200CM's, 1242MM, 1280's, 1290's, 1100AMH, 1400's, 1442MMi	5.00
1200-BFZH	Blue, 39mm	1270ZH's, 1270ZF's	11.50
1200-ND70	Neutral Density Filter Set (70mm) (light, medium, heavy)	1250SL, 1270ZL	15.00



Prices subject to change.



Microscopes, Parts & Accessories (continued)

VanGuard®

Cat. No.	Description	For Models	List Price (Each)
Fluorescence Kits & Accessories			
1490-FLP01	Fluorescence Upgrade Kit w/ 2 Broadband Filters (Blue & Green)	1490's	3,890.00
1490-FUV001	Fluorescence Specialty Filter for eGFP	1490-FLP01 (Upgrade for 1490's)	1,425.00
1490-FFXFX	Fluorescence Specialty Filters for Single- & Multiple-Dye Applications	1490-FLP01 (Upgrade for 1490's)	Call for Price
1490-EFH	Fluorescence Filter Holder (No Filters)	1490-FLP01 (Upgrade for 1490's)	375.00
1400-FHWF	Fluorescence Filter Holder w/ 2 Broadband Filters (Blue & Green)	1480FLi's	1,260.00
1400-FFXFX	Fluorescence Specialty Filters for Single- & Multiple-Dye Applications	1480FLi's	Call for Price
1400-EFH	Fluorescence Filter Holder (No Filters)	1480FLi's	140.00
Fuses			
1400-FS1	Fuse, 0.25A 250V	1300's, Older 1400's	2.00
1400-FS3	Fuse, 5.0A 250V	1482FL & 1486FL External Power Supply	2.00
1400-FS4	Fuse, 8.0A 250V	1482FLi & 1486FLi External Power Supply (2), 1490-FLP01 (2)	2.00
1400-FS5	Fuse, 3.0A 250V	1442MMi	2.00
1200-FS1	Fuse, 0.5A 250V	1101EM's, 1100AM's, 1200CM's, 1240's, 1280's, 1290's, Older 1300's, 1400BR's (2), 1400PH's (2), & 1480's (transmitted, 2), 1490's (2)(older)	2.00
1200-FS2	Fuse, 5.0A 250V	1282ECM & 1286ECM External Power Supply	2.00
1200-FS3	Fuse, 0.75A 250V	1250's, 1260's, 1270ZF's, 1270ZH's, 1130's	2.00
1200-FS4	Fuse, 1.0A 250V	1270ZL's, 1250SL's, 1130ZL's, 1490's (newer)	2.00
Immersion Oil			
1200-IOG	Immersion Oil, Low Viscosity (7.4 ml / ¼ oz)	All Oil Immersion Objectives (Except Fluorescence)	10.50
1200-IOF	Immersion Oil, for Fluorescence (7.4 ml / ¼ oz)	All Fluorescence Oil Immersion Objectives	14.50
Kohler Illumination			
1400-KIA	Field Diaphragm, for Kohler Illumination	1400's	129.00
1200-KIA	Field Diaphragm, for Kohler Illumination	1200CM's, 1242MM, 1280's	57.00
Lamps			
1400-20WHL	20W/6V Halogen	1400's (except 1490's)	8.50
1400-30WHL-P	30W/6V Halogen	1490's	12.50
1400-30W12VHL	30W/12V Halogen	1442MMi (Transmitted)	13.00
1400-50W12VHL	50W/12V Halogen	1442MMi (Reflected)	16.00
1400-100WMLO	100W Mercury HBO	1280's & 1480's Fluorescence Illuminator, 1490-FLP01, 200 hrs	222.00
1200-5WFL	5W Fluorescent, 2 Pin (Older Style)	1260SF's, 1270ZF's, 1130ZF's	10.00
1200-5WFL4	5W Fluorescent, 110V, 4 Pin (Current Models)	1260SF's, 1270ZF's, 1130ZF's	10.00
1200-5WFL-220	5W Fluorescent, 110V, 220V, 2 Pin	1260ZF's, 1270ZF's, 1130ZF's (220V)	10.00
1200-15WHR	15W Halogen w/ Reflector, 6V	1250's, 1260's, 1270ZH's, 1270ZF's, 1130's (Upper)	10.00
1200-15WHL	15W Halogen, 6V	1250's, 1270ZH's, 1130ZH's (Lower)	8.50
1200-20WHL	20W Halogen, 6V	1300's, 1200CM's, 1240's, 1280's, 1290's, 1100AMH's	8.50
1100-20WIL	20W Incandescent, 110V	1101EM, 1102SM, 1109AMI (110V Models)	6.00
1100-20WIL-220	20W Incandescent, 220V	1101EM, 1102SM, 1109AMI (220V Models)	5.80
Lenses, Supplementary			
1200-SL05	0.5X Reduction	1120's, 1130's, 1250's, 1260's, 1270's	150.00
1200-SL10	1.0X Protective Shield	1120's, 1130's, 1250's, 1260's, 1270's	39.00
1200-SL20	2.0X Magnification	1120's, 1130's, 1250's, 1260's, 1270's	192.00
Objectives			
1400-004XBAO	4X Achromatic (DIN), 0.10 N.A.	1300's, 1400's	28.00
1400-010XBAO	10X Achromatic (DIN), 0.25 N.A.	1300's, 1400's	42.00
1400-020XBAO	20X Achromatic (DIN), 0.40 N.A.	1300's, 1400's	60.00
1400-040XBAO	40X Achromatic (DIN), 0.65 N.A.	1300's, 1400's	67.00
1400-060XBAO	60X Achromatic (DIN), 0.85 N.A.	1200CM's, 1300's, 1400's	91.00
1400-100XBAO	100X Achromatic-Oil (DIN), 1.25 N.A.	1300's, 1400's	98.00
1400-004XBPOi	4X Plan Infinity, 0.10 N.A.	1300BRi's, 1400BRi's, 1480FLi's	80.00
1400-010XBPOi	10X Plan Infinity, 0.25 N.A.	1300BRi's, 1400BRi's, 1480FLi's	112.00
1400-020XBPOi	20X Plan Infinity, 0.40 N.A.	1300BRi's, 1400BRi's, 1480FLi's	185.00
1400-040XBPOi	40X Plan Infinity, 0.65 N.A.	1300BRi's, 1400BRi's, 1480FLi's	192.00
1400-050XBPOi	50X Plan-Oil Infinity, 0.90 N.A.	1300BRi's, 1400BRi's, 1480FLi's	650.00
1400-100XBPOi	100X Plan-Oil Infinity-Oil, 1.25 N.A.	1300BRi's, 1400BRi's, 1480FLi's	320.00
1400-004XFLOi	4X Plan Fluorite Infinity, 0.10 N.A.	1300BRi's, 1400BRi's, 1480FLi's	125.00
1400-010XFLOi	10X Plan Fluorite Infinity, 0.25 N.A.	1300BRi's, 1400BRi's, 1480FLi's	312.00
1400-020XFLOi	20X Plan Fluorite Infinity, 0.40 N.A.	1300BRi's, 1400BRi's, 1480FLi's	425.00
1400-040XFLOi	40X Plan Fluorite Infinity, 0.65 N.A.	1300BRi's, 1400BRi's, 1480FLi's	520.00
1400-100XFLOi	100X Plan Fluorite Infinity, 1.25 N.A.	1300BRi's, 1400BRi's, 1480FLi's	1,225.00



Prices subject to change.

Microscopes, Parts & Accessories (continued)

VanGuard®

Cat. No.	Description	For Models	List Price (Each)
Objectives			
1400-010XPP0i	10X Plan Phase Contrast Infinity, 0.25 N.A.	1300PHi's, 1400PHi's	155.00
1400-020XPP0i	20X Plan Phase Contrast Infinity, 0.40 N.A.	1300PHi's, 1400PHi's	185.00
1400-040XPP0i	40X Plan Phase Contrast Infinity, 0.65 N.A.	1300PHi's, 1400PHi's	265.00
1400-100XPP0i	100X Plan Phase Contrast Infinity-Oil, 1.25 N.A.	1300PHi's, 1400PHi's	492.00
1400-005XLROi	5X Plan Infinity, LWD, 0.12 N.A.	1442MMi	102.00
1400-010XLROi	10X Plan Infinity, LWD, 0.25 N.A.	1442MMi	140.00
1400-020XLROi	20X Plan Infinity, LWD, 0.40 N.A.	1442MMi	220.00
1400-040XLROi	40X Plan Infinity, LWD, 0.60 N.A.	1442MMi	242.00
1400-050XLROi	50X Plan Infinity, LWD, 0.70 N.A.	1442MMi	247.00
1400-060XLROi	60X Plan Infinity, LWD, 0.75 N.A.	1442MMi	273.00
1400-080XLROi	80X Plan Infinity, LWD, 0.80 N.A.	1442MMi	356.00
1400-100XLROi	100X Plan Infinity, LWD, 0.85 N.A.	1442MMi	535.00
1400-004XLBOi	4X Plan Infinity, LWD, 0.10 N.A.	1490's	90.00
1400-010XLBOi	10X Plan Infinity, LWD, 0.25 N.A.	1490's	120.00
1400-020XLBOi	20X Plan Infinity, LWD, 0.40 N.A.	1490's	180.00
1400-040XLBOi	40X Plan Infinity, LWD, 0.60 N.A.	1490's	245.00
1400-010XLPOi	10X Plan Phase Infinity, LWD, 0.25 N.A.	1493Ini	210.00
1400-020XLPOi	20X Plan Phase Infinity, LWD, 0.40 N.A.	1493Ini	245.00
1400-040XLPOi	40X Plan Phase Infinity, LWD, 0.60 N.A.	1493Ini	350.00
1490-004XLFOi	4X Plan Fluorite Infinity, LWD, 0.13 N.A.	1490's	150.00
1490-010XLFOi	10X Plan Fluorite Infinity, LWD, 0.30 N.A.	1490's	390.00
1490-020XLFOi	20X Plan Fluorite Infinity, LWD, 0.50 N.A.	1490's	570.00
1490-040XLFOi	40X Plan Fluorite Infinity, LWD, 0.60 N.A.	1490's	775.00
1200-004XBAA	4X Achromatic (DIN), 0.10 N.A.	1200CM's	28.00
1200-010XBAA	10X Achromatic (DIN), 0.25 N.A.	1200CM's	42.00
1200-020XBAA	20X Achromatic (DIN), 0.40 N.A.	1200CM's	60.00
1200-040XBAA	40X Achromatic (DIN), 0.65 N.A.	1200CM's	67.00
1200-100XBAA	100X Achromatic-Oil (DIN), 1.25 N.A.	1200CM's	98.00
1200-010XPAO	10X Achromatic Phase (DIN), 0.25 N.A.	1200CM's	95.00
1200-020XPAO	20X Achromatic Phase (DIN), 0.40 N.A.	1200CM's	121.00
1200-040XPAO	40X Achromatic Phase (DIN), 0.65 N.A.	1200CM's	143.00
1200-100XPAO	100X Achromatic Phase-Oil (DIN), 1.25 N.A.	1200CM's	206.00
1200-004XBPO	4X Plan (DIN), 0.10 N.A.	1200CM's, 1240's, 1280's, 1290's	65.00
1200-010XBPO	10X Plan (DIN), 0.25 N.A.	1200CM's, 1280's	115.00
1200-025XBPO	25X Plan (DIN), 0.40 N.A.	1200CM's, 1280's	170.00
1200-040XBPO	40X Plan (DIN), 0.65 N.A.	1200CM's, 1280's	235.00
1200-060XBPO	60X Plan (DIN), 0.85 N.A.	1200CM's, 1280's	255.00
1200-100XBPO	100X Plan-Oil (DIN), 1.25 N.A.	1200CM's, 1280's	255.00
1200-010XPP0	10X Plan Phase (DIN), 0.25 N.A.	1213CM, 1223CM, 1233CM, 1286ECM	155.00
1200-020XPP0	20X Plan Phase (DIN), 0.40 N.A.	1213CM, 1223CM, 1233CM, 1286ECM	195.00
1200-025XPP0	25X Plan Phase (DIN), 0.40 N.A.	1213CM, 1223CM, 1233CM, 1286ECM	195.00
1200-040XPP0	40X Plan Phase (DIN), 0.65 N.A.	1213CM, 1223CM, 1233CM, 1286ECM	220.00
1200-100XPP0	100X Plan Phase-Oil (DIN), 1.25 N.A.	1213CM, 1223CM, 1233CM, 1286ECM	309.00
1200-025XFLO	25X Achromatic UV Pass (DIN), 0.65 N.A.	1280's	170.00
1200-040XFLO	40X Achromatic UV Pass (DIN), 1.00 N.A.	1280's	230.00
1200-005XLRO	5X Achromatic Phase (DIN), 0.25 N.A.	1240's	65.00
1200-010XLRO	10X Plan (DIN), LWD, 0.25 N.A.	1240's	143.00
1200-020XLRO	20X Plan (DIN), LWD, 0.40 N.A.	1240's	195.00
1200-025XLRO	25X Plan (DIN), LWD, 0.40 N.A.	1240's	160.00
1200-040XLRO	40X Plan (DIN), LWD, 0.60 N.A.	1240's	200.00
1200-060XLRO	60X Plan (DIN), LWD, 0.75 N.A.	1240's	225.00
1200-080XLRO	80X Plan (DIN), LWD, 0.80 N.A.	1240's	260.00
1200-010XLBO	10X Plan (DIN), LWD, 0.25 N.A.	1290's	120.00
1200-025XLBO	25X Plan (DIN), LWD, 0.40 N.A.	1290's	180.00
1200-040XLBO	40X Plan (DIN), LWD, 0.65 N.A.	1290's	199.00
1200-010XLPO	10X Plan Phase (DIN), LWD, 0.25 N.A.	1293CMI	170.00
1200-025XLPO	25X Plan Phase (DIN), LWD, 0.40 N.A.	1293CMI	215.00
1200-040XLPO	40X Plan Phase (DIN), LWD, 0.65 N.A.	1293CMI	240.00
1100-004XBAA	4X Achromatic (DIN), 0.10 N.A.	1100AMH/L's, 1109AMI/L	21.00
1100-010XBAA	10X Achromatic (DIN), 0.25 N.A.	1100AMH/L's, 1109AMI/L	28.00
1100-040XBAA	40X Achromatic (DIN), 0.65 N.A.	1100AMH/L's, 1109AMI/L	52.00
1100-060XBAA	60X Achromatic (DIN), 0.85 N.A.	1100AMH/L's, 1109AMI/L	99.00
1100-100XBAA	100X Achromatic-Oil (DIN), 1.25 N.A.	1100AMH/L's	87.00
Phase Contrast Centering Telescopes			
1400-PCT	Centering Telescope for Phase Contrast	1300PHi's, 1400PHi's, 1486FLi	125.00
1400-PCTi	Centering Telescope for Phase Contrast	1493Ini	140.00
1200-PCT	Centering Telescope for Phase Contrast	1200CM's, 1286ECM	80.00
1200-PCTi	Centering Telescope for Phase Contrast	1293CMI	80.00



Prices subject to change.



Microscopes, Parts & Accessories (continued)

VanGuard®, Microscope Case, Interior Straps with Velcro, Interior and Exterior Pockets, Padding and Vinyl Handle

Cat. No.	Description	For Models	List Price (Each)
1400-MCL	Case, Hard-Shell, Vinyl Interior Dimensions: 12 X 9.5 X 18"	All Microscopes	49.00

Microscopes, Parts & Accessories (continued)

VanGuard®

Cat. No.	Description	For Models	List Price (Each)
Polarizing Kits			
1400-PAK	Polarizer/Analyzer, Transmitted	1400's & 1400i series	75.00
1400-PAKMi	Polarizer/Analyzer, Transmitted	1442MMi	52.00
1200-PAK-38	Polarizer/Analyzer, 38mm, Transmitted	1200CM's, 1242MM, 1280's (w/ Köhler Illumination)	78.00
1200-ZPAK	Polarizer/Analyzer, Transmitted	1130's, 1250's, 1260's, 1270's	240.00



Stage Plates

1400-SPG	Stage Insert, Glass	1490's	70.00
1400-SPGM	Stage Insert, Glass	1442MMi	12.10
1400-SPP	Stage Insert: Petri Dish, 38mm	1490's	70.00
1400-SPS	Stage Insert: Slide/Petri Dish, 54mm	1490's	70.00
1400-SPT	Stage Insert: Terasaki/Petri Dish, 65mm	1490's	85.00
1200-SPFR	Stage Plate, Frosted, 75mm	1130's, 1250's, 1260's, 1270ZF/ZH's, 1270ZL's	5.80
1200-SPBW	Stage Plate, Black & White Reversible, 75mm	1130's, 1250's, 1260's, 1270ZF/ZH's, 1270ZL's	7.25
1200-SPBW1	Stage Plate, Black & White Reversible, 90mm	1120SP's, 1270ZP's	8.75



Miscellaneous

1200-MSL10	Slides, 1x3", 1.0-1.2mm, 72/Box	All Microscopes	4.95
1200-CS242	Cover Glass, 24x24mm, 0.13-0.17mm, 1000/Pack (10 Boxes/100 Ea.)	All Microscopes	19.50
1200-MLCK	Cleaning Kit, Microscope Lens	All Microscopes	7.50
1400-LP	Lens Paper, 4 x 6 in Booklet, 50 Sheets/Booklet	All Microscopes	2.75
45000-OT001	VEE GEE Optical Tissue, 280/Box	All Microscopes	4.75



Microscopes Lens Cleaning Kit



Microscopes Slides and Cover Glass Sold Separately


Prices subject to change.




Microscopes, Reticles & Micrometers

VanGuard®, All Reticles Installed In An Eyepiece


Cat. No.	Description	For Models	List Price (Each)
Scale Reticles			
1400-RSM5C10Ci	5 mm, 100 Divisions (0.05 mm), 10X Eyepiece	1400i's, 1300's	225.00
1400-RSM5C10F	5 mm, 100 Divisions (0.05 mm), 10X Eyepiece	1480's	215.00
1400-RSM5C10C	5 mm, 100 Divisions (0.05 mm), 10X Eyepiece	1400's, 1100AMH's	179.00
1400-RSM5C15C	5 mm, 100 Divisions (0.05 mm), 15X Eyepiece	1400's, 1400i's, 1300's, 1200CM's, 1240's, 1280's, 1290's, 1100AMH/L's	199.00
1400-RSM5C20C	5 mm, 100 Divisions (0.05 mm), 20X Eyepiece	1400's, 1400i's, 1300's, 1200CM's, 1240's, 1280's, 1290's, 1100AMH/L's	211.00
1490-RSM5C10C	5 mm, 100 Divisions (0.05 mm), 10X Eyepiece	1490's	260.00
1200-RSM5C10C	5 mm, 100 Divisions (0.05 mm), 10X Eyepiece	1200CM's, 1290's	195.00
1200-RSM5C10A	5 mm, 100 Divisions (0.05 mm), 10X Eyepiece	1240's, 1280's	199.00
1200-RSM5C10S	5 mm, 100 Divisions (0.05 mm), 10X Eyepiece	1120's, 1130's, 1250's, 1260's	211.00
1200-RSM5C10Z	5 mm, 100 Divisions (0.05 mm), 10X Eyepiece	1270's	226.00
1200-RSM5C15SZ	5 mm, 100 Divisions (0.05 mm), 15X Eyepiece	1120's, 1130's, 1250's, 1260's, 1270's	220.00
1100-RSM5C10C	5 mm, 100 Divisions (0.05 mm), 10X Eyepiece	1109AM/L, 1100AMH/L's, 1102SM	100.00
1400-RSM10C10Ci	10 mm, 100 Divisions (0.1 mm), 10X Eyepiece	1400i's, 1300's	220.00
1400-RSM10C10F	10 mm, 100 Divisions (0.1 mm), 10X Eyepiece	1480's	215.00
1400-RSM10C10C	10 mm, 100 Divisions (0.1 mm), 10X Eyepiece	1400's, 1100AMH's	179.00
1400-RSM10C15C	10 mm, 100 Divisions (0.1 mm), 15X Eyepiece	1400's, 1400i's, 1300's, 1200CM's, 1240's, 1280's, 1290's, 1100AMH/L's	200.00
1400-RSM10C20C*	10 mm, 100 Divisions (0.1 mm), 20X Eyepiece	1400's, 1400i's, 1300's, 1200CM's, 1240's, 1280's, 1290's, 1100AMH/L's	211.00
1490-RSM10C10C	10 mm, 100 Divisions (0.1 mm), 10X Eyepiece	1490's	260.00
1200-RSM10C10C	10 mm, 100 Divisions (0.1 mm), 10X Eyepiece	1200CM's, 1290's	195.00
1200-RSM10C10A	10 mm, 100 Divisions (0.1 mm), 10X Eyepiece	1240's, 1280's	198.00
1200-RSM10C10S	10 mm, 100 Divisions (0.1 mm), 10X Eyepiece	1120's, 1130's, 1250's, 1260's	210.00
1200-RSM10C10Z	10 mm, 100 Divisions (0.1 mm), 10X Eyepiece	1270's	225.00
1200-RSM10C15SZ	10 mm, 100 Divisions (0.1 mm), 15X Eyepiece	1120's, 1130's, 1250's, 1260's, 1270's	220.00
1100-RSM10C10C	10 mm, 100 Divisions (0.1 mm), 10X Eyepiece	1109AM/L, 1100AMH/L's, 1102SM	100.00
1400-RSE05C10Ci	0.500 in, 100 Divisions (0.005 in), 10X Eyepiece	1400i's, 1300's	220.00
1400-RSE05C10F	0.500 in, 100 Divisions (0.005 in), 10X Eyepiece	1480's	215.00
1400-RSE05C10C	0.500 in, 100 Divisions (0.005 in), 10X Eyepiece	1400's, 1100AMH/L's	179.00
1490-RSE05C10C	0.500 in, 100 Divisions (0.005 in), 10X Eyepiece	1490's	260.00
1200-RSE05C10C	0.500 in, 100 Divisions (0.005 in), 10X Eyepiece	1200CM's, 1290's	195.00
1200-RSE05C10A	0.500 in, 100 Divisions (0.005 in), 10X Eyepiece	1240's, 1280's	198.00
1200-RSE05C10S	0.500 in, 100 Divisions (0.005 in), 10X Eyepiece	1120's, 1130's, 1250's, 1260's	210.00
1200-RSE05C10Z	0.500 in, 100 Divisions (0.005 in), 10X Eyepiece	1270's	225.00
1200-RSE05C15SZ	0.500 in, 100 Divisions (0.005 in), 15X Eyepiece	1120's, 1130's, 1250's, 1260's, 1270's	220.00
* Due to the field size of the eyepiece, the whole scale cannot be seen.			
Grid Reticles			
1400-RGM10110Ci	10 mm x 10 mm, 100 Squares (1 mm ²), 10X Eyepiece	1400i's, 1300's	220.00
1400-RGM10110F	10 mm x 10 mm, 100 Squares (1 mm ²), 10X Eyepiece	1480's	215.00
1400-RGM10110C	10 mm x 10 mm, 100 Squares (1 mm ²), 10X Eyepiece	1400's, 1100AMH/L's	179.00
1490-RGM10110C	10 mm x 10 mm, 100 Squares (1 mm ²), 10X Eyepiece	1490's	260.00
1200-RGM10110C	10 mm x 10 mm, 100 Squares (1 mm ²), 10X Eyepiece	1200CM's, 1290's	195.00
1200-RGM10110A	10 mm x 10 mm, 100 Squares (1 mm ²), 10X Eyepiece	1240's, 1280's	198.00
1200-RGM10110S	10 mm x 10 mm, 100 Squares (1 mm ²), 10X Eyepiece	1120's, 1130's, 1250's, 1260's	198.00
1200-RGM10110Z	10 mm x 10 mm, 100 Squares (1 mm ²), 10X Eyepiece	1270's	210.00
1200-RGM10115SZ	10 mm x 10 mm, 100 Squares (1 mm ²), 15X Eyepiece	1120's, 1130's, 1250's, 1260's, 1270's	225.00
1400-RGM100510Ci	10 mm x 10 mm, 400 Squares (0.5 mm ²), 10X Eyepiece	1400i's, 1300's	220.00
1400-RGM100510F	10 mm x 10 mm, 400 Squares (0.5 mm ²), 10X Eyepiece	1480's	215.00
1400-RGM100510C	10 mm x 10 mm, 400 Squares (0.5 mm ²), 10X Eyepiece	1400's, 1100AMH/L's	179.00
1490-RGM100510C	10 mm x 10 mm, 400 Squares (0.5 mm ²), 10X Eyepiece	1490's	215.00
1200-RGM100510C	10 mm x 10 mm, 400 Squares (0.5 mm ²), 10X Eyepiece	1200CM's, 1290's	260.00
1200-RGM100510A	10 mm x 10 mm, 400 Squares (0.5 mm ²), 10X Eyepiece	1240's, 1280's	210.00
1200-RGM100510S	10 mm x 10 mm, 400 Squares (0.5 mm ²), 10X Eyepiece	1120's, 1130's, 1250's, 1260's	225.00
1200-RGM100510Z	10 mm x 10 mm, 400 Squares (0.5 mm ²), 10X Eyepiece	1270's	225.00
1200-RGM100515SZ	10 mm x 10 mm, 400 Squares (0.5 mm ²), 15X Eyepiece	1120's, 1130's, 1250's, 1260's, 1270's	225.00
General Reticles			
1400-RCH10Ci	Crosshair, 0.006 in Line Width, 10X Eyepiece	1400i's, 1300's	220.00
1400-RCH10F	Crosshair, 0.006 in Line Width, 10X Eyepiece	1480's	215.00
1400-RCH10C	Crosshair, 0.006 in Line Width, 10X Eyepiece	1400's, 1100AMH/L's	179.00
1490-RCH10C	Crosshair, 0.006 in Line Width, 10X Eyepiece	1490's	260.00
1200-RCH10C	Crosshair, 0.006 in Line Width, 10X Eyepiece	1200CM's, 1290's	195.00
1200-RCH10A	Crosshair, 0.006 in Line Width, 10X Eyepiece	1240's, 1280's	198.00
1200-RCH10S	Crosshair, 0.006 in Line Width, 10X Eyepiece	1120's, 1130's, 1250's, 1260's	210.00
1200-RCH10Z	Crosshair, 0.006 in Line Width, 10X Eyepiece	1270's	225.00
1400-RPT10Ci	Pointer, 10X Eyepiece	1400i's, 1300's	220.00
1400-RPT10F	Pointer, 10X Eyepiece	1480's	215.00
1400-RPT10C	Pointer, 10X Eyepiece	1400's, 1100AMH/L's	179.00
1490-RPT10C	Pointer, 10X Eyepiece	1490's	260.00
1200-RPT10C	Pointer, 10X Eyepiece	1200CM's, 1290's	195.00
1200-RPT10A	Pointer, 10X Eyepiece	1240's, 1280's	198.00
1200-RPT10S	Pointer, 10X Eyepiece	1120's, 1130's, 1250's, 1260's	225.00
1200-RPT10Z	Pointer, 10X Eyepiece	1270's	210.00
1100-RPT10C	Pointer, 10X Eyepiece	1109AM/L, 1100AMH/L's, 1102SM	55.00
Application Specific			
1400-RHM10Ci	Howard Mold Count, 10X Eyepiece (Counting Chamber Not Included)	1400i's, 1300's	220.00
1400-RHM10F	Howard Mold Count, 10X Eyepiece (Counting Chamber Not Included)	1480's	215.00
1200-RHM10C	Howard Mold Count, 10X Eyepiece (Counting Chamber Not Included)	1200CM's, 1290's	195.00
1400-RWB310Ci	Walton & Becket, 3:1 Ratio, 10X Eyepiece	1400i's, 1300's	385.00
1400-RWB310F	Walton & Becket, 3:1 Ratio, 10X Eyepiece	1480's	370.00
1200-RWB310C	Walton & Becket, 3:1 Ratio, 10X Eyepiece	1200CM's, 1290's	360.00
Stage Micrometer/Calibration Plate			
1200-SMM	Scale 1.0 mm, 0.01 mm/0.05 mm/0.1 mm increments	Metric Scale Reticles	258.00
1200-SME	Scale 0.1 in, 0.001 in/0.005 in/0.01 in increments	SAE (English) Scale Reticles	258.00
1200-SMME	1.0 mm/0.1 in, Dual Scale	Metric/SAE Scale Reticles	425.00
1200-SMM-C	Scale 1.0 mm, 0.01 mm/0.05 mm/0.1 mm increments	Metric Scale Reticles	80.00
1200-SM-010	Standard 10-Point Calibration (Minimum 10 Pts) (Micrometer Not Included) NIST Traceable, Serialized, Certificate	Stage Micrometers	390.00




5mm Scale




10mm Scale




100 Square Grid



400 Square Grid



Crosshair




Pointer



Howard Mold Count



Walton & Becket



Stage Micrometer



Porcelain, Crucibles, w/o Cover

VEE GEE® (made by JIPO), High-Form, Glazed Inside & Out Except for Outside Bottom Surface & Rim

Cat. No.	Capacity (mL)	Dimensions		Pack Qty.	List Price (Pack)
		Top O.D.	X Height		
52120-0301	10	30	x 25 mm	5	15.25
52120-0351	12	35	x 28 mm	5	16.50
52120-0451	30	45	x 36 mm	5	21.25
52120-0501	45	50	x 40 mm	5	27.50
52120-0601	80	60	x 48 mm	5	32.50
52120-0701	120	70	x 56 mm	5	42.50



Porcelain, Crucible Covers

VEE GEE® (made by JIPO), w/ Ring Handle, Glazed Inside & Out Except for Rim

Cat. No.	Fits Diameter	Pack Qty.	List Price (Pack)
52100-0301	30 mm	5	17.00
52100-0351	35 mm	5	18.25
52100-0451	45 mm	5	24.00
52100-0501	50 mm	5	25.50
52100-0601	60 mm	5	28.75
52100-0701	70 mm	5	35.00



Porcelain, Dishes, Evaporating

VEE GEE® (made by JIPO), Rounded Bottom with Pouring Lip, Glazed Inside & Outside Top Lip. Rim and bottom Unglazed.

Cat. No.	Capacity (mL)	Dimensions		Pack Qty.	List Price (Pack)
		Top O.D.	X Height		
52220-6121	30	63	x 25 mm	5	37.50
52220-6201	60	80	x 32 mm	5	44.00
52220-6221	107	81	x 38 mm	5	46.25
52220-6321	150	100	x 40 mm	5	60.00
52220-6401	232	112	x 47 mm	5	81.25



Porcelain, Funnels, Buchner

VEE GEE® (made by JIPO), w/ Fixed Perforated Plate, Glazed Inside & Out Except for Rim

Cat. No.	Capacity (mL)	Diameter of Plate (mm)	Diameter of Perf. Area (mm)	Filter Paper Size (cm)	List Price (Each)
53223-7201	70	62	45	5.5	22.75
53223-7301	120	77	58	7.0	27.00
53223-7401	240	97	70	9.0	36.00
53223-7501	400	116	95	11	45.00
53223-7601	600	130	110	12.5	62.00



Porcelain, Mortar & Pestles

VEE GEE® (made by JIPO) Mortar w/ Lip, Glazed Outside Except for Bottom Surface, Pestle Glazed to Grinding Surface

Cat. No.	Mortar/Pestle	Capacity (mL)	Mortar O.D. (mm)	Pestle Length (mm)	List Price (Each)
53121-1110	Mortar	70	63	NA	11.50
53121-3100	Pestle	NA	NA	115	6.00
53121-1220	Mortar	160	90	NA	16.50
53121-3200	Pestle	NA	NA	135	7.00
53121-1320	Mortar	400	125	NA	35.00
53121-3400	Pestle	NA	NA	175	11.50
53121-1500	Mortar	650	150	NA	54.25
53121-3500	Pestle	NA	NA	210	17.75



Mortars and Pestles Sold Separately



Porcelain, Spot Plates

VEE GEE® (made by JIPO), Glazed Except for Bottom Surface

Cat. No.	No. of Depressions	Dimensions L x W (mm)	Pack Qty.	List Price (Pack)
53326-3601	12	115 x 91	5	77.50



Prices subject to change.



Polarimeters, Manual

VEE GEE®

Cat. No.	Model	Scale	Range	Resolution/ Accuracy	Lamp/ Wavelength	List Price (Each)
4601P	C25L	Angular°	±180°	0.1°/±0.1°	LED λ=589nm	875.00



Polarimeter Calibration Services

Traceable to National Standards

Cat. No.	Description	For Models	List Price (Each)
2000-040	Calibration to Standard	Polarimeter, Manual Only	360.00

NOTE: For VEE GEE® Polarimeter only, at time of purchase. Calibration service does not include the price of the polarimeter. Calibration service is nonrefundable. Please allow several extra days for delivery.



Polarimeters, Parts & Accessories

Cat. No.	Description	For Models	List Price (Each)
Sample Cells			
4600P-SC100	Glass w/ Bubble Trap, 100mm, 11ml	C25L	65.00
4600P-SC200	Glass w/ Bubble Trap, 200mm, 18ml	C25L	75.00



Refractometers, Abbe

VEE GEE® C10 Model with New Digital Thermometer

Cat. No.	Model	Scale	Range	Resolution/ Accuracy	List Price (Each)
C10	C10	Brix nD	0-95% 1.3000-1.7200	0.25%/±0.15% 0.0005/±0.00025	895.00



New C10 Model with Digital Thermometer

Refractometers, Abbe, LED / Sodium Light Package for Cat No. C10

VanGuard®

Cat. No.	Wavelength	Light Source	Light Guide	List Price (Each)
44000-LEDNA	589nm	LED	LED / Sodium Filter	425.00

NOTE: Comes standard with Control Unit, two single LED light guides and a single sodium filter.



Cat No. 44000-LEDNA shown with Cat No. C10



Refractometer, Contact Solution, w/ Letter of NIST Traceability Certification

Prices subject to change.

Cat. No.	Type	R.I. Value (25°C)	Bottle Volume	For Models	List Price (Each)
45000-OS001	Bromonaphthalene	1.656 nD	7.4mL / ¼ oz	C10	19.99



Prices subject to change.



New MDX-Series Refractometers:

- Portable
- Compact
- Application Specific!



Refractometers, Portable, Digital, Compact

VEE GEE®, MDX-Series

Cat. No.	Model	Description/Scales	# of Scales	List Price (Each)
48101	MDX-101	nD,Brix, 0.0-50.0%	2	280.00
48102	MDX-102	nD,Brix (wide range) 0.0-90.0%	2	350.00
48103	MDX-103	Sugars: Dextran, Fructose, Glucose, Lactose, Maltose, nD	6	440.00
48201	MDX-201	NaCl %, NaCl PPT, Specific Gravity, nD	4	325.00
48202	MDX-202	Seawater, Chlorinity, Specific Gravity, nD	4	325.00
48301	MDX-301	Honey: Brix, Water, Be', nD	4	390.00
48401	MDX-401	Wine/Beer: Brix, % vol ap, Oe, KMW	4	325.00
48602	MDX-602	DEF, Battery Acid, nD	3	310.00
48603C	MDX-603C	Glycols °C: Prop/Ethyl %, Prop/Ethyl Freeze Point °C	4	390.00
48603F	MDX-603F	Glycols °F: Prop/Ethyl %, Prop/Ethyl Freeze Point °F	4	390.00
48604C	MDX-604C	Brake Fluid °C: DOT3/DOT4 Boil Point °C	4	390.00
48604F	MDX-604F	Brake Fluid °F: DOT3/DOT4 Boil Point °F	4	390.00



For Detailed Specifications on our MDX-Series Refractometers:

- Go to veegee.com
- Literature tab
- Refractometers
- MDX-Series Brochure

Refractometers, Portable, Digital

VEE GEE®, PDX

Cat. No.	Model	Scale	Range	Resolution/Accuracy	List Price (Each)
44001	PDX-1	Brix nD NaCl	0-65% 1.3330-1.4535 0-28%	0.1%/±0.1% 0.0001/±0.0002 0.1%/±0.1%	540.00



Refractometers, Handheld

VEE GEE®, X-Series, Analog

Cat. No.	Model	Scale	Range	ATC	List Price (Each)
43001	BX-1	Brix	0-32%	No	101.50
43002	BTX-1	Brix	0-32%	Yes	115.00
43003	BX-2	Brix	28-62%	No	101.50
43005	BX-3	Brix	58-92%	No	101.50
43007	BX-4	Brix	45-82%	No	101.50
43009	BX-10	Brix	0-10%	No	101.50
43011	BX-20	Brix	0-20%	No	101.50
43012	BTX-20	Brix	0-20%	Yes	115.00
43015	BX-50	Brix	0-50%	No	101.50
43017	BX-90	Brix	0-90%	No	410.00
43033	SX-1	NaCl	0-10%	No	101.50
43035	SX-2	NaCl	0-28%	No	101.50
43036	STX-3	Salinity	0-100‰	Yes	115.00
43053	NDX-1	nD	1.333-1.517	No	410.00
43055	NDX-2	nD	1.435-1.520	No	101.50
43062	CTX-1	Antifreeze/Coolant	Freezing Point/°C	Yes	115.00
43064	CTX-2	Antifreeze/Coolant	Freezing Point/°F	Yes	115.00
43071	URX-60	Urea	0-60%	No	101.50



Prices subject to change.



Refractometers, Parts & Accessories

Cat. No.	Description	For Models	List Price (Each)
43000-DLXX	Daylight Plate Kit	X-Series Handheld Refractometers	25.00
43000-00100	Hard Case	All Handheld Units	7.75
43RP-008	Soft Fabric Carrying Case	X-Series Handheld Refractometers	7.75
1111	Soft Vinyl Carrying Case	BX-1, BTX-1, BX-2, BX-3, BX-4, BX-50, SX-2, NDX-2, CTX-1&2, CDX Series	3.90
1111L	Soft Vinyl Carrying Case	BX-10, BX-20, BTX-20, BX-90, CLX-1, SX-1, STX-3, NDX-1	3.90
45000-OT001	VEE GEE Optical Tissues, 280/Box	All Refractometers	4.75

* Daylight Plate Kit for VEE GEE® Refractometers only. Please specify model of refractometer at time of order. Models BX-90 and NDX-1 do not apply.



Refractometer Calibration Services

Traceable to National Standards

Cat. No.	Description	For Models	List Price (Each)
2000-001	Calibration to Standard	Most Analog Handhelds	135.00
2000-002	Calibration to Standard	BX-90, NDX-1	150.00
2000-010	Calibration to Standard	PDX Series	250.00
2000-020	Calibration to Standard	C10	550.00
2000-030	Calibration to Standard	Bench Top	850.00

NOTE: For VEE GEE® Refractometers only, at time of purchase. Calibration service does not include the price of the refractometer. Calibration service is nonrefundable. Please allow several extra days for delivery.



Refractometer Standards, w/ Letter Of NIST Traceability Certification

Cat. No.	Type	Brix Value (20°C)	R.I. Value (20°C)	R.I. Value (25°C)	Bottle Volume	List Price (Each)
45000-OS025	Oil	60.0%	1.4420 nD	1.440 nD	7.4mL / ¼ oz	56.50
45000-OS200	Water	0.00%	1.33297 nD	1.33249 nD	7.4mL / ¼ oz	195.00



Prices subject to change.

Thermometers, Dial, 1" Diameter, Multiple Applications, Liquids, Concrete, Snow.

VEE GEE®, Bi-Metal Stem, Accuracy: ±1 Subdivision

Cat. No.	Range	Subdivision	Face Diameter (mm/in)	Stem Length (mm/in)
81070	-40 to +70°C	1°C	25/1	127/5
81110	-10 to +110°C	1°C	25/1	127/5
81125	+25 to +125°F	1°F	25/1	127/5
81150	0 to +150°C	2°C	25/1	127/5
81160	-40 to +160°F	2°F	25/1	127/5
81220	0 to +220°F	2°F	25/1	127/5
81250	0 to +250°C	2°C	25/1	127/5
81550	+50 to +550°F	5°F	25/1	127/5
81550G	+50 to +550°F	5°F	25/1	127/5

NOTE: 81000 series dial thermometers come with a plastic case w/ pocket clip. Cat. No. 81550G features a glass face.

NOTE: Clip for Dial Thermometers (used for attaching to containers, tanks, etc.) Sold Separately Cat No. 82999



81550G



81070

Thermometers, Dial, 1.75 / 2" Diameter, Multiple Applications, Liquids, Concrete, More.

VEE GEE®, Bi-Metal Stem, Accuracy: ±1 Subdivision. Comes with Clip (Used for attaching to containers, tanks, etc.)

Cat. No.	Range	Subdivision	Face Diameter (mm/in)	Stem Length (mm/in)	List Price (Each)
82100	0 to +100°C	1°C	45/1.75	203/8	8.90
82100V	-50 to +100°C	2.5°C	45/1.75	203/8	8.90
82110	-10 to +110°C	1°C	45/1.75	203/8	8.90
82125	+25 to +125°F	1°F	45/1.75	203/8	8.90
82150	0 to +150°C	2°C	45/1.75	203/8	8.90
82160	-40 to +160°F	2°F	45/1.75	203/8	8.90
82220	0 to +220°F	2°F	45/1.75	203/8	8.90
82250	0 to +250°C	2°C	45/1.75	203/8	8.90
82250F	+50 to +250°F	2°F	45/1.75	203/8	8.90
82550	+50 to +550°F	5°F	45/1.75	203/8	8.90
82550DG	+10 to +290°C	5°C	51/2	203/8	11.00
	+50 to +550°F	5°F			

NOTE: Cat. No. 82550DG features a glass face and has dual C & F Ranges.

NOTE: Additional Clips for Dial Thermometers Sold Separately Cat No. 82999



Dual Scale / Glass Face

Thermometers, Dial, 3" Diameter, Soil Testing / Liquids / Other.

VEE GEE®, Bi-Metal Stem, Accuracy: ±1 Subdivision

Cat. No.	Range	Subdivision	Face Diameter (mm/in)	Stem Length (mm/in)	List Price (Each)
82160-6	-40 to +160°F	2°F	76/3	152/6	16.80
82160-12	-40 to +160°F	2°F	76/3	305/12	22.05



82160-6

Thermometers, Dial, 3" Diameter, Compost Testing / Liquids / Other.

VEE GEE®, Bi-Metal Stem, Soil & Compost Testing, Accuracy: ±1 Subdivision

Cat. No.	Range	Subdivision	Face Diameter (mm/in)	Stem Length (mm/in)	List Price (Each)
82200-36	0 to +200°F	2°F	76/3	914/36	65.00
82200-48	0 to +200°F	2°F	76/3	1220/48	77.50
82200-72	0 to +200°F	2°F	76/3	1830/72	135.50



Prices subject to change.



Thermometers, Digital, High Accuracy, Ultra High Accuracy, Long Probe Option

VEE GEE®, °C/°F Scales, Bi-Metal Stem, LCD Readout, On-Off Switch, Face Dimensions: 36 X 17 mm/1.4 x 0.7 in.

Cat. No.	Accuracy Model	Resolution/Accuracy	Range	Stem Length (mm/in)	List Price (Each)
83210	High Acc.	0.1°/±1.0°C & 0.1°/±2.0°F	-50 to +150°C / -58 to +302°F	127/5	21.00
83210-12	High Acc.-12"			300/12	30.00
83110	Ultra Acc.	0.1°/±0.5°C & ±1.0°F	-10 to +100°C / +14 to +212°F	127/5	24.50



Thermometers, General Laboratory

VEE GEE®, Liquid-in-Glass, Spirit-Filled, w/ Non-Roll Fittings, Accuracy: ±1 Subdivision

Cat. No.	Range	Subdivision	Immersion	Backing	List Price (Each)
80501	-20 to +110°C	1°C	Total	White	4.05
80502	-20 to +150°C	1°C	Total	White	4.05
80503	0 to +230°F	2°F	Total	White	4.05
80504	0 to +300°F	2°F	Total	White	4.05
80521	-20 to +110°C	1°C	76 mm	White	4.05
	0 to +230°F	2°F			
80601	-20 to +110°C	1°C	76 mm	White	4.05
80602	-20 to +150°C	1°C	76 mm	White	4.05
80603	0 to +230°F	2°F	76 mm	White	4.05
80604	0 to +300°F	2°F	76 mm	White	4.05
80621	-20 to +110°C	1°C	Total	White	4.05
	0 to +230°F	2°F			
80802	-20 to +110°C	None	Total	White	1.60

Note: 80802 does not have markings. It is intended for educational purposes to learn about temperature readings.

Thermometers, General Laboratory, Pocket, w/ Armor Case

VEE GEE®, Liquid-in-Glass, Spirit-Filled, Blue Plastic Armor Case, Accuracy: ±1 Subdivision

Cat. No.	Range	Subdivision	Immersion	Backing	List Price (Each)
84050	0 to +50°C	1°C	Total	White	5.50
84125	+25 to +125°F	1°F	Total	White	5.50



84050



84125

Thermometers, Maximum-Minimum, Digital Thermo-Hygrometer w/ Clock

VEE GEE®, °C/°F Scales; Accuracy is ± one subdivision. (3 in 1) display shows: Humidity/ Temperature / Time.

Cat. No.	Range	Resolution	Dimensions	List Price (Each)
84004	0 to +50°C	1.0°C	110 x 98 x 21 mm/	30.50
	+32 to +122°F	2.0°F	4.33 x 3.86 x 0.83 in	
	20 - 99% Humidity	1%		



Prices subject to change.

Thermometers, Serialized, Precision

VEE GEE®, Safety Blue fill, 12" unless noted (Thermometer Only), Accuracy: ± one subdivision.

Cat. No.	Range	Sub Division	Filled	Approx. Length	Immersion (mm)	Backing	List Price (Each)
80702	-4 to 230°F	2° F	Blue Liquid	12"	Total	White	21.00
80703	0 to 300°F	2° F	Blue Liquid	12"	Total	White	21.00
80706	-35 to 50°C	1° C	Blue Liquid	12"	Total	White	21.00
80707	-20 to 110°C	1° C	Blue Liquid	12"	Total	White	21.00
80708	-20 to 150°C	1° C	Blue Liquid	12"	Total	White	21.00
80902	-4 to 230°F	2° F	Blue Liquid	12"	Partial	White	21.00
80903	0 to 300°F	2° F	Blue Liquid	12"	Partial	White	21.00
80905	20 to 500°F	2° F	Blue Liquid	16"	Partial	White	26.50
80906	-35 to 50°C	1° C	Blue Liquid	12"	Partial	White	21.00
80907	-20 to 110°C	1° C	Blue Liquid	12"	Partial	White	21.00
80908	-20 to 150°C	1° C	Blue Liquid	12"	Partial	White	21.00

Thermometers, Serialized, Precision, Encapsulated

VEE GEE®, Safety Blue fill, Encapsulated in FEP (Thermometer Only), Accuracy: ± one subdivision.

Cat. No.	Range	Sub Division	Filled	Approx. Length	Immersion (mm)	Backing	List Price (Each)
80702E	-4 to 230°F, Encapsulated	2° F	Blue Liquid	12"	Total	White	42.00
80703E	0 to 300°F, Encapsulated	2° F	Blue Liquid	12"	Total	White	42.00
80707E	-20 to 110°C, Encapsulated	1° C	Blue Liquid	12"	Total	White	42.00
80708E	-20 to 150°C, Encapsulated	1° C	Blue Liquid	12"	Total	White	42.00
80902E	-4 to 230°F, Encapsulated	2° F	Blue Liquid	12"	Partial	White	42.00
80903E	0 to 300°F, Encapsulated	2° F	Blue Liquid	12"	Partial	White	42.00
80907E	-20 to 110°C, Encapsulated	1° C	Blue Liquid	12"	Partial	White	42.00
80908E	-20 to 150°C, Encapsulated	1° C	Blue Liquid	12"	Partial	White	42.00

Thermometers, Serialized, Precision, Armored

VEE GEE®, Safety Blue fill, 12" unless noted (Thermometer and Armor Kit), Accuracy: ± one subdivision.

Cat. No.	Range	Sub Division	Filled	Approx. Length	Immersion (mm)	Backing	List Price (Each)
80702-A	-4 to 230°F	2° F	Blue Liquid	12"	Total	White	31.99
80703-A	0 to 300°F	2° F	Blue Liquid	12"	Total	White	31.99
80706-A	-35 to 50°C	1° C	Blue Liquid	12"	Total	White	31.99
80707-A	-20 to 110°C	1° C	Blue Liquid	12"	Total	White	31.99
80708-A	-20 to 150°C	1° C	Blue Liquid	12"	Total	White	31.99
80902-A	-4 to 230°F	2° F	Blue Liquid	12"	Partial	White	31.99
80903-A	0 to 300°F	2° F	Blue Liquid	12"	Partial	White	31.99
80906-A	-35 to 50°C	1° C	Blue Liquid	12"	Partial	White	31.99
80907-A	-20 to 110°C	1° C	Blue Liquid	12"	Partial	White	31.99
80908-A	-20 to 150°C	1° C	Blue Liquid	12"	Partial	White	31.99

Thermometers, Serialized, Precision, Encapsulated, Armored

VEE GEE®, Safety Blue fill, Encapsulated in FEP (Thermometer and Armor Kit), Accuracy: ± one subdivision.

Cat. No.	Range	Sub Division	Filled	Approx. Length	Immersion (mm)	Backing	List Price (Each)
80702E-A	-4 to 230°F, Encapsulated	2° F	Blue Liquid	12"	Total	White	54.75
80703E-A	0 to 300°F, Encapsulated	2° F	Blue Liquid	12"	Total	White	54.75
80707E-A	-20 to 110°C, Encapsulated	1° C	Blue Liquid	12"	Total	White	54.75
80708E-A	-20 to 150°C, Encapsulated	1° C	Blue Liquid	12"	Total	White	54.75
80902E-A	-4 to 230°F, Encapsulated	2° F	Blue Liquid	12"	Partial	White	54.75
80903E-A	0 to 300°F, Encapsulated	2° F	Blue Liquid	12"	Partial	White	54.75
80907E-A	-20 to 110°C, Encapsulated	1° C	Blue Liquid	12"	Partial	White	54.75
80908E-A	-20 to 150°C, Encapsulated	1° C	Blue Liquid	12"	Partial	White	54.75

NOTE: Non Roll Fittings Sold Separately, Cat No. 82998


Thermometer Armor Cases Only, Nickel-Plated Brass

VEE GEE®, Armor Only

Cat. No.	For Thermometer Length (mm/in)	Type	List Price (Each)
83040N	152/6	2 Part	7.60
83041N	152/6	3 Part	10.35
83025A	305/12	2 Part	11.75
83025B	152/6	2 Part	10.25
83025C	178/7	2 Part	10.20
83025E	229/9	2 Part	13.25
83025F	356/14	2 Part	15.50
83025G	381/15	2 Part	15.50
83025H	406/16	2 Part	16.00
83025J	457/18	2 Part	17.50
83025M	610/24	2 Part	23.50



Prices subject to change.



Represents:
Thermometer & Armor Kits

Represents:
83025-Series Armor Only



Thermometers, Wall

VEE GEE®; Accuracy is ± one subdivision.

Cat. No.	Type	Thermometer Range	Subdivision	Hygrometer Range	Subdivision	List Price (Each)
85001	Clock w/ Small Thermometer & Hygrometer	-20 to +140 °F	5 °F	0-100	2	32.50
85002	Thermometer w/Small Hygrometer	-40 to +50 °C -40 to +120 °F	2 °C 2 °F	0-100	2	26.75
85003	Thermometer Only	-40 to +50 °C -40 to +120 °F	2 °C 2 °F	N/A	N/A	20.75



85001



85002



85003

Thermometer Calibration Services

Traceable to NIST

Cat. No.	Description	Description	List Price (Each)
86-TC01	Certificate of Conformance	Manufacturer's Statement of Thermometer Conformance	95.00
86-CC03	Calibration Certificate	Calibration for up to 3 Individual Thermometer Points	99.00

NOTE: Certification is nonrefundable. Please allow several extra days for delivery.



Thermometer Accessories

VEE GEE®, Clips and Non Roll Fittings

Cat. No.	Description	Description	List Price
82999	Clips (Used for attaching to Containers, tanks, etc.)	Fits on 1", 1.75" and 2" Dial Thermometers	1.95 Ea
82998	Non Roll Fittings	Fits on all Glass Thermometers	2.50 Pk/25



Thermometer Clip and Non Roll Fittings



Prices subject to change.

Clearance Pricing on Remaining Stock.

Thermometer Armor Cases, Blue Plastic

VEE GEE®, Armor Only

Cat. No.	For Thermometer Length (mm/in)	List Price (Each)
83030A	152/6	1.30



Thermometers, General Laboratory

VEE GEE®, Liquid-in-Glass, Spirit-Filled, w/ Non-Roll Fittings, Accuracy: ±1 Subdivision

Cat. No.	Range	Subdivision	Immersion	Backing	List Price (Each)
80802		None	Total	White	1.60

Note: 80802 does not have markings. It is intended for educational purposes to learn about temperature readings.



Desiccator Plates

Bellwether®, w/ Center Hole, Glazed Inside & Out Except for Bottom Surface

Cat. No.	Diameter (mm)	Number Of Holes	Pack Qty.	List Price (Pack)
5080-140	140	6	1	7.72
5080-180	180	7	1	13.44



Dishes, Evaporating

Bellwether®, Rounded Bottom with Pouring Lip, Glazed Inside & Out Except for Rim

Cat. No.	Capacity (mL)	Dimensions Top O.D. X Height	Pack Qty.	List Price (Pack)
5020	35	60 x 24 mm	10	52.00
5022	80	80 x 34 mm	10	78.00
5023	120	93 x 40 mm	10	104.00



Bottles, BOD

VEE GEE®, Manufactured From Borosilicate Tubing

Cat. No.	Capacity (mL)	Pack Qty.	Case Qty.	List Price (Pack)	List Price (Case)
20284-300	300	6	24	66.00	264.00



Support Jacks

VEE GEE®, Anodized Aluminum

Cat. No.	Description	Pack Qty.	List Price (Each)
3050	Support Jack, 140 x 115 mm (5.5 x 4.5 in)	1	82.50
3050-200	Support Plate Set, 200 x 200 mm (8 x 8 in)	1 Set of 2	65.00
3050-R305	Rod, 305mm for attaching to Plates Only	1	19.26



Prices subject to change.

Full Specification Brochures!

Go to: veegee.com
Click on the Literature Tab



VEE GEE Scientific

Laboratory Equipment & Supplies



If you would like a PDF version of our Dealer Price List,
Please email sales@veegee.com

Printed in the USA
No. DPL010116